


This is the simple example template containing only headers for each report item and the bookmarks.

Modify it according to your own needs and standards.

Measurement Conditions: (Bookmark 1)



Main Graphics, Analyze View: (Bookmark 2)

Recognized Minerals: (Bookmark 3)

Quality	Score	SemiQuant [%]	Compound Name	Chemical Formula	Scale Factor	Ref. Code	Displacement [°2Th.]	RIR
"C"	75	64	Quartz low	Si O2	0.996	01-086-1560	0.027	3.030
"C"	44	8	Albite low	Na1.09 (Al1.09 Si2.91 O8)	0.027	01-076-0758	0.024	0.660
"B";UE	38	4	Kaolinite-	Al2 Si2	0.012	00-029-	-0.066	0.600

			1\ITMd\R G	O5 (O H)4		1488		
"C";D;U E	40	10	Microclin e, intermedi ate	K Al Si3 O8	0.029	00-022- 0675	0.031	0.590
"C";UE	18	2	Vermiculi te	Mg3 Si4 O10 (O H)2	0.006	01-074- 1732	0.033	0.600
"C"	26	2	Dickite	Al2 Si2 O5 (O H)4 (H C O N H2)	0.056	01-074- 1758	0.049	4.680
"O";D;U E	12	3	Antigorit e 6M	Mg3 Si2 O5 (O H)4	0.007	00-007- 0417	-0.106	0.500
"C"	16	1	Chabazite (K- exchange d)	K4.16 Al3.8 Si8.2 O24 (H2 O)7.23	0.010	01-085- 0976	0.032	2.580
"I";UE	19	6	Lepidolit e- 12\ITO\R G (MICA)	K (Li , Al)3 (Si , Al)4 O10 (O H)2	0.013	00-015- 0062	0.100	0.400

Candidate List: (Bookmark 4)

Score	RIR	Compo und Name	Scale Factor	Chemical Formula	Total Lines	Matche d Lines	New Matche d Lines	Strong Unmat ched Lines	Displa cement [°2Th.]	Ref. Code
25	1.770	Daraps kite, syn	0.002	Na3 (N O3) (S O4) (H2 O)	154	70	1	0	0.017	01- 074- 1238
9	0.000	Loewei te	0.001	Na12 Mg7 (S O4)13 !15 H2 O	30	20	1	0	-0.018	00- 021- 1139
6	6.740	Calzirti te, syn	0.006	Ca2 Zr5 Ti2 O16	123	49	1	0	-0.078	01- 075- 2282
5	1.300	Cupror ivaite	0.007	Ca Cu Si4	108	51	1	0	0.074	01- 085-

				O10						0158
5	0.000	Wollas tonite- 1\ITA\ RG, manga noan	0.010	Ca (120	59	1	0	0.074	00- 042- 0549
				Ca , Mn) Si2 O6						
5	2.230	Rodalq uilarite	0.007	H3 Fe2 (Te O3)4 Cl	150	75	1	0	-0.014	01- 074- 1850
4	0.450	Miserit e	0.003	K1.13 Ca5.27 Al.08 Si7.92 O23.5 F H4.41	128	68	1	0	-0.096	01- 075- 0859
4	0.420	Parago nite 2M1	0.001	Na Al2 Si2.98 Al1.02 O10 (155	75	1	1	-0.080	01- 083- 2128
				O H)2						
4	0.000	Weissb ergite, syn	0.257	Tl Sb S2	47	31	2	0	0.044	00- 029- 1331
4	1.410	Wenkit e	0.009	Ba3.5 K0.5 Ca5.5 Na0.5 Si11 Al9 O41 (158	75	1	1	-0.024	01- 070- 1003
				O H)2 (S O4)3						

Peak List: (Bookmark 3)

d- spacin g [Å]	Pos. [°2Th.]	Height [cts]	FWH M [°2Th.]	Rel. Int. [%]	Tip width [°2Th.]	Match ed by	Height [cps]	Area [cps*° 2Th.]	Area [cts*°2 Th.]	Match ed
14.756 03	5.9896	115.77	0.6025	1.57	0.5021	01- 074- 1732	1.16	0.47	46.50	Yes
14.344 71	6.1615	57.48	0.2676	0.78	0.2720	01- 074- 1732	0.58	0.15	15.18	Yes
13.887	6.3644	143.04	0.2443	1.94	0.2036	01-	1.43	0.23	23.30	Yes

91						074-1732				
10.219	8.6530	107.50	0.0200	1.45	0.0167	01-074-1758	1.08	0.01	1.43	Yes
22										
9.9695	8.8701	186.44	0.1004	2.52	0.1020	01-074-1758;	1.87	0.19	18.46	Yes
5						00-015-0062				
9.7599	9.0610	85.00	0.5346	1.15	0.4455	00-015-0062	0.85	0.30	30.29	Yes
6										
9.3621	9.4469	74.50	0.2919	1.01	0.2433	01-085-0976	0.75	0.15	14.50	Yes
2										
7.3981	11.963	81.10	0.1397	1.10	0.1164	00-007-0417	0.81	0.08	7.55	Yes
0	0									
7.2895	12.141	122.10	0.3211	1.65	0.2676	01-074-1732;	1.22	0.26	26.14	Yes
2	9					00-007-0417				
7.1581	12.365	167.15	0.2007	2.26	0.2040	00-029-1488;	1.68	0.33	33.10	Yes
3	6					01-074-1732				
7.0725	12.515	150.31	0.0200	2.03	0.0167	00-029-1488;	1.51	0.02	2.00	Yes
0	9					01-074-1732;				
6.4921	13.639	51.90	0.2507	0.70	0.2089	00-007-0417	0.52	0.09	8.67	Yes
8	8					00-022-0675;				
						00-007-0417;				
						01-085-0976				

6.3678 3	13.907 4	26.54	0.2007	0.36	0.2040	01- 076- 0758; 00- 022- 0675; 01- 085- 0976	0.27	0.05	5.25	Yes
5.8932 6	15.033 6	17.59	0.2007	0.24	0.2040	01- 076- 0758; 00- 022- 0675; 00- 007- 0417	0.18	0.03	3.48	Yes
4.9795 1	17.812 9	61.32	0.1338	0.83	0.1360	01- 074- 1758; 00- 015- 0062	0.62	0.08	8.10	Yes
4.8283 3	18.375 4	14.60	0.2007	0.20	0.2040	01- 074- 1732	0.15	0.03	2.89	Yes
4.5177 3	19.650 9	68.00	0.0200	0.92	0.0167	01- 074- 1732	0.68	0.01	0.91	Yes
4.4803 3	19.816 5	63.47	0.2007	0.86	0.2040	01- 074- 1732; 01- 074- 1758	0.64	0.13	12.57	Yes
4.4600 0	19.907 8	87.54	0.0244	1.18	0.0203	00- 029- 1488; 01- 074- 1732; 01- 074- 1758; 00- 015- 0062	0.88	0.01	1.42	Yes
4.2542 3	20.881 2	1644.4 7	0.1004	22.25	0.1020	01- 086-	16.49	1.63	162.82	Yes

4.2282 8	21.010 9	1527.3 9	0.0200	20.67	0.0167	1560; 00- 022- 0675; 01- 074- 1732; 00- 007- 0417 01- 086- 1560; 00- 022- 0675; 01- 074- 1732 01- 074- 1758 01- 076- 0758; 01- 074- 1758; 00- 007- 0417; 01- 085- 0976 01- 076- 0758; 00- 022- 0675; 01- 074- 1732; 01- 074- 1758; 00-	15.32	0.20	20.37	Yes
4.1687 1	21.314 6	80.40	0.1363	1.09	0.1135	01- 074- 1732; 01- 074- 1758 01- 076- 0758; 01- 074- 1758; 00- 007- 0417; 01- 085- 0976 01- 076- 0758; 00- 022- 0675; 01- 074- 1732; 01- 074- 1758; 00-	0.81	0.07	7.30	Yes
4.0267 1	22.075 5	100.96	0.1506	1.37	0.1530	01- 076- 0758; 01- 074- 1758; 00- 007- 0417; 01- 085- 0976 01- 076- 0758; 00- 022- 0675; 01- 074- 1732; 01- 074- 1758; 00-	1.01	0.15	14.99	Yes
3.7703 8	23.597 2	74.02	0.1171	1.00	0.1190	01- 076- 0758; 00- 022- 0675; 01- 074- 1732; 01- 074- 1758; 00-	0.74	0.09	8.55	Yes

3.6568	24.341	70.29	0.2007	0.95	0.2040	015-0062	0.71	0.14	13.92	Yes
0	2					01-076-0758;				
						00-022-0675;				
						01-074-1732;				
						01-074-1758;				
						00-007-0417				
3.5788	24.880	109.32	0.1004	1.48	0.1020	00-029-1488;	1.10	0.11	10.82	Yes
0	1					00-022-0675;				
						01-074-1732				
3.5287	25.239	95.80	0.1704	1.30	0.1420	01-076-0758;	0.96	0.11	10.88	Yes
0	1					00-022-0675;				
						01-074-1732;				
						00-007-0417;				
						00-015-0062				
3.4954	25.483	86.70	1.1496	1.17	0.9580	01-076-0758;	0.87	0.67	66.45	Yes
0	6					00-022-0675;				
						01-074-1732;				

						00- 015- 0062				
3.4733 7	25.647 9	57.10	0.2007	0.77	0.2040	01- 076- 0758; 00- 022- 0675; 01- 085- 0976; 00- 015- 0062	0.57	0.11	11.31	Yes
3.3413 8	26.657 0	7390.1 2	0.1020	100.00	0.0850	01- 086- 1560; 01- 076- 0758; 00- 022- 0675; 01- 074- 1758; 00- 015- 0062	74.13	10.08	1005.0 6	Yes
3.3395 4	26.739 4	3604.2 4	0.0408	48.77	0.0340		36.15	1.97	196.07	No
3.2855 6	27.118 4	134.78	0.1224	1.82	0.1020	00- 022- 0675; 01- 074- 1758; 00- 015- 0062	1.35	0.22	22.00	Yes
3.2450 2	27.463 8	192.59	0.0816	2.61	0.0680	00- 022- 0675; 01- 074- 1732; 01- 085- 0976	1.93	0.21	20.95	Yes

3.2040 3	27.822 1	214.21	0.3669	2.90	0.3058	01- 076- 0758; 01- 085- 0976	2.15	0.53	52.40	Yes
3.2040 3	27.822 1	214.21	0.3669	2.90	0.3058	01- 076- 0758; 01- 085- 0976	2.15	0.53	52.40	Yes
3.1864 3	27.979 0	235.65	0.1428	3.19	0.1190	01- 076- 0758; 01- 085- 0976	2.36	0.45	44.87	Yes
3.1605 1	28.213 1	118.46	0.0200	1.60	0.0167	01- 076- 0758; 01- 074- 1732; 00- 015- 0062	1.19	0.02	1.58	Yes
2.9876 2	29.882 7	69.14	0.1224	0.94	0.1020	00- 022- 0675; 01- 074- 1732; 01- 074- 1758	0.69	0.11	11.28	Yes
2.9664 0	30.101 5	63.93	0.4909	0.87	0.4091	01- 076- 0758; 00- 022- 0675	0.64	0.21	20.92	Yes
2.9486 4	30.287 1	72.70	0.3843	0.98	0.3203	01- 076- 0758; 00- 022- 0675; 01- 074-	0.73	0.19	18.63	Yes

						1758; 01- 085- 0976				
2.9283 6	30.502 0	53.60	0.1224	0.73	0.1020	01- 076- 0758; 00- 022- 0675; 01- 074- 1758; 01- 085- 0976	0.54	0.09	8.75	Yes
						00- 022- 0675; 01- 074- 1732; 00- 007- 0417; 01- 085- 0976; 00- 015- 0062				
2.8939 1	30.874 1	42.14	0.1632	0.57	0.1360	01- 076- 0758; 01- 074- 1732; 00- 007- 0417; 01- 085- 0976; 00- 015- 0062	0.42	0.09	9.17	Yes
						01- 076- 0758; 01- 074- 1732; 01- 085- 0976; 00- 015- 0062				
2.8497 7	31.364 5	19.22	0.3264	0.26	0.2720	01- 076- 0758; 01- 074- 1732; 01- 085- 0976; 00- 015- 0062	0.19	0.08	8.36	Yes
						01- 074- 1732; 01- 085- 0976; 00- 015- 0062				
2.7052 9	33.086 4	38.61	0.1224	0.52	0.1020	01- 074- 1732; 01- 085- 0976	0.39	0.06	6.30	Yes
						01-				
2.5640	34.965	67.20	0.3264	0.91	0.2720	01-	0.67	0.29	29.25	Yes

8	5					076- 0758; 00- 029- 1488; 00- 022- 0675; 01- 074- 1732; 01- 074- 1758; 00- 007- 0417				
2.4556 3	36.563 1	437.26	0.1020	5.92	0.0850	01- 086- 1560; 01- 076- 0758; 00- 022- 0675; 01- 074- 1732; 01- 074- 1758; 00- 007- 0417	4.39	0.60	59.47	Yes
2.4548 2	36.669 7	252.41	0.0408	3.42	0.0340		2.53	0.14	13.73	No
2.3803 0	37.763 3	29.51	0.3264	0.40	0.2720	01- 076- 0758; 00- 029- 1488; 01- 074- 1732; 01- 074- 1758; 01-	0.30	0.13	12.84	Yes

						085-0976				
2.3300	38.610	15.41	0.4896	0.21	0.4080	01-076-0758;	0.15	0.10	10.06	Yes
2	1					00-029-1488;				
						00-022-0675;				
						01-074-1732;				
						01-074-1758;				
						01-085-0976				
2.2806	39.480	411.68	0.0612	5.57	0.0510	01-086-1560;	4.13	0.34	33.59	Yes
6	0					01-076-0758;				
						00-022-0675;				
						01-074-1732;				
						01-074-1758;				
						01-085-0976				
2.2797	39.598	196.15	0.0612	2.65	0.0510		1.97	0.16	16.01	No
8	2									
2.2359	40.303	221.46	0.0816	3.00	0.0680	01-086-1560;	2.22	0.24	24.09	Yes
2	9					01-076-0758;				
						01-074-1732;				
						01-				

						074- 1758; 00- 007- 0417; 01- 085- 0976; 00- 015- 0062				
2.1597 0	41.791 5	24.20	0.3264	0.33	0.2720	01- 076- 0758; 00- 022- 0675; 01- 074- 1732; 01- 074- 1758; 00- 007- 0417; 01- 085- 0976	0.24	0.11	10.53	Yes
2.1269 7	42.465 6	344.40	0.1020	4.66	0.0850	01- 086- 1560; 01- 076- 0758; 00- 022- 0675; 01- 074- 1732; 01- 074- 1758; 00- 007- 0417; 01- 085- 0976	3.45	0.47	46.84	Yes

2.1262 3	42.591 7	163.63	0.0612	2.21	0.0510		1.64	0.13	13.35	No
1.9920 0	45.498 1	45.84	0.2856	0.62	0.2380	01-076-0758;00-029-1488;00-022-0675;01-074-1732;01-074-1758;01-085-0976	0.46	0.18	17.45	Yes
1.9793 8	45.804 8	251.39	0.0612	3.40	0.0510	01-086-1560;01-076-0758;00-029-1488;00-022-0675;01-074-1732;00-015-0062	2.52	0.21	20.51	Yes
1.9195 6	47.317 6	7.63	0.4896	0.10	0.4080	01-076-0758;00-022-0675;01-074-1732;01-074-1758;	0.08	0.05	4.98	Yes

						01-085-0976				
1.8174	50.153	708.30	0.0816	9.58	0.0680	01-086-1560;	7.10	0.77	77.06	Yes
7	4					01-076-0758;				
						01-074-1732;				
						00-007-0417;				
						01-085-0976				
1.8172	50.292	362.86	0.0612	4.91	0.0510		3.64	0.30	29.61	No
9	0									
1.8004	50.660	48.39	0.2040	0.65	0.1700	01-086-1560;	0.49	0.13	13.16	Yes
5	6					01-076-0758;				
						01-074-1732;				
						01-074-1758;				
						01-085-0976				
1.6716	54.879	230.38	0.1020	3.12	0.0850	01-086-1560;	2.31	0.31	31.33	Yes
0	3					01-076-0758;				
						00-029-1488;				
						01-074-1732;				
						01-074-1758;				

						074- 1732; 01- 074- 1758; 01- 085- 0976; 00- 015- 0062				
1.4527 9	64.040 9	92.69	0.1020	1.25	0.0850	01- 086- 1560; 01- 076- 0758; 00- 029- 1488; 01- 074- 1732; 01- 074- 1758; 01- 085- 0976	0.93	0.13	12.61	Yes
1.4527 7	64.219 6	61.70	0.1020	0.83	0.0850		0.62	0.08	8.39	No
1.4305 6	65.157 8	14.49	0.3264	0.20	0.2720	01- 076- 0758; 00- 029- 1488; 01- 074- 1732; 01- 074- 1758; 01- 085- 0976	0.15	0.06	6.31	Yes
1.4174 8	65.834 7	12.20	0.4080	0.17	0.3400	01- 086- 1560; 01-	0.12	0.07	6.64	Yes

						074- 1732; 01- 074- 1758; 01- 085- 0976				
1.3818 4	67.758 6	261.65	0.1224	3.54	0.1020	01- 086- 1560; 00- 029- 1488; 01- 074- 1758; 01- 085- 0976	2.62	0.43	42.70	Yes
1.3820 1	67.940 5	145.14	0.0816	1.96	0.0680		1.46	0.16	15.79	No
1.3748 7	68.148 8	356.09	0.0816	4.82	0.0680	01- 086- 1560; 00- 029- 1488; 01- 074- 1758; 01- 085- 0976	3.57	0.39	38.74	Yes
1.3715 8	68.334 9	355.27	0.1020	4.81	0.0850	01- 086- 1560; 01- 074- 1758; 01- 085- 0976	3.56	0.48	48.32	Yes
1.3718 0	68.515 7	112.61	0.0612	1.52	0.0510		1.13	0.09	9.19	No
1.2878 1	73.474 5	94.92	0.0816	1.28	0.0680	01- 086- 1560; 00- 029- 1488; 01- 074-	0.95	0.10	10.33	Yes

						1758; 01- 085- 0976				
1.2879 0	73.681 3	55.50	0.0816	0.75	0.0680		0.56	0.06	6.04	No
1.2558 8	75.664 8	146.84	0.1224	1.99	0.1020	01- 086- 1560; 01- 085- 0976	1.47	0.24	23.96	Yes
1.2561 3	75.868 6	75.48	0.1020	1.02	0.0850		0.76	0.10	10.27	No
1.2285 1	77.661 3	79.92	0.0816	1.08	0.0680	01- 086- 1560; 01- 074- 1758; 01- 085- 0976	0.80	0.09	8.70	Yes
1.2285 6	77.886 8	32.37	0.1224	0.44	0.1020		0.32	0.05	5.28	No
1.1998 5	79.882 0	125.50	0.0816	1.70	0.0680	01- 086- 1560	1.26	0.14	13.65	Yes
1.1972 6	80.089 5	70.44	0.1224	0.95	0.1020	01- 086- 1560; 01- 085- 0976	0.71	0.12	11.50	Yes
1.1841 2	81.162 2	101.27	0.1020	1.37	0.0850	01- 086- 1560; 01- 085- 0976	1.02	0.14	13.77	Yes
1.1801 4	81.493 6	135.20	0.1836	1.83	0.1530	01- 086- 1560; 01- 085- 0976	1.36	0.33	33.10	Yes
1.1800 2	81.749 8	56.50	0.1836	0.76	0.1530		0.57	0.14	13.83	No
1.1531 0	83.829 3	64.73	0.1224	0.88	0.1020	01- 086-	0.65	0.11	10.56	Yes

						1560; 01- 085- 0976				
1.1531	84.077	41.35	0.0816	0.56	0.0680		0.41	0.05	4.50	No
9	5									

More items... (Bookmark 6)

Visible	Scan Name	Start pos. [°2Th.]	End pos. [°2Th.]	Step [°2Th.]	Measured Date/Time
*	463_2-18mue	3.0080	84.9820	0.0170	14-feb-2007 06:59

More items... (Bookmark 7)

Document History: (Bookmark 5)

Insert Measurement:

- Scan name = "463_2-18mue.udf"
- Modification time = "26/03/2007 15:49:27"
- Modification editor = "Administrator"

Interpolate Step Size:

- Step Size = "Derived"
- Modification time = "26/03/2007 15:49:27"
- Modification editor = "Administrator"

Determine Background:

- Correction method = "Automatic"
- Bending factor = "0"
- Use smoothed input data = "Yes"
- Add to net scan = "Nothing"
- Modification time = "26/03/2007 15:49:32"
- Modification editor = "Administrator"

Search Peaks:

- Minimum significance = "1.00"
- Minimum tip width = "0.01"
- Maximum tip width = "1.00"
- Peak base width = "5.00"
- Method = "Minimum 2nd derivative"
- Modification time = "26/03/2007 15:49:35"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [°2Th.] = "6.3644"
 - Modification time = "26/03/2007 15:49:41"
 - Modification editor = "Administrator"
-

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "5.9896"
- Modification time = "26/03/2007 15:49:43"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "8.6530"
- Modification time = "26/03/2007 15:49:46"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "9.0610"
- Modification time = "26/03/2007 15:49:48"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "9.4469"
- Modification time = "26/03/2007 15:49:49"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "12.1419"
- Modification time = "26/03/2007 15:49:54"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "12.5159"
- Modification time = "26/03/2007 15:50:07"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "11.9630"
- Modification time = "26/03/2007 15:50:09"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "13.6398"
- Modification time = "26/03/2007 15:50:11"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "19.9078"
- Modification time = "26/03/2007 15:50:16"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "19.6509"
- Modification time = "26/03/2007 15:50:18"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "21.3146"
- Modification time = "26/03/2007 15:50:20"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "21.0109"
- Modification time = "26/03/2007 15:50:21"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "25.4836"
- Modification time = "26/03/2007 15:50:26"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "25.2391"
- Modification time = "26/03/2007 15:50:30"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "27.8221"
- Modification time = "26/03/2007 15:50:34"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "27.8221"
- Modification time = "26/03/2007 15:50:36"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "28.2131"
- Modification time = "26/03/2007 15:50:38"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "30.1015"
- Modification time = "26/03/2007 15:50:40"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "30.2871"
- Modification time = "26/03/2007 15:50:41"
- Modification editor = "Administrator"

Search-Match:

- Data source = "Profile and peak list"
 - Restriction = "Restriction set"
 - Description = "Minerals subfile only"
 - All of: elements = ""
 - At least one of: elements = ""
 - None of: elements = ""
-

- Maximum no. of elements = "105"
- Skip marked as deleted by ICDD = "No"
- Skip marked as deleted by a user = "No"
- Quality marks set = ""
- Subfiles = "M"
- Scoring schema = "Multi phase"
- Auto residue = "Yes"
- Match intensity = "Yes"
- Demote unmatched strong = "Yes"
- Allow pattern shift = "Yes"
- Two theta shift = "0"
- Identify = "No"
- Modification time = "26/03/2007 15:50:54"
- Modification editor = "Administrator"

More items... (Bookmark 8)

More items... (Bookmark 9)

More items... (Bookmark 10)

More items... (Bookmark 11)

More items... (Bookmark 12)

More items... (Bookmark 13)

More items... (Bookmark 14)

More items... (Bookmark 15)