

PANGAEA
Publishing Network
for Geoscientific & Environmental Data

Uwe Schindler – NOKIS Workshop 2006

Motivation

- Open Access to scientific results
- Safeguarding ‘Good Scientific Practice’
- Added value through integration
- Overview on ‘what exists’
- Persistent identification and availability
- Reporting to funding organization
- Personal record
- BackUp

Libraries preserve
the knowledge
of mankind!



Challenges

- Long-term **operation**

- hardware, software, bup, network

- Simple and flexible **data model**

- extendable and ajustable to evolving science

- Scientific and technical **standards**

- for science and web integration

- Scalable **access**

- depending on different user needs

- User** driven and controlled

- to avoid a technical end in itself



EU- Recommendations

The Colour of Ocean Data

Symposium on Oceanographic Data and Information Management, Brussels, 2002

- ◆ Peer review of datasets and standards
- ◆ Coordination and cooperation between stakeholders and data center
- ◆ Comprehensive portals that do not lead to metadata nonsense, but directly to data and information



DFG Recommendations for Good Scientific Practice

DFG

Empfehlungen der Kommission "Selbstkontrolle in der Wissenschaft"

Vorschläge zur Sicherung guter wissenschaftlicher Praxis
Januar 1998

Empfehlung 7

**Primärdaten als Grundlagen für Veröffentlichungen sollen auf
haltbaren und gesicherten Trägern in der Institution, wo sie
entstanden sind, für zehn Jahre aufbewahrt werden.**



www.pangaea.de

www.pangea.de

Public library for georeferenced data

Basic research on earth & environment

Normalized data model

Open parameter list

Internet clients for download

Web services and networking



Operating Institutions



Center for Marine Environmental Sciences, Bremen



Alfred Wegener Institute for Polar and Marine Research
Bremerhaven



Organisation & Responsibilities



data model
middleware
clients
web services




data management
archiving &
publishing



hardware
software
parameter
librarian



PANGAEA – Technical Infrastructure



World Data Center System of ICSU

established during the International Geophysical Year 1957/58



Examples from Geoscientific Research

- ◆ Sediment profile

[doi:10.1594/PANGAEA.51508](https://doi.org/10.1594/PANGAEA.51508)

- ◆ Seismic profile


[doi:10.1594/PANGAEA.119223](https://doi.org/10.1594/PANGAEA.119223)

- ◆ Mineral distribution

[doi:10.1594/PANGAEA.55955](https://doi.org/10.1594/PANGAEA.55955)

- ◆ Geological map

[doi:10.1594/PANGAEA.138788](https://doi.org/10.1594/PANGAEA.138788)



Examples from Environmental Research


- ◆ Images

[doi:10.1594/PANGAEA.319879](https://doi.org/10.1594/PANGAEA.319879)




- ◆ Distributed samples

[doi:10.1594/PANGAEA.51749](https://doi.org/10.1594/PANGAEA.51749)




- ◆ Oceanographic profiles

[doi:10.1594/PANGAEA.103958](https://doi.org/10.1594/PANGAEA.103958)




- ◆ Times Series

[doi:10.1594/PANGAEA.323487](https://doi.org/10.1594/PANGAEA.323487)



Examples from Antarctic Research



Southern Ocean Atlas



Joint Global Ocean
Flux Studies



Sediments and Rocks



CRP
Cape Roberts Project



Archive of
Underwater Imaging




EPICA
European Project for
Ice Coring in Antarctica



JGOFS

Joint Global Ocean Flux Studies



Please quote reference and citation when using data!

PANGAEA

Data Software Info Links

PangaVista | ART | Projects | Institutes | PanCore

You are not logged in (LOG IN)

Search for:

project:jgofs

Show map



67421 datasets found!

<< PREV | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | NEXT >>

1. Mackey, DJ (2003): ADCP current measurements at cruise FR8/93 (southbound)

Reference: CSIRO (2000): Australian Equatorial JGOFS data set,



PANGAEA - Publishing Network for Geoscientific & Environmental Data

Air photos



[doi:10.1594/PANGAEA.323540](https://doi.org/10.1594/PANGAEA.323540)



Sea-bed photos

Search for:
sea-bed

189 datasets found!
<< PREV | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | NEXT >>


1. Gutt, J (2004): Sea-bed photographs (benthos) from the Weddell Sea along ROV profile PS48/281 (@AWI, Gutt 1998)
Reference: Ragu-Gil, JM; Gutt, J; Clarke, A et al. (2004): Antarctic shallow-water mega-epibenthos: shaped by circumpolar dispersion or local conditions?, *Marine Biology*
Gutt, J; Arntz, WE; Balguerias, E et al. (2003): Diverse approaches to questions of diversity: German contributions to benthos studies around South American and Antarctica, *Gayana*
Gutt, J; Piepenburg, D (2003): Scale-dependent impacts of catastrophic disturbances by grounding icebergs on the diversity of Antarctic benthos, *Marine Ecology Progress Series*
(and more)
Size: unknown
doi:10.1594/PANGAEA.198588 - Score: 80% - Similar datasets

2. Gutt, J (2004): Sea-bed photographs (benthos) from the Weddell Sea along ROV profile PS48/238 (@AWI, Gutt 1998)
Reference: Gutt, J; Arntz, WE; Balguerias, E et al. (2003): Diverse approaches to questions of diversity: German contributions to benthos studies around South American and Antarctica, *Gayana*
Gutt, J (2001): High latitude antarctic benthos: a coevolution of nature conservation and ecosystem research?, *Ocean and Polar Research*
Gutt, J (2001): On the direct impact of ice on marine benthic communities, a review, *Polar Biology*
(and more)
Size: unknown
doi:10.1594/PANGAEA.198585 - Score: 80% - Similar datasets

3. Gutt, J (2004): Sea-bed photographs (benthos) from the Weddell Sea along ROV profile PS48/219 (@AWI, Gutt 1998)
Reference: Gutt, J; Arntz, WE; Balguerias, E et al. (2003): Diverse approaches to questions of diversity: German contributions to benthos studies around South American and Antarctica, *Gayana*
Gutt, J; Piepenburg, D (2003): Scale-dependent impacts of catastrophic disturbances by grounding icebergs on the diversity of Antarctic benthos, *Marine Ecology Progress Series*
Gutt, J; Starmans, A (2001): Quantification of iceberg impact and benthic recolonisation patterns in the Weddell Sea (Antarctica), *Polar Biology*
(and more)
Size: unknown
doi:10.1594/PANGAEA.198584 - Score: 80% - Similar datasets

4. Gutt, J (2004): Sea-bed photographs (benthos) from the Weddell Sea along ROV profile PS48/213 (@AWI, Gutt 1998)

[doi:10.1594/PANGAEA.319877](https://doi.org/10.1594/PANGAEA.319877)



PS1768-8 (SL)

North of SW Indian Ridge

ANT VIII/3

Recovery: 8.96 m


52° 35.6'S, 4° 28.5'E

Water depth: 3270 m


Lithology	Struct. Colour	Description	Age
0	10YR 7/3 10YR 6/4 10YR 7/3	0-35 cm: diatomaceous ooze, very pale brown (0-13 cm), light yellowish brown (13-35 cm); 35-62 cm: diatomaceous ooze, very pale brown (35-53 cm), pale brown (53-62 cm)	
	10YR 6/3 10YR 7/2 10YR 6/3	62-70 cm: diatomaceous ooze, very pale brown, two light gray layers (62-64 cm and 66-68 cm); 70-94 cm: diatomaceous ooze, very pale brown, darker spots	1
1	10YR 7/4	94-139 cm: diatomaceous ooze, light yellowish brown (94-96 cm), dark brown (98-99 cm), pale yellow (99-139 cm); 106-170 cm: partly core deformation	
2	SY 5/3	139-230 cm: diatomaceous mud, homogeneous, olive	
3	SY 4/2	230-240 cm: diatomaceous mud, h	
4	SY 5/3	240-440 cm: diatomaceous mud, c occur throughout; 290-306 cm: some th black (5'; 350-375 cm: alternating scattered diatom; 366-387 cm: diatom; 395 cm: large burrow)	
5	SY 4/2 SY 5/2 SY 5/3	440-453 cm: diatomaceous mud, c; 453-486 cm: diatomaceous mud, g 453-458 cm: some bu 474-478 cm: yellowish 480-483 cm: ash-rich 485-486 cm: olive (5Y)	

TOP

 BOTTOM




Sediment core documentation



[doi:10.1594/PANGAEA.108079](https://doi.org/10.1594/PANGAEA.108079)



Meteorological observations




Google Earth

[doi:10.1594/PANGAEA.269619](https://doi.org/10.1594/PANGAEA.269619)



Data Model (simplified)

Project




Event

Author




Method

Reference



Data



Parameter



Digital Object Identifier

doi>



[Home](#) [Search](#) [Journals](#) [Abstract Databases](#) [Reference Works](#) [My Alerts](#) [My Profile](#)

Quick Search: within [Search tips](#)

[results list](#) [previou](#)

Computers & Geosciences

Volume 28, Issue 10, December 2002, Pages 1201-1210

DOI: [10.1016/S0098-3004\(02\)00039-0](https://doi.org/10.1016/S0098-3004(02)00039-0)

Copyright © 2002 Elsevier Science Ltd. All rights reserved.

PANGAEA--an information system for environmental sciences

Michael Diepenbroek^a, Hannes Grobe^b, Manfred Reinke^b, Uwe Schindler^c, Reiner Schlitzer^b, Rainer Sieger^b and Gerold Wefer^a

^a Center for Marine Environmental Sciences (MARUM), University Bremen, Bremen 28334, Germany

^b Alfred Wegener Institute for Polar and Marine Research, Bremerhaven 27515, Germany

^c Physics Department, University of Erlangen-Nuremberg, Erlangen 91058, Germany

Received 23 March 2001; revised 20 April 2001; accepted 5 May 2001. Available online 20 September 2002.

Abstract

PANGAEA is an information system for processing, long-term storage, and publication of georeferenced data related to earth science fields.



PANGAEA - Publishing Network for Geoscientific & Environmental Data

International doi> Foundation




Registration Agency
for scientific primary data


TIB TECHNISCHE
INFORMATIONSBIBLIOTHEK



Data center
WDC-MARE
(AWI/MARUM)



Data center B
WDC-Climate
(MPI Hamburg)



Data center C
WDC-Terra
(GFZ Potsdam)



Data center
xyz...



[10.1594/PANGAEA.119754](https://doi.org/10.1594/PANGAEA.119754)



Project STD-DOI “Data Publishing”

Partner Institutions

Technische Informationsbibliothek Coordination
(TIB, Hannover)

World Data Center Climate - **WDC-Climate**
(MPI, Hamburg)

World Data Center for Marine Environmental Sciences - **WDC-MARE**
(AWI/MARUM, Bremen)

World Data Center for Remote Sensing - **WDC-RSAT**
(DLR, Oberpfaffenhofen)

GeoForschungszentrum - **WDC-TERRA**
(GFZ, Potsdam)

<http://www.std-doi.de>

Deutsche
Forschungsgemeinschaft
DFG



Workflow in data publishing

Editorial






Review

- Provision of data (PI)
- Import to PANGAEA (curator)
- Proof-Read (PI)
↔
● Corrections (curator/editor)
- Peer review (reviewer ?)
- Publication with DOI & citation



PI


Data Flow - from PI to User



to be established



PANGAEA Metadata dissemination



PANGAEA – ISO-19115 mapping

Rusch, A; Joergensen, Bo Barker (2002): Dynamics of the fine fraction in near-surface layers of permeable shelf sediments off Sylt at Station Lister Haken 5, North Sea, PANGAEA, doi:10.1594/PANGAEA.67260

Reference(s): Rusch, A (2000): Dynamik der Feinfraktion im Oberflächenhorizont permeabler Schelfsedimente, Berichte, Fachbereich Geowissenschaften, Universität Bremen, 155, 102 pp
Huettel, A; Rusch, A (2000): Transport and degradation of phytoplankton in permeable sediment, *Limnology and Oceanography*, 45, 534-549
Rusch, A; Fossing, H; Huettel, M (2001): Bacteria, diatoms and detritus in an intertidal sandflat subject to advective transport across the water-sediment interface, *Limnology and Oceanography*, 46, 125-136
Rusch, A; Joergensen, Bo Barker (2002): Dynamics of the fine fraction in near-surface layers of permeable shelf sediments off Sylt at Station Lister Haken 5, North Sea, PANGAEA, doi:10.1594/PANGAEA.67260

Data Descript^{er}

Citation: **Rusch, A; Joergensen, Bo Barker (2002): Dynamics of the fine fraction in near-surface layers of permeable shelf sediments off Sylt at Station Lister Haken 5, North Sea, PANGAEA, doi:10.1594/PANGAEA.67260**

Reference(s): **Rusch, A (2000): Dynamik der Feinfraktion im Oberflächenhorizont permeabler Schelfsedimente, Berichte, Fachbereich Geowissenschaften, Universität Bremen, 155, 102 pp**
Huettel, A; Rusch, A (2000): Transport and degradation of phytoplankton in permeable sediment, Limnology and Oceanography, 45, 534-549
Rusch, A; Fossing, H; Huettel, M (2001): Bacteria, diatoms and detritus in an intertidal sandflat subject to advective transport across the water-sediment interface, Limnology and Oceanography, 46, 125-136
Rusch, A; Joergensen, Bo Barker (2002): Dynamics of the fine fraction in near-surface layers of permeable shelf sediments off Sylt at Station Lister Haken 5, North Sea, PANGAEA, doi:10.1594/PANGAEA.67260

Project(s): **Geosciences, University of Bremen** (GeoB)

Coverage: West: 8.4333 * East: 8.4333 * South: 55.0333 * North: 55.0333
Minimum DEPTH, sediment: -0.0 m * Maximum DEPTH, sediment: 0.2 m

Event(s): **ListerHaken_5** * Latitude: 55.0333 * Longitude: 8.4333 * Date/Time: 1998-03-15T00:00:00 * Device: Gravity corer

Comment: fine fraction defined as fine-grained material <70 µm

Parameter(s):

Parameter	Short Name	Unit	Label	Principal Investigator	Meth
DEPTH, sediment	Depth	m			
LATITUDE	Latitude				
LONGITUDE	Longitude				
Bacteria abundance	Bact abund	10 ⁶ /cm ³	ListerHaken_5.3	Joergensen, Bo Barker	Epifluorescence microscopy (Boetius et al. 2000)
Carbon, total	C	%	ListerHaken_5.10	Joergensen, Bo Barker	Element analyser Fisons NA 1500N
Carbon/Nitrogen ratio	C/N		ListerHaken_5.12	Joergensen, Bo Barker	calculated
Carbon/Nitrogen ratio	C/N		ListerHaken_5.13	Joergensen, Bo Barker	calculated
Carbohydrate	Carbohydrate	µg/ml	ListerHaken_5.7	Joergensen, Bo Barker	Phenol/sulphuric acid
Carbohydrate	Carbohydrate	µg/ml	ListerHaken_5.8	Joergensen, Bo Barker	ASW-extract
Carbohydrate	Carbohydrate	µg/ml	ListerHaken_5.9	Joergensen, Bo Barker	EDTA-extract
Chlorophyll total, fine fraction	Chl	µg/mg	ListerHaken_5.4	Joergensen, Bo Barker	Spectrophotometry
Carbon, inorganic dissolved					
Nitrogen	N	%	ListerHaken_5.16	Joergensen, Bo Barker	Element analyser CHN
Nitrogen	NH4	µmol/l	ListerHaken_5.2	Joergensen, Bo Barker	Colorimetric analysis, manual
Nitrate and Nitrite	NO3+NO2	µmol/l	ListerHaken_5.14	Joergensen, Bo Barker	Continuous Flow Automated Analysis
Carbon, organic, particulate	POC	%	ListerHaken_5.11	Joergensen, Bo Barker	Element analyser Fisons NA 1500N

identificationInfo/extent

dataQualityInfo/lineage/source

identificationInfo/extent

dataQualityInfo/lineage/processStep

contentInformation/coverageDescription

PANGAEA - ISO-19115 mapping

Rusch, A; Joergensen, Bo B
Datei Bearbeiten Ansicht Favoriten Extras ?
Zurück Suchen Favoriten Medien 408 blocked Options
Google - Adressen http://ws.pangaea.de/oai/?verb=GetRecord&metadataPrefix=iso19139&identifier=oai:pangaea.de:doi - Microsoft Internet Explorer
Adressen http://ws.pangaea.de/oai/?verb=GetRecord&metadataPrefix=iso19139&identifier=oai:pangaea.de:doi:10.1594/PANGAEA.67260
<!-- Warning: This is a preliminary implementation with the latest draft ISO19139 schema! !!!subject-to-change!!! -->
<iso19139:MD_Metadata xmlns:xlink="http://www.w3.org/1999/xlink" xmlns:gco="http://www.isotc211.org/2005/gco"
xmlns:gml="http://www.opengis.net/gml" xmlns:iso19139="http://www.isotc211.org/2005/gmd" xmlns="http://www.isotc211.org/2005/gmd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.isotc211.org/2005/gmd
http://ws.pangaea.de/schemas/iso19139/gmd/metadataEntity.xsd">
- <fileIdentifier>
 <gco:CharacterString>dataset67260</gco:CharacterString>
</fileIdentifier>
- <contact>
 - <CI_ResponsibleParty>
 - <organisationName>
 <gco:CharacterString>PANGAEA</gco:CharacterString>
 - <CI_Contact>
 - <identificationInfo>
 - <MD_DataIdentification>
 - <citation>
 - <CI_Citation id="dataset67260">
 - <title>
 <gco:CharacterString>Dynamics of the fine fraction in near-surface layers of permeable shelf sediments off Sylt at Station Lister
 Haken 5, North Sea</gco:CharacterString>
 - </title>
 - <date>
 - <CI_Date>
 - <date>
 <gco:DateTime>2002-03-22T10:26:00</gco:DateTime>
 - </date>
 - <dateType>
 <CI_DateTypeCode
 codeListValue="http://ws.pangaea.de/schemas/iso19139/ressources/Codelist/gmxCodelists.xml#CI_DateTypeCode_publication"
 codeList="http://ws.pangaea.de/schemas/iso19139/ressources/Codelist/gmxCodelists.xml#CI_DateTypeCode">publication</CI_DateTypeCode>
 - </dateType>
 - </CI_Date>
 - </date>
 - <identifier>
 - <MD_Identifier>
 - <code>
 <gco:CharacterString>doi:10.1594/PANGAEA.67260</gco:CharacterString>
 - </code>
 - </MD_Identifier>
 - </identifier>
 - <ci_citedResponsibleParty>
 - <CI_ResponsibleParty id="dataset.author24426">
 - <individualName>
 <gco:CharacterString>Rusch, A</gco:CharacterString>
 - </individualName>
 - <role>
 <CI_RoleCode
 codeListValue="http://ws.pangaea.de/schemas/iso19139/ressources/Codelist/gmxCodelists.xml#CI_RoleCode_author"
 codeList="http://ws.pangaea.de/schemas/iso19139/ressources/Codelist/gmxCodelists.xml#CI_RoleCode">author</CI_RoleCode>
 - </role>
 - </CI_ResponsibleParty>
 - <ci_citedResponsibleParty>
 - <ci_citedResponsibleParty id="dataset.author670">
 - <CI_ResponsibleParty id="dataset.author670">

Data Descript'
 Citation: Rusch, A; Sylt at S
 Reference(s): Rusch, A (2002) Bremen, 1
 Huettner, Rusch, A; Fointerface
 Rusch, A; Science
 Rusch, A; Holocene
 Oceanogr.
 Project(s): Geoscience
 Coverage: West: 8.4333
 Minimum DE
 Event(s): ListerHaker
 Comment: fine fraction
 Parameter(s): Parameter
 DEPTH_sedim
 LATITUDE
 LONGITUDE
 Bacteria_abund
 Carbon_total
 Carbon/Nitrogen
 Carbon/Nitrogen
 Carbohydrate
 Carbohydrate
 Carbohydrate
 Chlorophyll_tot
 Carbon_inorg
 Nitrogen
 Nitrogen
 Ammonium
 Nitrate_and_Nit
 Carbon_organ

Contact

info@pangaea.de

This presentation is a modified version of:

Grobe, Hannes; Diepenbroek, Michael (2006): Introduction to the Information System PANGAEA - Publishing Network for Geoscientific & Environmental Data, presentation in different formats, PANGAEA, [doi:10.1594/PANGAEA.351396](https://doi.org/10.1594/PANGAEA.351396)