

Authors	Title	Journal
Abugoch L, Guarda A, Perez LM, Paredes MP, 1999	Determination of proximal chemical composition of squid (<i>Dosidicus gigas</i>) and development of a gel product	Archivos Latinoamericanos de Nutricion 49: 156-161
Ackman RG, 1982	Fatty acid composition offish oils	Barlow SM, Stansby ME (eds): Nutritional evaluation of long-chain fatty acids in fish oil, p. 25-8
Ackmann RG, Eaton CA, Bligh EG, Lantz AW, 1967	Freshwater Fish Oils: Yields and Composition of Oils from Reduction of Sheepshead, Tullibee, Maria, and Alewife	Canadian Journal of Fisheries and Aquatic Sciences 24: 1219-1227
Adams SM, Breck JE, McLean RB, 1985	Cumulative stress-induced mortality of gizzard shad in a southeastern U.S. reservoir.	Environmental Biology of Fish 13: 103-112
Ahn I-Y, Cho KW, Choi K-S, Seo Y, Shin Y, 2000	Lipid content and composition of the Antarctic lamellibranch, <i>Laternula elliptica</i> (King & Broderip) (Anomalodesmata: Laternulidae),	Polar Biology 23: 24-33
Ahn I-Y, Surh J, Park Y-G, Kwon H, Choi K-S, Kang SH, Choi HJ, Kim K-W, Chung H,	Growth and seasonal energetics of the Antarctic bivalve <i>Laternula elliptica</i> from King George Island Antarctica	Marine Ecology Progress Series 257: 99-110
Ali MH, Salman SD, 1998	Production of the crab <i>Elamenessis kempi</i> (Hymenoseriidae) in the Garmat-Ali region, Basrah, Iraq	Marine Ecology 19: 67-75
Alimov AF, Shadrin NV, 1977	Caloric values of some freshwater benthic organisms	Gidrobiologicheskii Zhurnal 1(3)2: 80-86
Allen CE, Tyler PA, Van Dover CL, 2001	Lipid composition of the hydrothermal vent clam <i>Calyptogena pacifica</i> (Mollusca: Bivalvia) as a trophic indicator	Journal of the Marine Biological Association of the United Kingdom 81: 817-821
Almatar SM, 1989	Energy content of Clyde spring spawning herring, <i>Clupea harengus</i> L	Journal of Fish Biology 35 (Suppl A) 347-349
Almeida Lopes C, Faria ACE, Manetta GI and Benedito-Cecilio E, 2006	Caloric density of aquatic macrophytes in different environments of the Baía River subsystem, upper Paran river floodplain, Brazil	Brazilian Archive of Biology and Technology 49: 835-842
Alonzo F, Mayzaud P, Razouls S, 2000	Egg production, population structure and biochemical composition of the subantarctic copepod <i>Paraeuchaeta antarctica</i> in the Kerg	Marine Ecology Progress Series 205: 207-217
Alonzo F, Mayzaud P, Razouls S, 2000	Egg production, population structure and biochemical composition of the subantarctic copepod <i>Paraeuchaeta antarctica</i> in the Kerg	Marine Ecology Progress Series 205: 207-217
Andersen T, Hessen DO, 1991	Carbon, nitrogen, and phosphorus content of freshwater zooplankton	Limnology and Oceanography 36: 807-814
Aneer G, 1975	Composition of food of the Baltic herring (<i>Oupea harengus</i> membras L.), fourhorn sculpin (<i>Myoxocephalus quadricornis</i> L.) and eel-	Merentutkimuslaitoksen Julk. Havskorskninginst. Skr. 239: 146-154
Anger K, Harms J, 1990	Elemental (CHN) and proximate biochemical composition of decapod crustacean larvae	Compendium of Biochemistry and Physiology 97B: 69-80
Anger K, Jacobi CC, 1985	Respiration and growth of <i>Hyas araneus</i> L. larvae (Decapoda: Majidae) from hatching to metamorphosis.	Journal of Experimental Marine Biology and Ecology 88: 257-270
Anger K, Moreira GS, 2004	Biomass and elemental composition of eggs and larvae of a mangrove crab, <i>Sesarma rectum</i> Randall (Decapoda: Sesardiidae) and cr	Scientia Marina 68: 117-126
Anger K, 1986	Changes of respiration and biomass of spider crab (<i>Hyas araneus</i>) larvae during starvation.	Marine Biology 90: 261-269
Anger K, Rogal U, Schriever G, Valentin C, 1977	In-situ investigations on the echinoderm <i>Asterias rubens</i> as a predator of soft-bottom communities in the western Baltic Sea	Helgoland Marine Research 29: 439-459
Anthony JA, Roby DD, Turco KR, 2000	Lipid content and energy density of forage fishes from the northern Gulf of Alaska	Journal of Experimental Marine Biology and Ecology 248: 53-78
Arai MN, Ford JA, Whyte JNC, 1989	Biochemical composition of fed and starved <i>Aequorea victoria</i> (Murbach et Shearer, 1902) (Hydromedusa)	Journal of Experimental Marine Biology and Ecology 127: 289-299
Arashkevich EG, Kosobokova KN, 1988	To the problem of life-strategy of herbivorous copepods: physiology and biochemical composition of the overwintering <i>Calanus glac</i>	Oceanology 28: 513-517
Arrhenius F, Hansson S, 1996	Growth and seasonal changes in energy content of young Baltic herring (<i>Clupea harengus</i> L.)	ICES Journal of Marine Science 53: 792-801
Arrhenius F, 1998	Food intake and seasonal changes in energy content of young Baltic sprat (<i>Sprattus sprattus</i> L.).	ICES Journal of Marine Science 55: 319-324
Astall CM, Jones MB, 1991	Respiration and biometry in the sea cucumber <i>Holothuria forskall</i> .	Journal of the Marine Biological Association of the U.K. 71: 73-81
Atkinson MS, Smith SV, 1983	C:N:P ratios of benthic marine plants	Limnology and Oceanography 28: 568-574
Atkinson EG, Wacasey JW, 1976	Caloric values of zoobenthos and phytobenthos from the Canadian Arctic	Department of the Environment, Fisheries and Marine Service, Technical Report 632: 1-23
Atkinson A, Meyer B, Stuebing D, Hagen W, Schmidt K, Bathmann UV, 2002	Feeding and energy budgets of Antarctic krill <i>Euphausia superba</i> at the onset of winter - II. Juveniles and adults	Limnology and Oceanography 47: 953-966
Augier H, Calvert H, Wollaston E, Santimone M, 1982	A Comparison of the C, H, N, Protein and Amino Acid Composition of <i>Posidonia australis</i> Hook. F. With That of <i>Posidonia oceanica</i> (L	Aquatic Botany 12: 69-80
Austin J, 1970	The biochemical composition of the tropical intertidal mysid <i>Gastrosaccus</i> Sp.	Journal of the Marine Biological Association of India 12: 219-220
Bahr LM Jr, 1976	Energetic aspects of the intertidal oyster reef community at Sapelo Island, Georgia (USA).	Ecology 57: 121-131
Bailey TG, Robison BH, 1986	Food availability as a selective factor on the chemical compositions of midwater fishes in the eastern North Pacific.	Marine Biology 91: 131-141
Bailey TG, Youngbluth MJ, Owen GP, 1995	Chemical composition and metabolic rates of gelatinous zooplankton from midwater and benthic boundary layer environments off C	Marine Ecology Progress Series 122: 121-134
Bailey TG, Torres JJ, Youngbluth MJ, Owen GP, 1994	Effect of decompression on mesopelagic gelatinous zooplankton: A comparison of in situ and shipboard measurements of metabol	Marine Ecology Progress Series 113: 13-27
Bailey TG, Youngbluth MJ, Owen GP, 1994	Chemical composition and oxygen consumption rates of the ctenophore <i>Bolinopsis infundibulum</i> from the Gulf of Maine	Journal of Plankton Research 16: 673-689
Baker SM, Hornbach DJ, 2001	Seasonal metabolism and biochemical composition of two unionid mussels, <i>Actinonaias ligamentina</i> and <i>Amblema plicata</i>	Journal of Molluscan Studies 67: 407-416
Balasubramanian T, Vijayaraghavan S, Krishna Kumari L, 1978	Energy Content of the Wedge Clam, <i>Donax incarnatus</i> Gmel	Indian Journal of Marine Science 8: 193-195
Bally R, 1994	Energy and ash contents of sandy beach macrofauna from the west coast of South Africa	South African Journal of Zoology 29: 82-86
Bamstedt U, Matthews JBL, 1975	Studies on the deep-water pelagic community of Korsfjorden, western Norway. The weight and biochemical composition of Euchaet	Proceedings of the 9th European Marine Biology Symposium, Barnes, ed), Aberdeen University F
Baamstedt U, Tande KS, 1985	Respiration and excretion rates of <i>Calanus glacialis</i> in arctic waters of the Barents Sea.	Marine Biology 87: 259-266
Baamstedt U, 1975	Studies on the deep-water pelagic community of Korsfjorden, Western Norway. Ecological aspects of individual variations in weight	Sarsia 59: 31-46
Baamstedt U, 1978	Studies on the deep-water pelagic community of Korsfjorden, Western Norway. Seasonal variation in weight and biochemical compo	Sarsia 63: 145-154
Bamstedt U, 1981	Water and Organic Content of Boreal Macrozooplankton and Their Significance for the Energy Content.	Sarsia 66: 59-66
Barnes H, 1972	The seasonal changes in body weight and biochemical composition of the warm-temperate cirripede <i>Chthamalus stellatus</i> (Poli)	Journal of Experimental Marine Biology and Ecology 8: 89-100
Barnes DKA, Webb K, Linse K, 2006	Slow growth of Antarctic bryozoans increases over 20 years and is anomalously high in 2003	Marine Ecology Progress Series 314: 187-195
Barthel D, 1995	Tissue composition of sponges from the Weddell Sea, Antarctica: Not much meat on the bones	Marine Ecology Progress Series 123: 149-153
Bascheri MC, Mazza J, 1968	Contribution   l' etude biochimique du plancton. II.	Rapports et Proces-verbaux des Runions / Commission Internationale pour l'Exploration Scier
Baudouin MF, Ravera O, 1972	Weight, size, and chemical composition of some freshwater zooplankters: <i>Daphnia hyalina</i> (Leydig).	Limnology and Oceanography 17: 645-649
Baumiller T, Labarbera M, 1989	Metabolic rates of Caribbean deep water stalked and unstalked crinoids (Echinodermata)	Compendium of Biochemistry and Physiology 93A: 391-394
Baums IB, Miller MW, Szmant AM	Ecology of a corallivorous gastropod, <i>Coralliophila abbreviata</i> , on two scleractinian hosts. II. Feeding, respiration and growth	Marine Biology 142: 1093-1101
Bayne BL, 2009	Carbon and nitrogen relationships in the feeding and growth of the Pacific oyster, <i>Crassostrea gigas</i> (Thunberg)	Journal of Experimental Marine Biology and Ecology 347: 19-30
Beers JR, 1966	Studies on the chemical composition of the major zooplankton groups in the Sargasso Sea off Bermuda	Limnology and Oceanography 11: 520-528
Behrendt H, 1990	The chemical composition of phytoplankton and zooplankton in an eutrophic shallow lake.	Archiv fur Hydrobiologie 118: 129-145
Belman BW, Childress JJ, 1973	Oxygen consumption of the larvae of the lobster <i>Panulirus interruptus</i> (Randall) and the crab <i>Cancer</i> products Randall.	Compendium of Biochemistry and Physiology 44A: 821-828
Berg OK, Bremset G, 1998	Seasonal changes in the body composition of young riverine Atlantic salmon and brown trout	Journal of Fish Biology 52: 1272-1288
Bernard JB, Allen ME, 2002	Feeding captive piscivorous animals: nutritional aspects of fish as food	Nutrition Advisory Group Handbook
Berry PF, Smale MJ, 1980	An estimate of production and consumption rates in the spiny lobster <i>Panulirus homarus</i> on a shallow littoral reef off the Natal coast	Marine Ecology Progress Series 2: 337-343
Beuchel F, Lonne OF, 2002	Population dynamics of the sympagic amphipods <i>Gammarus wilkitzkii</i> and <i>Apherusa glacialis</i> in sea ice north of Svalbard	Polar Biology 25: 241-250
Beukema JJ, De Bruin W, 1979	Caloric values of the soft parts of the tellinid bivalve <i>Macoma balthica</i> (L.) as determined by two methods	Journal of Experimental Marine Biology and Ecology 37: 19-30
Biesiot PM, Perry HM, 1995	Biochemical composition of the deep-sea red crab <i>Chaceon quinqueedens</i> (Gervoniidae): Organic reserves of developing embryos and	Marine Biology 124: 407-416
Billett DSM, 1991	Deep-sea holothurians.	Oceanography and Marine Biology Annual Review 29: 259-317
Birch WR, 1975	Some chemical and caloric properties of tropical marine angiosperms compared with those of other plants.	Journal of Applied Ecology 12:201-212

Authors	Title	Journal
Blackmore DT, 1969	Studies of <i>Patella vulgata</i> L. II. Seasonal variation in biochemical composition	Journal of Experimental Marine Biology and Ecology 3: 231-245
Blankley WO, 1984	Ecology of the starfish <i>Anasterias rupicola</i> at Marion Island (Southern Ocean).	Marine Ecology Progress Series 18: 131-137
Blicher ME, Rysgaard S, Sejr MK, 2007	Growth and production of sea urchin <i>Strongylocentrotus droebachiensis</i> in a high-Arctic fjord, and growth along a climatic gradient	Marine Ecology Progress Series 341: 89-102
Bock MJ, Miller DC, 1999	Particle selectivity, gut volume, and the response to a step change in diet for deposit-feeding polychaetes	Limnology and Oceanography 44: 1132-1138
Boggs CH, 1991	Bioenergetics and growth of northern anchovy <i>Engraulis mordax</i> .	Fishery Bulletin U.S. 89: 555-566
Boon PI, 1986	Nitrogen pools in seagrass beds of <i>Cymodocea serrulata</i> and <i>Zostera capricorni</i> of Moreton Bay, Australia.	Aquatic Botany 25: 1-19
Born EW, Rysgaard S, Ehlme G, Sejr M, Acquarone M, Levermann N, 2003	Underwater observations of foraging free-living Atlantic walrus (<i>Odobenus rosmarus rosmarus</i>) and estimates of their food consu	Polar Biology 26: 348-357
Bottrell HH, Robins DB, 1984	Seasonal variation in length, dry weight, carbon and nitrogen of <i>Calanus helgolandicus</i> from the Celtic Sea	Marine Ecology Progress Series 14: 259-268
Botts PS, Lawrence JM, Witz BW, Kovach CW, 1990	Plasticity in morphology, proximate composition, and energy content of <i>Hygrophila polysperma</i> (Roxb.) Anders	Aquatic Botany 36: 207-214
Boucher J, Razouls C, Razouls S, 1976	(Carbon and nitrogen content of <i>Centropages typicus</i> and <i>Temora stylifera</i> . Analysis of variations as a function of physiological and	Cahiers de Biologie Marine 17: 37-43
Boyd CE, Hess LW, 1970	Factors influencing shoot production and mineral nutrient levels in <i>Typha latifolia</i>	Ecology 51: 296-300
Boyd CE, 1969	Production, mineral nutrient absorption, and biochemical assimilation by <i>Justicia americana</i> and	Archiv für Hydrobiologie 66: 139-160
Brateland TE, Matthews JBL, 1978	Studies on the deep-water pelagic community of Korsfjorden, western Norway. The dry weight and caloric content of <i>Euchaeta Nor</i>	Sarsia 63: 203-211
Brawn VM, Peer DL, Bentley RJ, 1968	Caloric content of the standing crop of benthic and epibenthic invertebrates of St. Margaret's Bay, Nova Scotia	Canadian Journal of Fisheries and Aquatic Sciences 25: 1803-1811
Breton-Provencher M, Cardinal A, 1976	(Variations of caloric value of <i>Fucaceae</i> in the Saint Lawrence Estuary (Quebec)).	Phycologia 15: 357-361
Brett JR, Shelbourn JE, Shoop CT, 1969	Growth rate and body composition of fingerling sockeye salmon, <i>Oncorhynchus nerka</i> , in relation to temperature and ration size	Canadian Journal of Fisheries and Aquatic Sciences 26: 2363-2393
Brey T, Peck L, Gutt J, Hain S, Arntz WE, 1995	Population dynamics of <i>Magellania fragilis</i> a brachiopod dominating a mixed-bottom macrobenthic community on the Antarctic shelf	Journal of the Marine Biological Association of the U.K. 75: 857-869
Brey T, Gutt J, Mackensen A, Starmans A, 1998	Growth and productivity of the high Antarctic Bryozoa <i>Melicerita obliqua</i>	Marine Biology 132: 327-333
Brey T, Gerdes D, Gutt J, Mackensen A, Starmans A, 1999	Growth and age of the Antarctic bryozoan <i>Cellaria incula</i> on the Weddell Sea shelf	Antarctic Science 11: 408-414
Brey T et al., Unpublished Data	Unpublished data	unpublished
Brockington S, Peck LS, 2006	Growth, growth performance and productivity in the Antarctic sea urchin <i>Sterechinus neumayeri</i> (Meissner)	Marine Biology ???
Brockington S, 2001	The seasonal energetics of the Antarctic bivalve <i>Laternula elliptica</i> (King and Broderip) at Rothera Point, Adelaide Island	Polar Biology 24: 523-530
Brown AC, 1979	Oxygen consumption of the sandy-beach whelk <i>Bullia digitalis</i> Meuschen at different levels of activity	Compendium of Biochemistry and Physiology 62A: 673-675
Brunswig D, 1973	Der Nahrungswert makrobenthischer Fischnährtiere der Kieler Bucht im Jahresgang	Diploma Thesis University Kiel, Germany
Bryan SD, Soupir CA, Duffy WG, Freiburger CE, 1996	Caloric densities of three predatory fishes and their prey in Lake Oahe, South Dakota	Journal of Freshwater Ecology 11: 153-161
Buchheister A, Wilson MT, Foy RJ, Beauchamp DA, 2007	Seasonal and Geographic Variation in Condition of Juvenile Walleye Pollock in the Western Gulf of Alaska	Transactions of the American Fisheries Society 135:897-907
Buijse AD, Houthuijzen RP, 1992	Piscivory, growth, and size-selective mortality of age 0 pipeperch (<i>Stizostedion lucioperca</i>)	Canadian Journal of Fisheries and Aquatic Sciences 49: 894-902
Burkholder PR, Burkholder LM, Almodovar LR, 1971	Nutritive constituents of some Caribbean marine algae.	Botanica Marina 14: 132-135
Burky AJ, Hornbach DJ, Way CM, 1985	Comparative bioenergetics of permanent and temporary pond populations of the freshwater clam, <i>Musculium partumeium</i> (Say).	Hydrobiologia 126: 35-48
Cabello-Pasini A, Muniz Salazar R, Ward DH, 2004	Biochemical characterization of the eelgrass <i>Zostera marina</i> at its southern distribution limit in the North Pacific	Ciencias Marinas 30: 21-34
Calderón JA, 1986	Size, weight and caloric content estimates of <i>Calocaris macandreae</i> (Crustacea: Decapoda) from chelae biometry for studies on fish	Anales del Instituto de Ciencias del Mar y Limnología, Mexico, 15: 1-11
Calow P, Woolhead AS, 1977	Locomotoric strategies in freshwater triclads and their effects on the energetics of degrowth.	Oecologia 27: 353-362
Camacho AP, Labarta U, Navarro E, 2000	Energy balance of mussels <i>Mytilus galloprovincialis</i> : The effect of length and age.	Marine Ecology Progress Series 199: 149-158
Cartes JE, Elizalde M, Sorbe JC, 2000	Contrasting life histories and secondary production of populations of <i>Munopsis atlanticus</i> (Isopoda: Asellota) from two bathyal	Marine Biology 136: 881-890
Caspers N, 1975	Caloric values of the most abundant invertebrates of two woodland-brooklets of the "Naturpark Kottenforst-Ville".	Archiv für Hydrobiologie 75: 484-489
Catalotto B, Umami SF, 1994	Seasonal variations in carbon and nitrogen content of <i>Acartia clausi</i> (Copepoda, Calanoida) in the Gulf of Trieste (Northern Adriatic	Hydrobiologia 292/293: 283-288
Cattaneo-Vietti R, Chiantore M, Albertelli G, 1997	The population structure and ecology of the Antarctic scallop <i>Adamussium colbecki</i> (Smith, 1902) at Terra Nova Bay (Ross Sea, Ar	Scientia Marina 61: 15-24
Caudell JN, Conover MR, 2006	Energy content and digestibility of brine shrimp (<i>Artemia franciscana</i>) and other prey items of eared grebes (<i>Podiceps nigricollis</i>) or	Biological Conservation 130: 251-254
Cavaletto JF, Nalepa TF, Dermott R, Gardner WS, Quigley MA, Lang GA, 1996	Seasonal variation of lipid composition, weight, and length in juvenile <i>Diporeia</i> spp. (Amphipoda) from Lakes Michigan and Ontario	Canadian Journal of Fisheries and Aquatic Sciences 53: 2044-2051
Ceccaldi HJ, Kanazawa A, Teshima S, 1978	Chemical composition of some Mediterranean macroplanktonic organisms, 1. Proximate analysis	Téthys 8: 295-298
Cederwall H, Jermakovs V, 1999	Growth and production of three macrozoobenthic species in the Gulf of Riga, including comparisons with other areas	Hydrobiologia 393: 201-210
Cetta CM, Madin LP, Kremer P, 1986	Respiration and excretion by oceanic salps.	Marine Biology 91: 529-537
Champalbert G, Kerambrun P, 1978	Biochemical composition of hyponeustonic copepods in the northwest Mediterranean. Dry weight and elementary analysis of carbon	Marine Biology 45: 215-224
Champalbert G, Kerambrun P, 1979	Influence of method of preservation on the elementary chemical composition of <i>Pontella mediterranea</i> (Copepoda: Pontellidae)	Marine Biology 51: 357-360
Chapelle G, Peck LS, 1995	The influence of acclimation and substratum on the metabolism of the Antarctic amphipods <i>Waldeckia obesa</i> (Chevreux 1905) and	Polar Biology 15: 225-232
Chapelle G, Peck LS, Clarke A, 1994	Effects of feeding and starvation on the metabolic rate of the necrophagous Antarctic amphipod <i>Waldeckia obesa</i> (Chevreux, 1905	Journal of Experimental Marine Biology and Ecology 183: 63-76
Charles WN, East K, Brown D, Gray MC, Murray TD, 1972/73	The Production of Larval Chironomidae in the Mud at Loch Leven, Kinross	Proceedings of the Royal Society of Edinburgh 74B: 241-258
Chasar LC, Scudder BC, Bell AH, Wentz DA, Brigham ME, 2008	Total Mercury, Methylmercury, and Carbon and Nitrogen Stable Isotope Data for Biota from Selected Streams in Oregon, Wisconsin,	U.S. Geological Survey Data Series 349
Chen W-K, Liu K-M, Liao Y-Y, 2008	Bioenergetics of juvenile whitespotted bamboo shark <i>Chiloscyllium plagiosum</i> [Anonymous (Bennett)]	Journal of Fish Biology 72: 1245-1258
Cherel Y, Ridoux V, 1992	Prey species and nutritive value of food fed during summer to king penguin <i>Aptenodytes patagonica</i> chicks at Possession Island, Cr	Ibis 134: 118-127
Chigbu P, Sibley TH, 1997	Biometrical relationships, energy content and biochemical composition of <i>Neomysis mercedis</i> from Lake Washington	Hydrobiologia 337: 145-150
Childress JJ, Nygaard MH, 1973	The chemical composition of midwater fishes as a function of depth of occurrence off southern California.	Deep Sea Research 20: 1093-1109
Childress JJ, Nygaard M, 1974	Chemical composition and buoyancy of midwater crustaceans as function of depth of occurrence off Southern California.	Marine Biology 27: 225-238
Choe N, Deibel D, Thompson RJ, Lee SH, Bushell VK, 2003	Seasonal variation in the biochemical composition of the chaetognath <i>Parasagitta elegans</i> from the hyperbenthic zone of Conceptio	Marine Ecology Progress Series 251: 191-200
Chopin T, Marquis PA, Belyea EP, 1996	Seasonal dynamics of phosphorus and nitrogen contents in the brown alga <i>Ascophyllum nodosum</i> (L.) Le Jolis, and its associated sp	Botanica Marina 39: 543-552
Christiansen B, Diel-Christiansen S, 1993	Respiration of lysianassoid amphipods in a subarctic fjord and some implications on their feeding ecology.	Sarsia 78: 9-15
Ciancio JE, Pascual MA, Beauchamp DA, 2007	Energy density of Patagonian aquatic organisms and empirical predictions based on water content	Transactions of the American Fisheries Society 136:1415-1422
Cirujano S, Camargo JA, Gomez-Cordoves C, 2004	Feeding Preference of the Red Swamp Crayfish <i>Procambarus clarkii</i> (Girard) on Living Macrophytes in a Spanish Wetland	Journal of Freshwater Ecology 19: 219-226
Clarke A, Lakhani KH, 1979	Measures of biomass, moulting behaviour and the pattern of early growth in <i>Chorismus antarcticus</i> (Pfeffer)	British Antarctic Survey Bulletin 47: 61-88
Clarke A, Prince P, 1990	Chemical composition and caloric value of food fed to mollymauk chicks <i>Diomedea melanophris</i> and <i>D. chrysostoma</i> at Bird Island,	Ibis 122: 488-494
Clarke A, Prothero-Thomas E, 1997	The influence of feeding on oxygen consumption and nitrogen excretion in the Antarctic nemertean <i>Parborlasia corrugatus</i>	Physiological Zoology 70: 639-649
Clarke A, 1979	Lipid content and composition of the pink shrimp, <i>Pandalus montagui</i> (Leach) (Crustacea: Decapoda)	Journal of Experimental Marine Biology and Ecology 38: 1-17
Clarke A, 1980	The biochemical composition of krill, <i>Euphausia superba</i> Dana, from South Georgia	Journal of Experimental Marine Biology and Ecology 43: 221-236

Authors	Title	Journal
Clarke A, Clarke MR, Holmes LJ, Waters TD, 1985	Calorific values and elemental analysis of eleven species of oceanic squids (Mollusca: Cephalopoda).	Journal of the Marine Biological Association of the U.K. 65: 983-986
Clarke A, Holmes LJ, Gore DJ, 1992	Proximate and elemental composition of gelatinous zooplankton from the Southern Ocean.	Journal of Experimental Marine Biology and Ecology 155: 55-68
Clarke A, unpublished	Ecological stoichiometry in six species of Antarctic marine benthos	Manuscript subm. To Marine Ecology Progress Series
Collis SA, Walker G, 1995	Respirometry of the lecithotrophic larvae of the parasitic barnacle, <i>Sacculina carcini</i>	Compendium of Biochemistry and Physiology 112A: 327-332
Comita GW, Schindler DW, 1963	Calorific Values of Microcrustacea	Science 140: 1394-1395
Comita GW, Marshall SM, Orr AP, 1966	On the biology of <i>Calanus finmarchicus</i> . XIII. Seasonal changes in weight, calorific value and organic matter	Journal of the Marine Biological Association of the U.K. 46: 1-17
Company JB, Sarda F, 1998	Metabolic rates and energy content of deep-sea benthic decapod crustaceans in the western Mediterranean Sea	Deep Sea Research I 45: 1861-1880
Conover RJ, Corner EDS, 1968	Respiration and nitrogen excretion by some marine zooplankton in relation to their life cycles	Journal of the Marine Biological Association of the U.K. 48: 49-75
Coston-Clements L, Waggett RJ, Tester PA, 2009	Chaetognaths of the United States South Atlantic Bight: Distribution, abundance and potential interactions with newly spawned larv	Journal of Experimental Marine Biology and Ecology doi:10.1016/j.jembe.2009.03.008
Costopoulos CG, Fonds M, 1989	Proximate body composition and energy content of plaice (<i>Pleuronectes platessa</i>) in relation to the condition factor	Journal of Sea Research 24: 45-55
Crabtree, RE, 1995	Chemical composition and energy content of deep-sea demersal fishes from tropical and temperate regions of the western North A	Bulletin of Marine Science 56: 434-449
Craig JF, 1977	The body composition of adult perch, <i>Perca fluviatilis</i> in Windermere, with reference to seasonal changes and reproduction.	Journal of Animal Ecology 46: 617-632
Craig JF, Kenley MJ, Talling JF, 1978	Comparative estimations of the energy content of fish tissue from bomb calorimetry, wet oxidation and proximate analysis	Freshwater Biology 8: 585-590
Crawford RE, 1979	Effect of starvation and experimental feeding on the proximate composition and calorific content of an Antarctic teleost, <i>Notothenia</i>	Compendium of Biochemistry and Physiology 62A: 321-326
Croxall JP, Prince PA, 1982	Calorific content of squid (Mollusca: Cephalopoda)	British Antarctic Survey Bulletin 55: 27-31
Cui Y, Wootton RJ, 1988	Effects of ration, temperature and body size on the body composition, energy content and condition of the minnow, <i>Phoxinus phox</i>	Journal of Fish Biology 32: 749-764
Curl HJ, 1962	Analysis of carbon in marine organisms	Journal of Marine Research 20: 181-188
Dales RP, 1961	Oxygen uptake and irrigation of the burrow by three terebellid polychaetes: <i>Eupolyornia</i> , <i>Thelepus</i> , and <i>Neoamphitrite</i>	Physiological Zoology 34: 306-311
Daly HI, Peck LS, 2000	Energy balance and cold adaptation in the octopus <i>Pareledone charcoti</i>	Journal of Experimental Marine Biology and Ecology 245: 197-214
Danovaro R, Dell'Anno A, Martorano D, Parodi P, Marrale ND, Fabiano M, 1999	Seasonal variation in the biochemical composition of deep-sea nematodes: Bioenergetic and methodological considerations	Marine Ecology Progress Series 179: 273-283
Dare PJ, Edwards DB, 1975	Seasonal changes in flesh weight and biochemical composition of mussels (<i>Mytilus edulis</i> L.) in the Conwy Estuary, North Wales.	Journal of Experimental Marine Biology and Ecology 18: 89-97
Dauvin JC, Joncourt M, 1989	Energy values of marine benthic invertebrates from the western English Channel.	Journal of the Marine Biological Association of the U.K. 69: 589-595
Dave MJ, Chauhan VD, 1985	Protein content of brown seaweeds from Gujarat coast, west coast of India.	Indian Journal of Marine Sciences 14: 46-47
Davenport J, Trueman ER, 1985	Oxygen uptake and buoyancy in zooplanktonic organisms from the tropical eastern Atlantic.	Compendium of Biochemistry and Physiology 81A: 857-863
Davis JA, Boyd CE, 1978	Concentrations of selected elements and ash in bluegill (<i>Lepomis macrochirus</i>) and certain other freshwater fish	Transactions of the American Fisheries Society 107: 862-867
Dawes CJ, Koch EW, 1990	Physiological responses of the red algae <i>Gracilaria verrucosa</i> and <i>G. tikvahiae</i> before and after nutrient enrichment	Bulletin of Marine Science 46: 335-344
Dawes CJ, Lawrence JM, 1980	Seasonal changes in the proximate constituents of the seagrasses <i>Thalassia testudinum</i> , <i>Halodule wrightii</i> , and <i>Syringodium filiform</i>	Aquatic Botany 8: 371-380
Dawes CJ, Lawrence JM, 1983	Proximate composition and calorific content of seagrasses.	Marine Technology Society Journal 17: 53-58
Dawes CJ, 1986	Seasonal proximate constituents and calorific values in seagrasses and algae on the west coast of Florida.	Journal of Coastal Research 2: 25-32
Dawes CJ, Lawrence JM, Cheney DP, Mathieson AC, 1974	Ecological studies of Floridian <i>Bucheuma</i> (Rhodophyta, Gigartinales). 3. Seasonal variation of carrageenan, total carbohydrate, protei	Bulletin of Marine Science 24: 286-299
Dawes C, Chan M, Chinn R, Koch EW, Lazar A, Tomasko D, 1987	Proximate composition, photosynthetic and respiratory responses of the seagrass <i>Halophila engelmannii</i> from Florida.	Aquatic Botany 27: 195-201
Dawirs RR, 1980	Elemental composition (C, N, H) in larval and crab-1 stages of <i>Pagurus bernhardus</i> (Decapoda, Paguridae) and <i>Carcinus maenas</i> (De	Marine Biology 57: 17-23
Dawirs RR, 1981	Elemental composition (C, N, H) and energy in the development of <i>Pagurus bernhardus</i> (Decapoda: Paguridae) megalopa.	Marine Biology 64: 117-123
Dawirs RR, 1983	Respiration, energy balance and development during growth and starvation of <i>Carcinus maenas</i> L. larvae (Decapoda: Portunidae).	Journal of Experimental Marine Biology and Ecology 69: 105-128
Dawirs RR, 1984	Respiratory metabolism of <i>Pagurus bernhardus</i> (Decapoda: Paguridae) megalopa.	Marine Biology 83: 219-223
Dawson AS, Grimm AS, 1980	Quantitative seasonal changes in the protein, lipid and energy content of the carcass, ovaries and liver of adult female plaice, <i>Pleurc</i>	Journal of Fish Biology 16: 493-504
Dayton PK, Robilliard GA, Paine RT, Dayton LB, 1974	Ecological accommodation in the benthic community at McMurdo Sound, Antarctic.	Ecological Monographs 44: 105-128
Dedual M, 2002	Lipid content in rainbow trout (<i>Oncorhynchus mykiss</i>) fry and parr reared in spawning tributaries of Lake Taupo, New Zealand	New Zealand Journal of Marine and Freshwater Research 37: 521-523
Deegan LA, 1986	Changes in body composition and morphology of young-of-the-year gulf menhaden, <i>Brevoortia patronus</i> Goode, in Fourleague Bay, I	Journal of Fish Biology 29: 403-415
Deegan LA, 1993	Nutrient and energy transport between estuaries and coastal marine ecosystems by fish migration.	Canadian Journal of Fisheries and Aquatic Sciences 50: 74-79
Deibel D, Caveletto JF, Riehl M, Gardner WS, 1992	Lipid and lipid class content of the pelagic tunicate <i>Oikopleura vanhoeffeni</i> .	Marine Ecology Progress Series 88: 297-302
Delgado O, 1986	Phosphorus content of tissues of Mediterranean seagrasses and its relation with the dynamics of each species.	Oecologia Aquatica 8: 139-151
Delgado O, Ballesteros E, Vidal M, 1994	Seasonal variation in tissue nitrogen and phosphorus of <i>Cystoseira mediterranea</i> Sauvageau (Fucales, Phaeophyceae) in the northw	Botanica Marina 37: 1-9
DeLorenzo Costa A, Durbin EG, Mayo CA, 2006	Variability in the nutritional value of the major copepods in Cape Cod Bay (Massachusetts, USA) with implications for right whales	Marine Ecology 27: 109-123
DeMartini EE, 1991	Annual variations in fecundity, egg size, and the gonadal and somatic conditions of queenfish <i>Seriphus politus</i> (Sciaenidae).	Fishery Bulletin U.S. 89: 9-18
Dempson JB, Schwarz CJ, Shears M, Furey G, 2004	Comparative proximate body composition of Atlantic salmon with emphasis on parr from fluvial and lacustrine habitats	Journal of Fish Biology 64: 1257-1271
Dermott RM, Paterson CG, 1974	Determining dry weight and percentage dry matter of chironomid larvae (Dipt.).	Canadian Journal of Zoology 52: 1243-1250
Deslous-Paoli J-M, Heral M, 1988	Biochemical composition and energy value of <i>Crassostrea gigas</i> (Thunberg) cultured in the bay of Marennes-Oleron.	Aquatic Living Resources 1: 239-249
DeSoyza K, 1973	Energetics of <i>Aphelenchus avenae</i> in monoxenic culture	Proceedings of the Helminth Society of Washington 40: 1-40
Dhargalkar VK, Reddy CRK, Deshmukhe GV, Untawale AG, 1987	Biochemical composition of some benthic marine algae of the Vestfold Hills, Antarctica.	Indian Journal of Marine Science 16: 269-271
Dhont J, Van Stappen G, 2003	Biology, tank production and nutritional value of <i>Artemia</i>	in Støttrup & McEvoy: Live feeds in marine aquaculture: 65-121
Dolbeth M, Pardal MA, Lillebø AI, Azeiteiro UM, Marques JC, 2003	Short and long-term effects of eutrophication on the secondary production of an intertidal macrobenthic community	Marine Biology 143: 1229-1238
Dong Y, Dong S, Tian X, Wang F, Zhang M, 2006	Effects of diel temperature fluctuations on growth, oxygen consumption and proximate body composition in the sea cucumber <i>Apo</i>	Aquaculture 255: 514-521
Donnelly J, Torres JJ, 1988	Oxygen consumption of midwater fishes and crustaceans from the eastern Gulf of Mexico.	Marine Biology 97: 483-494
Donnelly J, Torres JJ, Hopkins TL, Lancraft TM, 1990	Proximate composition of Antarctic mesopelagic fishes.	Marine Biology 106: 13-23
Donnelly J, Stickney DG, Torres JJ, 1993	Proximate and elemental composition and energy content of mesopelagic crustaceans from the Eastern Gulf of Mexico	Marine Biology 115: 469-480
Donnelly J, Torres JJ, Hopkins TL, Lancraft TM, 1994	Chemical composition of Antarctic zooplankton during austral fall and winter	Polar Biology 14: 171-183
Dorgelo J, Kraak MHS, 1993	Seasonal variation in tissue dry biomass and ist relative ash and organic carbon and nitrogen content in the freshwater mussel <i>Dreis</i>	Archiv für Hydrobiologie 127: 409-421
Doyle TK, Houghton JDR, McDevitt R, Davenport J, Hay GC, 2007	The energy density of jellyfish: Estimates from bomb-calorimetry and proximate-composition	Journal of Experimental Marine Biology and Ecology 343: 239-252
Drits AV, Pasternak AF, Kosobokova KN, 1994	Physiological characteristics of the Antarctic copepod <i>Calanoides acutus</i> during late summer in the Weddell Sea	Hydrobiologia 292/293: 201-207
Driver EA, Sugden LG, Kovach RJ, 1974	Calorific, chemical and physical values of potential duck foods	Freshwater Biology 4: 281-292
Du S, Mai K, 2005	Effects of starvation on energy reserves in young juveniles of abalone <i>Haliotis discus hannai</i> Ino	Journal of Shellfish Research 23: 1037-1039
Du Preez HH, McLachlan A, 1983	Seasonal changes in biochemical composition and energy content of the three-spot swimming crab <i>Ovalipes punctatus</i> (De Haan) ((Journal of Experimental Marine Biology and Ecology 72: 189-198

Authors	Title	Journal
Duarte WE, Jara F, Moreno CA, 1980	Energetic content of several benthic invertebrates from the Chilean coast and annual fluctuation of <i>Mytilus chilensis</i> Hupe 1854.	Boletim do Instituto Oceanográfico 29: 157-162
Dubreuil J, Petitgas P, 2009	Energy density of anchovy <i>Engraulis encrasicolus</i> in the Bay of Biscay	Journal of Fish Biology 74: 521-534
Dubrow D, Hale M, Bimbo A, 1976	Seasonal variations in chemical composition and protein quality of menhaden.	Marine Fisheries Review 38: 12-16
Dunton KH, Schell DM, 1986	Seasonal carbon budget and growth of <i>Laminaria solidungula</i> in the Alaskan High Arctic.	Marine Ecology Progress Series 31: 57-66
Durako MJ, Dawes CJ, 1980	A Comparative Seasonal Study of Two Populations of <i>Hypnea musciformis</i> From the East and West Coasts of Florida, USA). 1. Growth	Marine Biology 59: 151-156
Dyrgert PH, 1990	Seasonal changes in energy content and proximate composition associated with somatic growth and reproduction in a representative	Transactions of the American Fisheries Society 119: 791-800
Dykyjova D, Pribil S, 1975	Energy content in the biomass of emergent macrophytes and their ecological efficiency	Archiv für Hydrobiologie 75: 90-108
Eaton CA, Ackman RG, Tocher CS, Spencer KD, 1975	Canadian capelin 1972-1973. Fat and moisture composition, and fatty acids of some oils and lipid extract triglycerides.	Canadian Journal of Fisheries and Aquatic Sciences 32: 507-513
Eder EB, Lewis MN, 2005	Proximate composition and energetic value of demersal and pelagic prey species from the Southwestern Atlantic Ocean	Marine Ecology Progress Series 291: 43-52
Edwards DC, Huebner JD, 1977	Feeding and growth rates of <i>Policlines duplicatus</i> preying on <i>Mya arenaria</i> at Barnstable Harbor, Massachusetts	Ecology 58: 1218-1236
Edwards RRC, Finlayson DM, Steele JH, 1972	An experimental study of the oxygen consumption, growth, and metabolism of the cod (<i>Gadus morhua</i> L.)	Journal of Experimental Marine Biology and Ecology 8: 299-309
Eide O, Borresen T, Strom T, 1982	Minced meat production from capelin in (<i>Mallorus villosus</i>)	Journal of Food Science 47: 347-349
Elliot JM, 1976	Body composition of brown trout (<i>Salmo trutta</i> L.) in relation to temperature and ration size	Journal of Animal Ecology 45: 273-289
Elliott KH, Gaston AJ, 2008	Mass-length relationships and energy content of fishes and invertebrates delivered to nestling thick-billed murres <i>Uria lomvia</i> in the	Marine Ornithology 36: 25-34
Ellis TA, 2007	Assessing Nursery Quality for Southern Flounder, <i>Paralichthys lethostigma</i> , through Fish Energy Content and Habitat Abiotic Conditions	MSC Thesis North Carolina State University, Raleigh
Emerson CW, Minchinon TE, Grant J, 1988	Population structure, biomass, and respiration of <i>Mya arenaria</i> L. on temperate sandflat.	Journal of Experimental Marine Biology and Ecology 115: 99-111
Encina L, Granado-Lorencio C, 1997	Seasonal changes in condition, nutrition, gonad maturation and energy content in barbel, <i>Barbus sclateri</i> , inhabiting a fluctuating river	Environmental Biology of Fishes 50: 75-84
Evans RA, 1977	The shallow-water soft-bottom benthos in Lindaspollene, western Norway. 2. Estimators of biomass for some macro-infauna species	Sarsia 63: 97-111
Evjemo JO, Olsen Y, 1997	Lipid and fatty acid content in cultivated live feed organisms compared to marine copepods	Hydrobiologia 358: 159-162
Faganelli J, Malej A, Pezdic J, Malacic V, 1988	C:N:P ratios and stable C isotopic ratios as indicators of sources of organic matter in the Gulf of Trieste (northern Adriatic).	Oceanologica Acta 11: 377-382
Falk-Petersen S, 1981	Ecological investigations on the zooplankton community of Balsfjorden, northern Norway: seasonal changes in body weight and the	Journal of Experimental Marine Biology and Ecology 49: 103-120
Feral JP, 1985	Effect of short-term starvation on the biochemical composition of the apodous holothurian <i>Leptosynapta galliennei</i> (Echinodermata)	Marine Biology 86: 297-306
Ferguson CF, Raymont JKB, 1974	Biochemical studies on marine zooplankton. 12. Further investigations on <i>Euphausia superba</i> Dona.	Journal of the Marine Biological Association of the U.K. 54: 719-725
Fernandez Castro N, Vido de Mattio N, 1987	Biochemical composition, condition index, and energy value of <i>Ostrea puelchana</i> (D'Orbigny): Relationships with the reproductive cycle	Journal of Experimental Marine Biology and Ecology 108: 113-126
Figureido-Barros MP, Leal JUF, Esteves FdA, Rocha AdM, Bozelli RL, 2006	Life cycle, secondary production and nutrient stock in <i>Heleobia australis</i> (d'Orbigny 1835) (Gastropoda: Hydrobiidae) in a tropical coastal	Estuarine, Coastal and Shelf Science 69: 87-95
Finenko GA, Anninsky BE, Romanova ZA, Abolmasova GI, Kideys AE, 2001	Chemical composition, respiration and feeding rates of the new alien ctenophore, <i>Beroe ovata</i> , in the Black Sea	Compendium of Biochemistry and Physiology 51A: 815-820
Finlay BJ, Uhlir, G, 1981	Caloric and carbon values of marine and freshwater Protozoa	Helgolander Marine Research 34: 401-412
Finstad AG, Berg OK, Lohrmann A, 2003	Seasonal variation in body composition of Arctic char, <i>Salvelinus alpinus</i> , from an ultraoligotrophic alpine lake	Ecology of Freshwater Fish 12: 228-235.
Fischer S, Thatje S, Graeve M, Paschke K, Kattner G, 2009	Bioenergetics of early life-history stages of the brachyuran crab <i>Cancer setosus</i> in response to changes in temperature	Journal of Experimental Marine Biology and Ecology 374: 160-166
Fisher CR, Childress JJ, Arp AJ, Brooks JM, Distel, D, Favuzzi JA, Macko SA, Newton	Physiology, morphology, and biochemical composition of <i>Riftia pachyptilia</i> at Rose Garden in 1985	Deep Sea Research I 35: 1745-1758
Fitch DD, 1975	Oxygen consumption in the prosobranch snail <i>Viviparus contectoides</i> - I. Effects of weight and activity	Compendium of Biochemistry and Physiology 51A: 815-820
Fitt WK, Pardy RL, 1981	Effects of Starvation, and Light and Dark on the Energy Metabolism of Symbiotic and Aposymbiotic Sea Anemones, <i>Anthopleura elegantissima</i>	Marine Biology 61: 199-205
Flath LE, Diana JS, 1985	Seasonal energy dynamics of the alewife in southeastern Lake Michigan.	Transactions of the American Fisheries Society 114: 328-337
Foltz JW, Norden CR, 1977	Seasonal changes in food consumption and energy content of smelt (<i>Osmerus mordax</i>) in Lake Michigan	Transactions of the American Fisheries Society 106: 230-234
Freites L, Fernandez Reiriz MJ, Labarta U, 2003	Biochemical composition and energy content of the mussel <i>Mytilus galloprovincialis</i> of subtidal and rocky shore origin: Influence of feeding	Ciencias Marinas 29: 603-619
Fuji A, Hashizume M, 1974	Energy budget for a Japanese common scallop, <i>Patinopecten yessoensis</i> (Jay), in Mutsu Bay.	Bulletin of the Faculty of Fisheries of the Hokkaido University 25: 7-19
Fujita RM, Wheeler PA, Edwards RL, 1989	Assessment of macroalgal nitrogen limitation in a seasonal upwelling region.	Marine Ecology Progress Series 53: 293-303
Gabriel BC, de la Cruz AA, 1974	Species composition, standing stock, and net primary production of a salt marsh community in Mississippi	Chesapeake Science 15: 72-77
Gabriele M, Putrone V, Brunetti R, 1997	Morphometrics and energetic value of Adriatic ascidians	Cahiers de Biologie Marine 38: 169-174
Gabrielson JO, Birch PB, Hamel KS, 1983	Decomposition of <i>Cladophora</i> . 2. In vitro studies of nitrogen and phosphorus regeneration.	Botanica Marina 26: 173-179
Gallagher ML, Ambrose WG, Renaud PE, 1998	Comparative studies in biochemical composition of benthic invertebrates (bivalves, ophiuroids) from the Northeast Water (NEW) Polynesian	Polar Biology 19: 167-171
Gamperl AK, Bryant J, Stevens ED, 1988	Effect of a sprint training protocol on growth rate, conversion efficiency, food consumption and body composition of rainbow trout,	Journal of Fish Biology 33: 861-870
Gannefors C, Böer M, Kattner G, Graeve M, Eiane K, Gulliksen B, Hop H, Falk-Petersen	The Arctic sea butterfly <i>Limacina helicina</i> : lipids and life strategy	Marine Biology 147: 169-177
Garcia-Guerrero M, Racotta IS, Villarreal H, 2003	Variation in lipid, protein and carbohydrate content during the embryonic development of the crayfish <i>Cherax quadricarinatus</i> (Decapoda)	Journal of Crustacean Biology 23: 1-6
Gardner WS, Nalepa TF, Frez WA, Cichocki EA, Landrum PF, 1985	Seasonal patterns in lipid content of Lake Michigan macroinvertebrates	Canadian Journal of Fisheries and Aquatic Sciences 42: 1827-1832
Gatenby CM, Orcutt DM, Kreeger DA, Parker BC, Jones VA, Neves RJ, 2003	Biochemical composition of three algal species proposed as food for captive freshwater mussels	Journal of Applied Phycology 15: 1-11
Gerking SD, 1984	Assimilation and maintenance ration of an herbivorous fish, <i>Sarpa salpa</i> , feeding on a green alga.	Transactions of the American Fisheries Society 117: 378-387
Gerloff GC, Krombholz PH, 1966	Tissue analysis as a measure of nutrient availability for the growth of angiosperm aquatic plants	Limnology and Oceanography 11: 529-537
Gibson RA, Kneebone R, Kneebone GM, 1984	Comparative levels of arachidonic acid and eicosapentaenoic acid in Malaysian fish	Comperative Biochemistry and Physiology 78C: 325-328
Gismervik I, 1997	Stoichiometry of some marine planktonic crustaceans	Journal of Plankton Research 19: 279-285
Goldberg ED, 1962	Elemental composition of some pelagic fishes	Limnology and Oceanography 7 Suppl 72-75
Gomez I, Westermeyer R, 1995	Energy contents and organic constituents in Antarctic and south Chilean marine brown algae	Polar Biology 15: 597-602
Gomez I, Wiencke C, 1998	Seasonal changes in C, N and major organic compounds and their significance to morpho-functional processes in the endemic Antarctic	Polar Biology 19: 115-124
Gomez I, Weykam G, Wiencke C, 1998	Photosynthetic metabolism and major organic compounds in the marine brown alga <i>Desmarestia menziesii</i> from King George Island	Aquatic Botany 60: 105-118
Gooch JA, Hale MB, Brown T, Bonnet JC, Brand CG, Regier LW, 1987	Proximate and fatty acid composition of 40southeastern U.S. finfish species	NOAA Tech Rep NMFS 55: 1- 23
Goodyear CP, Boyd CE, 1972	Elemental composition of largemouth bass (<i>Micropterus salmoides</i>)	Transactions of the American Fisheries Society 101: 545-547
Gorham J, Lewey SA, 1984	Seasonal changes in the chemical composition of <i>Sargassum muticum</i>	Marine Biology 80: 103-107
Gorokhova E, Hansson S, 2000	Elemental composition of <i>Mysis mixta</i> (Crustacea, Mysidacea) and energy costs of reproduction and embryogenesis under laboratory	Journal of Experimental Marine Biology and Ecology 246:103-123
Gorsky G, Palazzoli I, Fenaux R, 1987	Influence of temperature changes on oxygen uptake and ammonia and phosphate excretion, in relation to body size and weight, in the	Marine Biology 94: 191-201
Gorsky G, Dallot S, Sardou J, Fenaux R, Carre C, Palazzoli I, 1988	C and N composition of some northwestern Mediterranean zooplankton and micronekton species.	Journal of Experimental Marine Biology and Ecology 124: 133-144
Goswami SC, Rao TSS, Matondkar SGP, 1981	Biochemical studies on some zooplankton off the west coast of India	Mahasagar - Bulletin of the National Institute of Oceanography 14: 313-316
Grant J, Cranford PJ, 1991	Carbon and nitrogen scope for growth as a function of diet in the sea scallop <i>Placopecten magellanicus</i> .	Journal of the Marine Biological Association of the U.K. 71: 437-450
Green R, 1971	Lipid and caloric contents of the select amphipod <i>Pontoporeia affinis</i> in Cayuga Lake, NY	Canadian Journal of Fisheries and Aquatic Sciences 28: 776-777

Authors	Title	Journal
Greenwell M, Bird CJ, McLachlan J, 1984	Depth-related variation in gross chemical composition of several seaweeds.	Aquatic Botany 20: 297-305
Greseth SL, Cope WG, Rada RG, Waller DL, Bartsch MR, 2003	Biochemical Composition of Three Species of Unionid Mussels After Emersion	Journal of Molluscan Studies 69: 101-106
Groenik S, Hopkins CCE, 1984	Ecological investigations of the zooplankton community of Balsfjorden, northern Norway: Generation cycle, seasonal vertical distribution	Journal of Experimental Marine Biology and Ecology 80: 93-107
Guerin J-P, Gaudy R, 1977	Study of variations in dry weight and elementary chemical composition of <i>Tisbe holothuriae</i> (Copepoda: Harpacticoida) reared on diatoms	Marine Biology 44: 65-70
Guevara M, Lodeiros C, 2003	Biochemical composition of nauplii and metanauplii of <i>Artemia</i> sp. (Crustacea, Anostraca) from the Araya saltworks, northeastern Venezuela	Ciencias Marinas 29: 655-663
Güner S, Dincer B, Alemdag N, Colak A, Turfekci M, 1998	Proximate composition and selected mineral content of commercially important fish species from the Black Sea	JSciFoodAgric 78:337-342
Gupta PK, Pant MC, 1983	Seasonal variation in the energy content of benthic macroinvertebrates of Lake Naimital, U.P., India	Hydrobiologia 99: 19-22
Hakanson JL, 1984	The long and short term feeding condition in field-caught <i>Calanus pacificus</i> , as determined from the lipid content.	Limnology and Oceanography 29: 794-804
Hale MB, Brown T, 1983	Fatty acids and lipid classes of three underutilized species and changes due to canning	Marine Fisheries Review 45: 45-48
Hale MB, 1984	Proximate chemical composition and fatty acid composition of three coastal pelagic fishes	Marine Fisheries Review 46: 19-21
Hamilton DH, Yurchyk J, 1973	Biomass characteristics of the ascidian <i>Molgula manhattensis</i> (DeKay)	Chesapeake Science 14: 67-68
Handoo JK, Saraf N, Kaul V, 1988	Energy content and ecological efficiency of macrophytes in Dal Lake, Kashmir	Archiv für Hydrobiologie 111: 351-367
Hansen MD, 1978	Food and feeding behavior of sediment feeders as exemplified by sipunculids and holothurians	Helgoland Marine Research 31: 199-221
Harland AD, Navarro JC, Spencer Davies P, Fixter LM, 1993	Lipids of some Caribbean and Red Sea corals: Total lipid, wax esters, triglycerides and fatty acids	Marine Biology 117: 113-117
Harms J, 1987	Energy budget for the larval development of <i>Elminius modestus</i> (Crustacea: Cirripedia).	Helgoländer Wissenschaftliche Meeresuntersuchungen 41: 45-67
Harms J, 1990	Accumulation and loss of biomass in <i>Liocarcinus holisatus</i> larvae during growth and exuviation.	Marine Biology 104: 183-190
Harper EM, Peck L, 2003	Predatory behaviour and metabolic costs in the Antarctic muricid gastropod <i>Trophon longstaffi</i>	Polar Biology 26: 208-217
Harris RK, Nishiyama T, Paul AJ, 1986	Carbon, nitrogen and caloric content of eggs, larvae, and juveniles of the walleye pollock, <i>Theragra chalcogramma</i> .	Journal of Fish Biology 29: 87-98
Harrison PG, Mann KH, 1975	Chemical changes during the seasonal cycle of growth and decay in eelgrass (<i>Zostera marina</i>) on the Atlantic coast of Canada.	Canadian Journal of Fisheries and Aquatic Sciences 32: 615-621
Hatcher A, 1994	Nitrogen and phosphorus turnover in some benthic marine invertebrates: implications for the use of C:N ratios to assess food quality	Marine Biology 121 : 161 - 166
Haxen PG, Grindley JR, 1985	Durivillaea antarctica production in relation to nutrient cycling at Marion Island	Journal of Experimental Marine Biology and Ecology 153: 15-25
Hayes DB, Taylor WW, 1994	Changes in the composition of somatic and gonadal tissues of yellow perch following white sucker removal	Journal of Phycology 31: 325-331
Healey MC, 1972	Bioenergetics of a sand goby (<i>Gobius minutus</i>) population.	Oceanologica Acta 6: 193-199
Heilmayer O, Brey T, 2003	Saving by freezing? Metabolic rates of <i>Adamussium colbecki</i> in a latitudinal context	Journal of Experimental Zoology 280: 375-383
Heilmayer O, Bremec C, Brey T, Lasta M, Valero J, 2001	Why are there no Patagonian scallops (<i>Zygochlamys patagonica</i>) of the Rio Plata estuary	Oecologia 54: 300-303
Heine JN, McClintock JB, Slattery M, Weston J, 1991	Energetic composition, biomass, and chemical defense in the common antarctic nemertean <i>Parborlasiella corrugatus</i> McIntosh.	Archiv für Hydrobiologie Special Issue Advances in Limnology 55: 349-363
Henley WJ, Dunton KH, 1995	A seasonal comparison of carbon, nitrogen, and pigment content in <i>Laminaria solidungula</i> and <i>L. saccharina</i> (Phaeophyta) in the Alaskan coast	Archiv für Hydrobiologie 121: 343-353
Heral M, Deslouis-Paoli JM, 1983	Energetic value of the tissue of the oyster <i>Crassostrea gigas</i> estimated by microcalorimetric measures and by biochemical evaluation	Limnology and Oceanography 37: 1280-1289
Heras H, Garín C, Polloer R, 1998	Biochemical composition and energy sources during embryo development and in early juveniles of the snail <i>Pomacea canaliculata</i> (Mollusca: Gastropoda)	Aquatic Botany 51: 1-54
Herman PMJ, Heip C, 1982	Growth and respiration of <i>Cyprideis torosa</i> Jones 1850 (Crustacea Ostracoda).	Journal of Experimental Marine Biology and Ecology 18: 139-151
Hessen DO, Faafeng BA, 2000	Elemental ratios in freshwater seston; implications for community structure and energy transfer in food webs	Bulletin of the Planktological Society of Japan 32: 149-153
Hessen DO, Lyche A, 1991	Inter- and intraspecific variations in zooplankton element composition.	Motoda & Takenouti (eds): Biological Oceanography of the Northern North Pacific Ocean. Tokyo
Hill C, 1992	Seasonal changes in lipid content and composition in the benthic amphipods <i>Monoporeia affinis</i> and <i>Pontoporeia femorata</i>	Bulletin of the Planktological Society of Japan 28: 19-24
Hillman K, McComb AJ, Walker DI, 1995	The distribution, biomass and primary production of the seagrass <i>Halophila ovalis</i> in the Swan/Canning Estuary, Western Australia	Journal of Zoology London 2244: 501-517
Himmelman JH, Carefoot TH, 1975	Seasonal changes in caloric value of three Pacific coast seaweeds, and their significance to some marine invertebrate herbivores.	Aquatic Botany 11: 245-261
Hirota R, Fukuda Y, 1985	Dry weight and chemical composition of the larval forms of crabs (Decapoda: Brachyura).	Journal of Experimental Marine Biology and Ecology 72: 251-261
Hirota J, Idemitsu Shoten, 1972	Laboratory culture and metabolism of the planktonic ctenophore, <i>Pleurobrachia bachei</i> A. agassiz.	Journal of Experimental Marine Biology and Ecology 81: 147-170
Hirota R, 1981	Dry Weight and Chemical Composition of the Important Zooplankton in the Setonaikai (Inland Sea of Japan).	ICES Journal of Marine Science 36: 162-165
Hislop JRG, Harris MP, Smith JGM, 1991	Variation in the caloric value and total energy content of the lesser sandeel (<i>Ammodytes marinus</i>) and other fish preyed on by sea lampreys	Transactions of the American Fisheries Society 134:588-601
Hocking PJ, Cambridge ML, McComb AJ, 1981	The Nitrogen and Phosphorus Nutrition of Developing Plants of Two Seagrasses, <i>Posidonia australis</i> and <i>Posidonia sinuosa</i> .	ICES Journal of Marine Science 31: 300-304
Hoeger U, 1983	Biochemical composition of ctenophores.	Oceanography and Marine Biology Annual Review 22: 211-261
Holdway DA, Beamish FWH, 1984	Specific growth rate and proximate body composition of Atlantic cod (<i>Gadus morhua</i> L.).	Sarsia 63: 255-264
Holland DL, Walker G, 1975	The biochemical composition of the cypris larva of the barnacle <i>Balanus balanoides</i> L.	Transactions of the American Fisheries Society 113: 388-396
Hondorp DW, Pothoven SA, Brandt SB, 2005	Influence of Diporeia Density on Diet Composition, Relative Abundance, and Energy Density of Planktivorous Fishes in Southeast Lakeland	Bangladesh Journal of Fisheries Research 3: 77-85
Hopkins, 1968	Carbon and Nitrogen Content of Fresh and Preserved <i>Nematoscelis difficilis</i> , a Euphausiid Crustacean	Journal of Fish Biology 72: 2534-2542
Hopkins CCE, Seiring JV, Nyholmen O, Hermannsen A, 1984	Ecological energetics from total lipid and total protein: Fact and artifact using a gravimetric method for lipid and a biuret method for protein	Journal of Experimental Marine Biology and Ecology 6: 167-178
Hopkins CCE, Falk-Petersen S, Tande K, Eilertsen HC, 1987	A preliminary study of zooplankton sound scatter layers in Balsfjorden: Structure, energetics, and migrations	Marine Biology 11: 12-22
Horn MH, Neighbors MA, 1984	Protein and nitrogen assimilation as a factor in predicting the seasonal macroalgal diet of the monkeyface prickleback.	New Zealand Journal of Science 23:43-51
Hossain MA, Afsana K, Azad Shah AKM, 1999	Nutritional value of some small indigenous fish species (SIS) of Bangladesh	Hydrobiologia 51: 119-128
Huang G, Wei L, Zhang X, Gao T, 2008	Compensatory growth of juvenile brown flounder <i>Paralichthys olivaceus</i> (Temminck & Schlegel) following thermal manipulation	Marine Ecology Progress Series 107: 23-40
Hughes RN, 1971	Ecological energetics of the keyhole limpet <i>Fissurella Barbadosis</i> Gmelin	Journal of Plankton Research 26: 1025-1037
Hughes RN, 1971	Ecological energetics of <i>Nerita</i> (Archaeogastropoda, Neritacea) populations on Barbados, West Indies.	Marine Biology 92: 545-555
Hughes JT, Czochanska Z, Pickston L, Hove EL, 1980	The nutritional composition of some New Zealand marine fish and shellfish.	Australian Journal of Marine and Freshwater Research 32: 921-930
Hunter RD, 1976	Changes in carbon and nitrogen content during decomposition of three macrophytes in freshwater and marine environments.	Plankton Biology and Ecology 45: 31-44
Huntley ME, Nordhausen W, Lopez MDG, 1994	Elemental composition, metabolic activity and growth of Antarctic krill <i>Euphausia superba</i> during winter	Marine Biology 100: 301-308
Iguchi N, Ikeda T, 2004	Metabolism and elemental composition of aggregate and solitary forms of <i>Salpa thompsoni</i> (Tunicata: Thaliacea) in waters off the Antarctic Peninsula	Marine Biology 100: 261-267
Ikeda T, Bruce B, 1986	Metabolic activity and elemental composition of krill and other zooplankton from Prydz Bay, Antarctica, during early summer (November)	Marine Biology 71: 283-298
Ikeda T, Hing Fay E, 1981	Metabolic Activity of Zooplankton From the Antarctic Ocean.	Marine Biology 100: 173-183
Ikeda Tsutomu, Hirakawa Kazumasa, 1998	Metabolism and body composition of zooplankton in the cold mesopelagic zone of the southern Japan Sea	
Ikeda T, Kirkwood R, 1989a	Metabolism and body composition of two euphausiids (<i>Euphausia superba</i> and <i>E. crystallophias</i>) collected from under the pack-ice	
Ikeda T, Kirkwood R, 1989b	Metabolism and body composition of a giant chaetognath <i>Sagitta gazellae</i> from the Southern Ocean.	
Ikeda T, Mitchell AW, 1982	Oxygen uptake, ammonia excretion and phosphate excretion by krill and other Antarctic zooplankton in relation to their body size and temperature	
Ikeda T, Skjoldal HR, 1989	Metabolism and elemental composition of zooplankton from the Barents Sea during early Arctic summer.	

Authors	Title	Journal
Ikeda T, 1974	Nutritional ecology of marine zooplankton.	Memoirs of the Faculty of Fisheries of the Hokkaido University 22: 1-97
Ikeda T, 1985	Metabolic rate and elemental composition (C and N) of embryos and non-feeding early larval stages of Antarctic krill (<i>Euphausia superba</i>)	Journal of Experimental Marine Biology and Ecology 90: 119-127
Ikeda T, 1988	Metabolism and chemical composition of crustaceans from the Antarctic mesopelagic zone	Deep Sea Research 35: 1991-2002
Ikeda T, 1990	Ecological and biological features of a mesopelagic ostracod, <i>Conchoecia pseudodiscophora</i> , in the Japan Sea.	Marine Biology 107: 453-461
Ikeda T, Kanno Y, Ozaki K, Shinada A, 2001?	Metabolic rates of epipelagic marine copepods as a function of body mass and temperature	Marine Biology 139: 587-596
Ikeda T, Yamaguchi A, Matsuiishi T, 2006	Chemical composition and energy content of deep-sea calanoid copepods in the Western North Pacific Ocean	Deep Sea Research I 53: 1791-1809
Ikeda T, Hirakawa K, Kajihara N, 1990	Some characteristics of a coldwater copepod <i>Calanus cristatus</i> from regions of the Japan Sea covered by the Tsushima Warm Current	Bulletin of the Japan Sea National Fishery Research Institute 40: 51-65
Indergaard M, Knutsen SH, 1990	Seasonal differences in ash, carbon, fibre and nitrogen components of <i>Furcellaria lumbricalis</i> (Gigartinales, Rhodophyceae), Norway.	Botanica Marina 33: 327-334
Ishii H, Omori M, Maeda M, Watanabe Y, 1987	Metabolic rates and elemental composition of the Antarctic krill, <i>Euphausia superba</i> Dana	Polar Biology 7: 379-382
lvleva IV, Litovchenko TI, 1978	[Respiratory rate in Coelenterata and Ctenophora as related to the environmental temperature]	Biologija Morja Kiev 46: 3-25
lvleva IV, 1976	[The rate of oxygen consumption by the Atlantic <i>Chaetognatha</i>]	Biologija Morja Kiev 39: 3-11
lvleva IV, 1980	The dependence of crustacean respiration rate on body mass and habitat temperature	Internationale Revue der Gesamten Hydrobiologie 65: 1-47
Jacobi CC, Anger K, 1985	Growth and respiration during the larval development of <i>Hyas coarctatus</i> (Decapoda: Majidae).	Marine Biology 87: 173-180
Jana BB, Pal GP, 1981	Energy contents of common fish food organisms.	Biological Bulletin of India 3: 93-100
Janecki T, Rakusa-Suszczewski S, 2005	The influence of starvation and amino acids on metabolism of the Antarctic amphipod <i>Waldeckia obesa</i>	Journal of Crustacean Biology 25: 196-202
Jankowski T, 2000	Chemical composition and biomass parameters of a population of <i>Craspedacusta sowerbii</i> Lank 1880 (Cnidaria: Limnomedusa)	Journal of Plankton Research 22: 1329-1340
Jayabal B, Kalyani M, 1986	Biochemical Studies in the Hard Clam <i>Meretrix meretrix</i> (L.) from Vellar Estuary, East Coast of India	Indian Journal of Marine Science 15: 63-64
Jensen A, Indergaard M, Holt TJ, 1985	Seasonal variation in the chemical composition of <i>Saccorhiza polyschides</i> (Laminariales, Phaeophyceae).	Botanica Marina 28: 375-381
Jhaveri SN, Constantinides SM, 1981	Chemical composition and shelf life study of crayfish (<i>Squalus acanthias</i>)	Journal of Food Science 47: 188-192
Jhaveri SN, Karakoltsidis PA, Montecalvo JM, Constantinides SM, 1984	Chemical composition and protein quality of some southern New England marine species	Journal of Food Science 49: 110-113
Jobling M, 1980	Effects of starvation on proximate chemical composition and energy utilization of plaice, <i>Pleuronectes platessa</i>	Journal of Fish Biology 17: 325-334
Johnson MG, Brinkhurst RO, 1971	Production of benthic macroinvertebrates of Bay of Quinte and Lake Ontario.	Canadian Journal of Fisheries and Aquatic Sciences 28: 1699-1714
Johnson TB, Mason DM, Schram ST, Kitz JC, 1999	Ontogenetic and seasonal patterns in the energy content of piscivorous fishes in Lake Superior	Journal of Great Lakes Research 25: 275-281
Johnston HW, 1971	A detailed chemical analysis of some edible Japanese seaweeds	Nishizawa K (ed) Proc. of the 7th Int. Seaweed Symposium, Univ. of Tokyo Press, 429-435
Johnston DJ, Calvert KA, Crear BJ, Carter CG, 2003	Dietary carbohydrate/lipid ratios and nutritional condition in juvenile southern rock lobster, <i>Jasus edwardsii</i>	Aquaculture 220: 667-682
Jonsson N, Jonsson B, 1998	Body composition and energy allocation in life-history stages of brown trout	Journal of Fish Biology 53: 1306-1316
Ju S-J, Scolardi K, Daly KL, Harvey HR, 2004	Understanding the trophic role of the Antarctic ctenophore, <i>Callianira antarctica</i> , using lipid biomarkers	Polar Biology 27: 782-792
Hideki Kaeriyama, Tsutomu Ikeda, 2004	Metabolism and chemical composition of mesopelagic ostracods in the western North Pacific Ocean	ICES Journal of Marine Science 61: 535-541
Kahlert M, 1998	C:N:P ratios of freshwater benthic algae	Archiv für Hydrobiologie 51: 105-114
Khan JA, Qayyum Siddiqui A, 1971	Water, nitrogen and phosphorus in freshwater plankton.	Hydrobiologia 37: 531-536
Kangur K, Tuvikene L, 1998	Live wet weight, dry weight and calorific of some macrobenthic invertebrates of lake Vortsjaerv	Limnologia 28: 85-89
Kelso JRM, 1973	Seasonal energy changes in walleye and their diet in west blue lake, Manitoba.	Transactions of the American Fisheries Society 102: 363-368
Kennish R, Williams GA, 1997	Feeding preferences of the herbivorous crab <i>Grapsus albolineatus</i> : the differential influence of algal nutrient content and morphology	Marine Ecology Progress Series 147: 87-95
Kiorboe T, Møhlenberg F, Hamburger K, 1985	Bioenergetics of the planktonic copepod <i>Acartia tonsa</i> : relation between feeding, egg production and respiration, and composition of feces	Marine Ecology Progress Series 26: 85-97
Kitchell JF, Magnuson JJ, Neill WH, 1977	Estimation of caloric content for fish biomass	Environmental Biology of Fish 2: 185-188
Klekowski RZ, Palinski KW, Rakusa-Suszczewski S, 1973	Respiration of Antarctic Amphipoda <i>Paramoera walkeri</i> Stebbing during the winter season.	Polskie Archiwum Hydrobiologii 20: 301-308
Kornfeldt R-A, 1982	Relation between nitrogen and phosphorus content of macroalgae and the waters of Northern Oeresund.	Botanica Marina 25: 197-201
Kosiorek D, 1979	Changes in chemical composition and energy content of <i>Tubifex tubifex</i> (Muell.), Oligochaeta, in life cycle	Polish Archive of Hydrobiology 26: 73-89
Koskela J, Pirhonen J, Jobling M, 1997	Effect of low temperature on feed intake, growth rate and body composition of juvenile Baltic salmon	Aquaculture International 5: 479-487
Kowalke J, 2000	Ecology and energetics of two Antarctic sponges	Journal of Experimental Marine Biology and Ecology 247: 85-97
Kremer P, 1976	Excretion and body composition of the ctenophore <i>Mnemiopsis leidyi</i> (A. Agassiz) : comparisons and consequences	Persoon & Jaspers (eds) Proceedings of the 10th European Marine Biology Symposium, Univer
Kremer P, 1982	Effect of food availability on the metabolism of the ctenophore <i>Mnemiopsis mccradyi</i> .	Marine Biology 71: 149-156
Kremer P, Canino MF, Gilmer RW, 1986	Metabolism of epipelagic tropical ctenophores.	Marine Biology 90: 403-412
Kruse S, 2009	Biology of meso- and bathypelagic chaetognaths in the Southern Ocean and their potential role in the ecosystem	PhD Thesis University of Bremen, Germany
Krzeczowski RA, Stone FE, 1974	Amino acid, fatty acid and proximate composition of snow crab (<i>Chionoecetes bairdi</i>)	Journal of Food Science 39:386-388
Krzyznowek J, Wiggan K, 1979	Seasonal variation and frozen storage stability of blue mussels (<i>Mytilus edulis</i>)	Journal of Food Science 44: 1644-1645
Krzyznowek J, Unpublished Data	Unpublished Data	Natl. Mar. Fish. Serv., Northeast Fish. Cent., Gloucester, MA
Kumar A, 1996	Seasonal variations in the calorific contents of certain predatory insects in a village fish pond of Santhal Parganas (Bihar)	Journal of Environmental Biology 17: 59-62
LaBarbera M, 1982	Metabolic rates of suspension feeding ctenoids and ophiuroids (Echinodermata) in a unidirectional laminar flow	Compendium of Biochemistry and Physiology 71A: 303-307
Lamare MD, Wing SR, 2001	Caloric content of New Zealand marine macrophytes	New Zealand Journal of Marine and Freshwater Research 35: 335-341
Landahl C-C, Nagell B, 1978	Influence of the season and of preservation methods on wet- and dry weights of larvae of <i>Chironomus plumosus</i> L.	Internationale Revue der Gesamten Hydrobiologie 63: 405-410
Lapointe BE, Littler MM, Littler DS, 1992	Nutrient Availability to Marine Macroalgae in Siliciclastic versus Carbonate-Rich Coastal Waters	Estuaries 15: 75-82
Lappalainen A, Kangas P, 1975	Littoral benthos of the northern Baltic Sea 2. Interrelationships of wet, dry and ash-free dry weights of macrofauna in the Tvaermin	Internationale Revue der Gesamten Hydrobiologie 60: 297-312
Larson RJ, 1986	Water content, organic content, and carbon and nitrogen composition of medusae from the Northeast Pacific.	Journal of Experimental Marine Biology and Ecology 99: 107-120
Lauer BH, Murray MC, Anderson WE, Gupta EB, 1974	Atlantic queen crab (<i>Chionoecetes opilio</i>), Jonah crab (<i>Cancer borealis</i>), and red crab (<i>Geryon quinquequedens</i>). Proximate composition	Journal of Food Science 39:383-385
Laurence GC, 1976	Caloric values of some North Atlantic calanoid copepods.	Fishery Bulletin U.S. 74: 218-220
Lawrence JM, Byrne M, 1994	Allocation of resources to body components in <i>Heliocidaris erythrogramma</i> and <i>Heliocidaris tuberculata</i> (Echinodermata: Echinoidea)	Zoological Science 11: 133-137
Lawrence JM, Guille A, 1982	Organic composition of tropical, polar and temperate water echinoderms	Compendium of Biochemistry and Physiology 72B: 283-287
Lawrence JM, McClintock JB, 1988	Allocation of organic material and energy to the holdfast, stipe, and fronds in <i>Postelsia palmaeformis</i> (Phaeophyta: Laminariales) on	Marine Biology 99: 151-155
Laurence BC, 1976	Caloric values of some North Atlantic calanoid copepods	Fishery Bulletin U.S. 74: 218-220
Lawrence JM, 1986	Proximate composition and standing crop of <i>Durvillaea antarctica</i> (Phaeophyta) in the Bay of Morbihan, Kerquelen (South Indian Ocean)	Marine Ecology Progress Series 33: 1-5
Lea M-A, Nichols PD, Wilson G, 2002	Fatty acid composition of lipid-rich myctophids and mackerel icefish (<i>Champscephalus gunnari</i>) - Southern Ocean food-web implications	Polar Biology 25: 843-854
Lee RF, 1974	Lipids of zooplankton from Bute Inlet, British Columbia	Canadian Journal of Fisheries and Aquatic Sciences 31: 1577-1582

Authors	Title	Journal
Lee RF, 1974	Lipid composition of the copepod <i>Calanus hyperboreus</i> from the Arctic Ocean. Changes with depth and season.	Marine Biology 26: 313-318
Lehtonen KK, 1995	Geographical variability in the bioenergetic characteristics of <i>Monoporeia/Pontoporeia</i> spp. populations from the northern Baltic Sea	Marine Biology 123: 555-564
Lehtonen KK, 1996	Ecophysiology of the benthic amphipod <i>Monoporeia affinis</i> in an open-sea area of the northern Baltic Sea: Seasonal variations in body composition and chemical composition of <i>Daphnia pulex</i> during starvation.	Marine Ecology Progress Series 143: 87-98
Lemcke HW, Lampert W, 1975	Ontogenetic variation in metabolism, biochemical composition and energy content during the early life stages of <i>Farfantepenaeus</i> p.	Archiv für Hydrobiologie Supplement 48: 108-137
Lemos D, Phan VN, 2001	Nutritional effects on body composition, energy content and trypsin activity of <i>Penaeus japonicus</i> during early postlarval development	Marine Biology 138: 985-997
Lemos D, Rodriguez A, 1998	Energy budget of juvenile fat snook <i>Centropomus parallelus</i> fed live food	Aquaculture 160: 103-116
Lemos D, Netto B, Germano A, 2006	Seasonal patterns of photosynthesis and physiological parameters and the effects of emersion in littoral seaweeds.	Comparative Biochemistry and Physiology - Part A 144: 33-40
Levitt GJ, Bolton JJ, 1991	Oxygen consumption of the Blue Crab, <i>Callinectes Sapidus</i> Rathbun, from proecdysis to postecdysis	Botanica Marina 34: 403-410
Lewis EG, Haefner PA, 1976	Respiration and Energetics in West Indian Gorgonacea (Anthozoa, Octocorallia).	Compendium of Biochemistry and Physiology 54A: 55-60
Lewis JB, Post EE, 1982	The lipid composition of early stage western rock lobster (<i>Panulirus cygnus</i>) phyllosoma: Importance of polar lipid and essential fatty acids	Compendium of Biochemistry and Physiology 71A: 457-459
Liddy GC, Nelson MM, Nichols PD, Phillips, BF, Maguire GB, 2004	Stoichiometric variation in C: N, C: P, and N: P ratios of littoral benthic invertebrates	Journal of Shellfish Research 23: 265-273
Liess A, Hillebrand H, 2005	Growth and elemental composition (C, N, P) during larval developmental stages of mass-cultured swimming crab <i>Portunus trituberculatus</i>	Journal of the North American Benthological Society 24:256-269
Lim BK, Hirayama K, 1991	Dry weight, carbon and nitrogen content of some calanoid copepods from the seas around southern Britain in winter	Marine Ecology Progress Series 78: 131-137
Lindley JA, John AWG, Robins DB, 1997	Dry weight carbon and nitrogen content of some euphausiids from the north Atlantic Ocean and the Celtic Sea	Journal of the Marine Biological Association of the U.K. 77: 249-252
Lindley JA, Robins DB, Williams R, 1999	Palatability and nutritional quality of marine invertebrates in a sub-Arctic fjord	Journal of Plankton Research 21: 2053-2066
Lippert H, Iken K, 2003	Clearance capacity of <i>Electra bellula</i> (Bryozoa) in seagrass meadows of Western Australia	Journal of the Marine Biological Association of the U.K. 83: 1215-1219
Lisbjerg D, Petersen JK, 2000	Feeding activity, retention efficiency, and effects of temperature and particle concentration on clearance rate in the marine bryozoan <i>Electra bellula</i>	Journal of Experimental Marine Biology and Ecology 244: 285-296
Lisbjerg D, Petersen JK, 2001	Heterotrichy and survival strategies in the red alga <i>Corallina officinalis</i> L.	Marine Ecology Progress Series 215: 133-141
Littler MM, Kauker BJ, 1984	The effect of the SW Atlantic burrowing crab <i>Chasmodon uranulatus</i> on the intertidal razor clam <i>Taquelus plebeius</i>	Botanica Marina 27: 37-44
Lomovasky BJ, Mendez Casariego A, Brey T, Iribarne O, 2006	Changes in biomass and chemical composition during lecitrophic larval development of the southern king crab, <i>Lithodes santolla</i>	Journal of Experimental Marine Biology and Ecology 337: 19-21
Lovrich GA, Thatje S, Calcagno JA, Anger K, Kaffenberger A, 2003	Distribution, reproductive and energetic conditions of decapod crustaceans along the Scotia Arc (Southern Ocean)	Journal of Experimental Marine Biology and Ecology 288: 65-79
Lovrich GA, Romero MC, Tapella F, Thatje S, 2005	Absorption efficiencies of <i>Lytechinus variegatus</i> (Lamarck) (Echinodermata: Echinoidea) for selected marine plants	Scientia Marina 69-S2: 183-193
Lowe EF, Lawrence JM, 1976	Biochemical composition of <i>Aurelia aurita</i> in relation to age and sexual maturity	Journal of Experimental Marine Biology and Ecology 21: 223-234
Lucas CH, 1994	Population structure and accumulation of lipids in the ctenophore <i>Mertensia ovum</i>	Journal of Experimental Marine Biology and Ecology 183: 179-192
Lundberg M, Hop H, Eiane K, Guliksen B, Falk-Petersen S, 2006	Moult and growth in serolid isopods.	Marine Biology 149: 1345-1353
Luxmoore RA, 1981	The energy budget of a population of the Antarctic isopod <i>Serolis polita</i>	Journal of Experimental Marine Biology and Ecology 56: 63-85
Luxmoore RA, 1985	Seasonal changes in energy density of prey of Northeast Atlantic seals and whales	In Siegfried et al (eds): Antarctic Nutrient Cycles and Food Webs. Springer 389-396
Maartensson P-E, Lager Gotaas AR, Nordoy ES, Blix AS, 1996	Growth and production of <i>Lagarosiphon ilicifolius</i> in Lake Kariba—a man-made tropical lake.	Marine Mammal Science 12: 635-640
Machena C, Kautsky N, Lindmark G, 1990	Elemental and Biochemical Composition of Salps (Tunicata: Thaliacea).	Aquatic Botany 37: 1-15
Madin LP, Cetta CM, McAlister VL, 1981	The effect of somatic and gonadal size on the rate of oxygen consumption in the subantarctic echinoid <i>Abatus cordatus</i> (Echinodermata)	Marine Biology 63: 217-226
Magniez P, Feral J-P, 1988	The zoo-benthos of Loch Leven, Kinross, and estimates of its production	Compendium of Biochemistry and Physiology 90A: 429-434
Maitland PS, Hudsphith PMG, 1974	Structure and function of the zooplankton community of Mirror Lake, New Hampshire	Proceedings of the Royal Society of Edinburgh B14: 236-238
Makarewicz JC, Likens GE, 1979	Protein depletion of the rotifer <i>Brachionus plicatilis</i> during starvation	Ecological Monographs 49: 109-127
Makridis P, Olsen Y, 1999	Green urchin as a significant source of fecal particulate organic matter within nearshore benthic ecosystems	Aquaculture 174: 343-353
Mamelona J, Pelletier E, 2005	Physiological and biochemical energetics of larvae of <i>Teredo navalis</i> L. and <i>Bankia gouldi</i> (Bartsch) (Bivalvia: Teredinidae).	Journal of Experimental Marine Biology and Ecology 314: 163-174
Mann R, Gallager SM, 1985	Ecological energetics of the seaweed zone in a marine bay on the Atlantic Coast of Canada. I. Zonation and Biomass of seaweeds	Journal of Experimental Marine Biology and Ecology 85: 211-228
Mann KH, 1972	Body composition of ten marine migrants and one freshwater fish species caught in estuaries of the Eastern Cape, South Africa	Marine Biology 12: 1-10
Marais JFK, 1990	An energy budget for the free-living nematode <i>Pelodera</i> (Rhabditidae)	South African Journal of Marine Science 9: 135-140
Marchant R, Nicholas WL, 1974	Variations in gross biochemical composition, energy value and condition index of <i>T. philippinarum</i> from the Lagoon of Venice	Oecologia 16: 237-252
Marin MG, Moschino V, Deppeieri M, Lucchetta L, 2003	Energy metabolism during embryonic development and larval growth of an antarctic sea urchin	Aquaculture 219: 859-871
Marsh AG, Leong PKK, Manahan DT, 1999	Comparison of nutritive chemistry of a range of temperate seaweeds	Journal of Experimental Biology 202: 2041-2050
Marshall S, Scott GW, Tobin ML, 2006	Biochemical composition and trophic strategies of the amphipod <i>Eurythenes gryllus</i> at hadal depths (Atacama Trench, south Pacific)	Food Chemistry 100: 1331-1336
Massimo Perrone F, Della Croce N, Dell'Anno A, Fabiano M, 2003	Carrageenan ecology of <i>gigartina stellata</i> (Stackhouse).	Chemistry and Ecology 19: 441-449
Mathieson AC, Tveter E, 1976	Aspects of the biology and ecology of selected Antarctic invertebrates	Aquatic Botany 2: 353-361
Maxwell JGH, 1976	Some aspects of the biochemical and mineral composition of marine plankton.	Ph.D. Thesis University Aberdeen, UK
Mayzaud P, Martin J-LM, 1975	Respiration and nitrogen excretion of zooplankton. II. Studies of the metabolic characteristics of starved animals.	Journal of Experimental Marine Biology and Ecology 17: 297-310
Mayzaud P, 1973	Reevaluation of seasonal factors involved in carrageenan production by <i>Chondrus crispus</i> : Carrageenans of carposporic plants	Marine Biology 21: 19-28
McCandless EL, Craigie JS, 1974	On estimating energetic values of prey: implications in optimal diet models	Botanica Marina 17: 125-129
McClintock JB, 1986	Investigation of the relationship between invertebrate predation and biochemical composition, energy content, spicule armament and population structure and energetics of the shallow-water antarctic sea star <i>Odontaster validus</i> in contrasting habitats	Oecologia 70: 161-162
McClintock JB, 1987	Biochemical composition, energy content and chemical antifeedant and antifoulant defenses of the colonial Antarctic ascidian <i>Distaplia</i>	Marine Biology 94: 479-487
McClintock JB, Pearce JS, Bosch I, 1987	Biochemical and energetic composition, population biology, and chemical defense of the Antarctic ascidian <i>Cnemidocarpa verrucosa</i>	Marine Biology 99: 235-246
McClintock JB, Amsler MO, Amsler CD, Southworth KJ, Petrie C, Baker BJ, 2004	Energy content and chemical defense of the articulate brachiopod <i>Liothyrella uva</i> (Jackson, 1912) from the Antarctic Peninsula.	Marine Biology 145: 885-894
McClintock JB, Heine J, Slattery M, Weston J, 1991	Daily photosynthesis, respiration, and carbon budgets in a tropical marine jellyfish (<i>Mastigias</i> sp.)	Journal of Experimental Marine Biology and Ecology 147: 163-175
McClintock JB, Slattery M, Thayer CW, 1993	Nutritional composition of marine plants in the diet of the green sea turtle (<i>Chelonia mydas</i>) in the Hawaiian Islands	Journal of Experimental Marine Biology and Ecology 169: 103-116
McCloskey LR, Muscatine L, Wilkerson FP, 1994	Hediste diversicolor	Marine Biology 119: 13-22
McDermid KJ, Stuercke Brooke, Balazs GH, 2007	Allometric length-weight relationships for benthic prey of aquatic wildlife in coastal marine habitats	Bulletin of Marine Science 81: 55-71
McGrorty S, West, AD, unpublished	Changes in the body composition of adult male southern rock lobster, <i> Jasus edwardsii</i> , during starvation	unpublished
McKinney RA, Glatt SM, McWilliams SR, 2004	Seasonal variation in the ash-free calorific value of nine intertidal algae.	Wildlife Biology 10: 241-249
McLeod LE, Carter CG, Johnston DJ, 2004	Variations in the energy content of freshwater fish.	Journal of Shellfish Research 23: 257-264
McQuaid CD, 1985	Feeding ecology of the marine otter (<i>Lutra felina</i>) in a rocky seashore of the South of Chile	Botanica Marina 28: 545-548
Meakins RH, 1976	Migrating haemulid fishes as a source of nutrients and organic matter on coral reefs	Journal of Fish Biology 8: 221-224
Medina-Vogel G, Rodriguez CD, Alvarez P RE, Bartheld VJL, 2004		Marine Mammal Science 20: 134-144
Meyer JL, Schultz ET, 1985		Limnology and Oceanography 30: 146-156

Authors	Title	Journal
Meyer B, Atkinson A, Stuebing D, Oettl B, Hagen W, Bathmann UV, 2002	Feeding and energy budgets of Antarctic krill <i>Euphausia superba</i> at the onset of winter - I. Furcilia III larvae	Limnology and Oceanography 47: 943-952
Meynier L, Morel PCH, Mackenzie DDS, MacGibbon AKH, Chilvers BL, Duignan PJ, 2002	Proximate and fatty acid compositions of New Zealand marine species	New Zealand Journal of Marine and Freshwater Research 42: 425-437
Michaud J, Taggart CT, 2007	Lipid and gross energy content of North Atlantic right whale food, <i>Calanus finmarchicus</i> , in the Bay of Fundy	Endangered Species Research 3: 77-94
Milton DA, Blaber SJM, Rawlinson NJF, 1994	Diet, prey selection and their energetic relationship to reproduction in the tropical herring <i>Herklotsichthys quadrimaculatus</i> in Kiribati	Marine Ecology Progress Series 103: 239-250
Minagawa M, Chiu J-R, Murano M, 1993	Developmental changes in body weight and elemental composition of laboratory-reared larvae of the red frog crab, <i>Ranina ranina</i> (De Haan)	Marine Biology 116: 399-406
Möhlenberg F, Kiarboe T, 1981	Growth and energetics in <i>Spisula subtruncata</i> (Da Costa) and the effect of suspended bottom material	Ophelia 20: 79-90
Montevocchi WA, Piatt J, 1984	Composition and energy contents of mature inshore spawning capelin (<i>Mallotus villosus</i>): Implications for seabird predators	Compendium of Biochemistry and Physiology 78A: 15-20
Montgomery WL, Gerking SD, 1980	Marine macroalgae as foods for fishes: an evaluation of potential food quality	Environmental Biology of Fish 5: 143-153
Mootz CA, Epifanio CE, 1974	An energy budget for Menippe Mercenaria larvae fed <i>Artemia</i> nauplii.	Biological Bulletin 146: 44-55
Morris MJ, Hopkins TL, 1983	Biochemical composition of crustacean zooplankton from the eastern Gulf of Mexico	Journal of Experimental Marine Biology and Ecology 69: 1-19
Morris RJ, McCartney MJ, Schulze-Roebecke A, 1983	<i>Bolinopsis infundibulum</i> (O.F. Mueller): Biochemical composition in relation to diet.	Journal of Experimental Marine Biology and Ecology 67: 149-157
Morrison GW, 1979	Studies on the ecology of the subantarctic ophiuroid <i>Ophionotus hexactis</i>	M.S. Thesis, Queen Mary College, University of London, UK
Mullin MM, Evans PM, 1974	The use of a deep tank in plankton ecology. 2. Efficiency of a planktonic food chain.	Limnology and Oceanography 19: 902-911
Munda I, 1962	Geographical and seasonal variations in the chemical composition of some Adriatic brown algae	Nova Hedwigia 4: 263-274
Munda I, 1972	On the chemical composition, distribution and ecology of some benthic marine algae from Iceland.	Botanica Marina 15: 1-45
Musaiger AO, D'Souza R, 2008	Chemical Composition of Raw Fish Consumed in Bahrain	Pakistan Journal of Biological Sciences 11: 55-61
Musko IB, Toth LG, Szabo E, 1995	Respiration and respiratory electron transport system (ETS) activity of two amphipods: <i>Corophium curvispinum</i> G. O. Sars and <i>Gammarus locusta</i> L.	Polskie Archiwum Hydrobiologii 42: 547-558
Nakai Z, 1955	The chemical composition, volume, weight, and size of the important marine plankton	Tokai Reg. Fisheries Research Laboratory Special Publication 5: 12-24
Nakashima BS, Leggett WC, 1980	Natural sources and requirements of phosphorus for fishes	Canadian Journal of Fisheries and Aquatic Sciences 37: 679-686
Nalewajko C, 1966	Dry weight, ash and volume data from some freshwater planktonic algae	Canadian Journal of Fisheries and Aquatic Sciences 23: 1285-1288
Navarro JM, Winter JE, 1982	Ingestion rates, assimilation efficiency and energy balance in <i>Mytilus chilensis</i> in relation to body size and different algal concentrations	Marine Biology 67: 255-266
Needler Arai M, 1986	Oxygen consumption of fed and starved <i>Aequorea victoria</i> (Murbach and Shearer, 1902) (Hydromedusae)	Physiological Zoology 59: 188-193
Neighbors MA, Horn MH, 1991	Nutritional quality of macrophytes eaten and not eaten by two temperate-zone herbivorous fishes: A multivariate comparison.	Marine Biology 108: 471-476
Nelson SG, Li HW, Knight AW, 1977	Calorie, carbon and nitrogen metabolism of juvenile <i>Macrobrachium rosenbergii</i> (De Man) (Crustacea, Palaemonidae) with regard to growth	Compendium of Biochemistry and Physiology 58A: 319-327
Nemoto T, Mauchline J, Kamada K, 1976	Brood size and chemical composition of <i>Pareuchaeta norvegica</i> (Crustacea: Copepoda) in Loch Etive, Scotland.	Marine Biology 36: 151-157
Neuhoff HG, 1979	Effects of seasonally varying factors on a <i>Nereis succinea</i> population (Polychaeta, Annelida)	Marine Ecology Progress Series 1: 263-268
Newsome GE, Leduc G, 1975	Seasonal changes of fat content in the yellow perch (<i>Perca flavescens</i>) of two Laurentian lakes	Journal of the Fisheries Research Board of Canada 32: 2214-2221
Nicholas WL, Stewart AC, 1978	The calorific value of <i>Caenorhabditis elegans</i> (Rhabditidae)	Nematologia 24: 45-50
Nico LG, De Moraes M, 1984	Nutrient content of piranha (Characidae, Serrasalminae) prey items	Copeia 2: 524-528
Nicotri ME, 1980	Factors involved in herbivore food preference	Journal of Experimental Marine Biology and Ecology 42: 13-26
Niell FX, Mourino C, 1981	Carbon and Nitrogen Contents in Intertidal Macrophytes.	Investigaciones Pesquera 45: 187-210
Niell FX, 1976	C:N ratio in some marine macrophytes and its possible ecological significance.	Botanica Marina 19: 347-350
Nielsen AM, Erikse NT, Iversen JLL, Riisgaard HU, 1995	Feeding, growth and respiration in the polychaetes <i>Nereis diversicolor</i> (facultative filter-feeder) and <i>N. virens</i> (omnivorous) -- a comparison	Marine Ecology Progress Series 125: 149-158
Niimi AJ, 1972	Changes in the proximate body composition of largemouth bass (<i>Micropterus salmoides</i>) with starvation	Canadian Journal of Zoology 50: 815-819
Niu C-J, Nakao S, Goshima S, 1994	Production of the limpet <i>Collisella heroldii</i> population in an intertidal rocky shore in southern Hokkaido	Bulletin of the Faculty of Fisheries, Hokkaido University 45: 1-87
Norrbín F, Bamstedt U, 1984	Energy contents in benthic and planktonic invertebrates of Kosterfjorden, Sweden. A comparison of energetic strategies in marine invertebrates	Ophelia 23: 47-64
Øie G, Olsen Y, 1997	Protein and lipid content of the rotifer <i>Brachionus plicatilis</i> during variable growth and feeding condition	Hydrobiologia 358: 251-258
Ojea J, Pazos AJ, Martinez D, Novoa S, Sanchez JL, Abad M, 2004	Seasonal variation in weight and biochemical composition of the tissues of <i>Ruditapes decussatus</i> in relation to the gametogenic cycle	Aquaculture 238: 451-468
Oku H, Yamashiro H, Onaga K, Saka K, Iwasaki H, 2003	Seasonal changes in the content and composition of lipids in the coral <i>Goniastrea aspera</i>	Coral Reefs 22: 83-85
Okumus I, Stirling HP, 1998	Seasonal variations in the meat weight, condition index and biochemical composition of mussels (<i>Mytilus edulis</i> L.) in suspended culture	Aquaculture 159: 249-261
Olesen NJ, Frandsen K, Riisgaard HU, 1994	Population dynamics, growth and energetics of jellyfish <i>Aurelia aurita</i> in a shallow fjord	Marine Ecology Progress Series 105: 9-18
Omori M, 1969	Weight and chemical composition of some important oceanic plankton in the North Pacific Ocean	Marine Biology 3: 4-10
Omori M, 1970	Variations of length, weight, respiratory rate, and chemical composition of <i>Calanus cristatus</i> in relation to its food and feeding	in Steele: Marine Food Chains. Edinburgh: 113-126
Omori M, 1978	Some factors affecting on dry weight, organic weight and concentrations of carbon and nitrogen in freshly prepared and in preserved samples	Internationale Revue der Gesamten Hydrobiologie 63: 261-269
Paffenhöfer GA, 1967	Caloric content of larvae of the brine shrimp <i>Artemia salina</i>	Helgoländer Wissenschaftliche Meeresuntersuchungen 16: 130-135
Paffenhöfer GA, 1968	Nahrungsaufnahme, Stoffumsatz und Energiehaushalt des marinen Hydroidpolypen <i>Clava multicornis</i>	Helgoländer Wissenschaftliche Meeresuntersuchungen 18: 1-44
Pagano M, Saint-Jean L, 1993	Organic matter, carbon, nitrogen and phosphorus contents of the mesozooplankton mainly <i>Acartia clausi</i> , in a tropical brackish lagoon	Internationale Revue der Gesamten Hydrobiologie 78: 139-149
Page MM, 1983	Effect of water temperature and food on energy allocation in the stalked barnacle, <i>Pollipices polymerus</i> Sowerby	Journal of Experimental Marine Biology and Ecology 69: 189-202
Paine RT, Vadas RL, 1969	Calorific values of benthic marine algae and their postulated relation to invertebrate food preference	Marine Biology 4: 79-86
Paine RT, 1964	Ash and calorie determinations of sponge and opisthobranch tissues	Ecology 45: 384-387
Palmerini P, Bianchi CN, 1994	Biomass measurements and weight-to-weight conversion factors: A comparison of methods applied to the mussel <i>Mytilus galloprovincialis</i>	Marine Biology 120: 273-277
Pandian TJ, Schuhmann KH, 1967	Chemical composition and caloric content of egg and zoea of the hermit crab <i>Eupagurus bernhardus</i>	Helgoländer Wissenschaftliche Meeresuntersuchungen 16: 225-230
Parekh RG, Chauhan D, 1987	Lipid content of some Indian seaweeds	Indian Journal of Marine Science 16: 272-273
Parekh R.G., Maru L.V., Dave M.J., 1977	Chemical composition of green seaweeds of Saurashtra Coast	Botanica Marina 20: 359-362
Parker RR, Vanstone WE, 1966	Changes in chemical composition of Central British Columbia pink salmon during early sea life	Canadian Journal of Fisheries and Aquatic Sciences 23: 1353-1379
Parra G, Yufera M, 2001	Comparative energetics during early development of two marine fish species, <i>Solea senegalensis</i> (Kaup) and <i>Sparus aurata</i> (L.)	Journal of Experimental Biology 204: 2175-2183
Parra G, Villanueva R, Yufera M, 2000	Respiration rates in late eggs and early hatchlings of the common octopus, <i>Octopus vulgaris</i>	Journal of the Marine Biological Association of the U.K. 80: 557-558
Parsons TR, Stephens K, Strickland JDH, 1961	On the chemical composition of eleven species of marine phytoplankters	Journal of the Fisheries Research Board of Canada 18: 1001-1012
Paterson CG, 1982	Energy distribution in biomass estimates within a freshwater bivalve community.	Canadian Journal of Zoology 60: 2753-2756
Patton JS, Abraham S, Benson AA, 1977	Lipogenesis in the intact coral <i>Pocillopora capitata</i> and its isolated zooxanthellae: evidence for a light-driven carbon cycle between symbionts	Marine Biology 44: 235-247
Paul AJ, Fuji A, 1989	Bioenergetics of the Alaskan crab <i>Chionoecetes bairdi</i> (Decapoda: Majidae).	Journal of Crustacean Biology 9: 25-36
Paul AJ, Paul JM, 1998	Comparisons of whole body energy content of captive fasting age zero Alaskan Pacific herring (<i>Clupea pallasii</i> Valenciennes) and coho salmon (<i>Oncorhynchus kisutch</i>)	Journal of Experimental Marine Biology and Ecology 226: 75-86
Paul AA, Southgate DAT, 1978	McCance & Widdowson's composition of foods	Paul AA, Southgate DAT (eds.): MRC Special Report no 297, Elsevier/North Holland Biomedical

Authors	Title	Journal
Paul AJ, Paul JM, Smith RL, 1993	The seasonal changes in somatic energy content of Gulf of Alaska yellowfin sole, <i>Pleuronectes asper</i> .	Journal of Fish Biology 43: 131-138
Paul AJ, Paul JM, Smith RL, 1995	Compensatory growth in Alaska yellowfin sole, <i>Pleuronectes asper</i> , following food deprivation	Journal of Fish Biology 46: 442-448
Paul AJ, Paul JM, Smith RL, 1998	Seasonal Changes in whole-body Energy Content and Estimated Consumption Rates of Age 0 Walleye Pollock from Prince William So	Estuarine, Coastal and Shelf Science 47: 251-259
Paul AJ, Paul JM, Brown ED, 1998	Fall and spring somatic energy content for Alaskan Pacific herring (<i>Clupea pallasii Valenciennes 1847</i>) relative to age, size and sex	Journal of Experimental Marine Biology and Ecology 223: 133-142
Payne SA, Johnson BA, Otto RS, 1999	Proximate composition of some north-eastern Pacific forage fish species	Fisheries Oceanography 8: 159-177
Pazos AJ, Roman G, Acosta CP, Abad M, Sanchez JL, 1996	Influence of the gametogenic cycle on the biochemical composition of the ovary of the great scallop	Aquaculture International 4: 201-213
Pazos AJ, Roman G, Acosta CP, Abad M, Sanchez JL, 1997	Seasonal changes in condition and biochemical composition of the scallop <i>Pecten maximus</i> L. from suspended culture in the Ria de	Journal of Experimental Marine Biology and Ecology 211: 169-193
Pearre S, 1981	Feeding by Chaetognatha: Energy balance and importance of various components of the diet of <i>Sagitta elegans</i>	Marine Ecology Progress Series 5: 45-54
Peck LS, Barnes DKA, 2004	Metabolic flexibility: the key to long-term evolutionary success in Bryozoa	Biology Letters 271: 18-21
Peck LS, 1993	The tissues of Articulate Brachiopods and their value to predators	Philosophical Transactions of the Royal Society London 339B: 17-32
Peck LS, Colman JG, Murray AWA, 2000	Growth and tissue mass cycles in the infaunal bivalve <i>Yoldia eightsi</i> at Signy Island, Antarctica	Polar Biology 23: 420-428
Pederson JB, Capuzzo JM, 1984	Energy budget of an omnivorous rocky shore amphipod, <i>Calliopius laeviusculus</i> (Kroeyer).	Journal of Experimental Marine Biology and Ecology 76: 277-291
Pellickaan GC, Nienhuis PH, 1988	Nutrient uptake and release during growth and decomposition of eelgrass, <i>Zostera Marina</i> L., and its effects on the nutrient dynami	Aquatic Botany 30: 189-214
Pellickaan GC, 1982	Decomposition processes of eelgrass, <i>Zostera marina</i> L.	Hydrobiological Bulletin 16: 83-92
Penczak T, Tatrai I, 1985	Contribution of bream, <i>Abramis brama</i> (L.), to the nutrient dynamics of Lake Balaton	Hydrobiologia 126: 59-64
Penczak T, 1985	Phosphorus, nitrogen, and carbon cycling by fish populations in two small lowland rivers in Poland.	Hydrobiologia 120: 159-165
Penczak T, Molinski M, Kusto E, Ichniowska B, Zalewski M, 1977	The ecology of roach, <i>Rutilus Rutilus</i> (L.), in the Barbel region of the polluted Plika River III. Lipids, protein, total nitrogen and calor	Ekologia Polska 25: 75-88
Pentreath R, 1971	Respiratory surfaces and respiration in three New Zealand intertidal ophiuroids.	Journal of Zoology London 163: 397-412
Percy JA, Fife FJ, 1981	The biochemical composition and energy content of Arctic marine macrozooplankton.	Arctic 34: 307-313
Percy JA, 1993	Energy consumption and metabolism during starvation in the Arctic hyperiid amphipod <i>Themisto libellula</i> Mandt	Polar Biology 13: 549-555
Perez M, 1994	Calorimetry Measurements of Energy Value of Some Alaskan Fishes and Squids	NOAA Technical Memorandum NMFS-AFSC-32
Pérez Camacho A, Labarta U, Navarro E, 2000	Energy balance of mussels <i>Mytilus galloprovincialis</i> : the effect of length and age	Marine Ecology Progress Series 199: 149-158
Pérez-Camacho A, Albertosa M, Fernandez-Reiriz MJ, Labarta U, 1998	Effect of microalgal and inert (cornmeal and cornstarch) diets on growth performance and biochemical composition of <i>Ruditapes de</i>	Aquaculture 160: 89-102
Pérez-Lloréns JL, Muchtart M, Niell FX, Nienhuis PH, 1991	Particulate organic carbon, nitrogen and phosphorus content in roots, rhizomes and differently aged leaves of <i>Zostera noltii</i> Horner	Botanica Marina 34: 319-322
Pertola S, Koski M, Viitasalo M, 2002	Stoichiometry of mesozooplankton in N- and P-limited areas of the Baltic Sea.	Marine Biology 140: 425-434
Peters KJ, Amsler CD, Amsler MO, McClintock JB, Dunbar RB, Baker BJ, 2005	A comparative analysis of the nutritional and elemental composition of macroalgae from the western Antarctic Peninsula	Phycologia 44: 453-463
Petersen JK, Schou O, Thor P, 1995	Growth and energetics in the ascidian <i>Ciona intestinalis</i>	Marine Ecology Progress Series 120: 175-184
Petersen JK, Schou O, Thor P, 1997	In situ growth of the ascidian <i>Ciona intestinalis</i> (L.) and the blue mussel <i>Mytilus edulis</i> in an eelgrass meadow	Journal of Experimental Marine Biology and Ecology 218: 1-11
Petitpre MF, Knight AW, 1970	Oxygen consumption of the dragonfly	Journal of Insect Physiology 16: 449-459
Pickston L, Czochanska Z, Smith JM, 1982	The nutritional composition of some New Zealand marine fish	New Zealand Journal of Science 25: 19-26
Pieper HG, 1978	Ökophysiologische und produktionsbiologische Untersuchungen an Ju- gendstadien von <i>Gammarus fossarum</i> KOCH 1835	Archiv für Hydrobiologie Supplement 54: 257-327
Pierce SM, 1983	Estimation of the non-seasonal production of <i>Spartina maritima</i> (Curtis) Fernald in a South African estuary	Estuarine, Coastal and Shelf Science 16: 241-254
Pirc H, 1989	Seasonal changes in soluble carbohydrates, starch, and energy content in Mediterranean seagrasses	Marine Ecology 10: 97-105
Platt T, Irwin B, 1973	Caloric content of phytoplankton.	Limnology and Oceanography 18: 306-308
Plotkikoff MD, Higgs DA, Markert JR, Dosanjh BS, McBride J, Buckley JT, 1984	Nutrition and marine survival of Chinook Salmon (<i>Oncorhynchus tshawytscha</i>) II	Can. Tech. Rep. Fish. Aquat. Sci. 1235
Pothoven SA, Nalepa TF, Madenjian CP, Rediske RR, Schneeberger PJ, Ji X He, 200	Energy density of lake whitefish <i>Coregonus clupeaformis</i> in Lakes Huron and Michigan	Environmental Biology of Fishes 76: 151-158
Prus T, 1970	Caloric value of animals as an element of bioenergetical investigations.	Polskie Archiwum Hydrobiologii 17: 183-199
Purcell JE, 1982	Feeding and growth of the siphonophore <i>Muggiaea atlantica</i> (Cunningham 1893).	Journal of Experimental Marine Biology and Ecology 62: 39-54
Putte Avd, Flores H, Volckaert F, Franeker Jav, 2006	Energy content of Antarctic mesopelagic fishes: implications for the marine food web	Polar Biology 29: 1045-1051
Quetin LB, Ross RM, Uchio K, 1980	Metabolic Characteristic of Midwater Zooplankton: Ammonia Excretion, O:N Ratios, and the Effect of Starvation.	Marine Biology 59: 201-209
Quigley MA, Cavaletto JF, Wayne SG, 1989	Lipid composition related to size and maturity of the amphipod <i>Pontoporeia hoyi</i>	Journal of Great Lakes Research 15: 601-610
Rachor E, Arntz WE, Rumorh H, Mantau KH, 1982	Seasonal and long-term population fluctuations in <i>Diastylis rathkel</i> (Crustacea: Cumacea) of Kiel Bay and German Bight	Journal of Sea Research 16: 141-150
Rakusa-Suszczewski S, Opalinski KW, 1978	Oxygen consumption in <i>Euphausia superba</i>	Polskie Archiwum Hydrobiologii 25: 633-641
Rakusa-Suszczewski S, McWhinnie MA, Cahoon MO, 1976	Respiration of the antarctic copepod, <i>Rhincalanus gigas</i> .	Limnology and Oceanography 21: 763-765
Rakusa-Suszczewski S, 1982	The biology and metabolism of <i>Orchomene plebs</i> (Hurley 1965) (Amphipoda: Gammaridea) from McMurdo Sound, Ross Sea, Antarc	Polar Biology 1: 47-54
Rand PS, Lantry BF, O'Gorman R, Owens RW, Stewart DJ, 1994	Energy density and size of pelagic prey fishes in Lake Ontario, 1978-1990: Implications for salmonine energetics	Transactions of the American Fisheries Society 123: 519-534
Rao RG, Woitchik AF, Goeyens L, van Riet A, Kazungu J, Dehairs F, 1994	Carbon, nitrogen contents and stable carbon isotope abundance in mangrove leaves from an east African coastal lagoon (Kenya)	Aquatic Botany 47: 175-183
Raven JA, Samuelsson G, 1988	Ecophysiology of <i>Fucus vesiculosus</i> L. Close to Its Northern Limit in the Gulf of Bothnia	Botanica Marina 31: 399-410
Raymond J-F, Himmelman JH, Guderley HE, 2004	Sex differences in biochemical composition, energy content and allocation to reproductive effort in the brooding sea star <i>Leptaster</i>	Marine Ecology Progress Series 283: 179-190
Raymont JEG, Linford E, 1966	A note on the biochemical composition of some Mediterranean zooplankton	Internationale Revue der Gesamten Hydrobiologie 51: 485-488
Raymont JEG, Linford E, 1967	The biochemical composition of certain oceanic zooplanktonic decapods	Deep Sea Research 14: 113-115
Raymont JEG, Austin J, Linford E., 1963	The seasonal variation in the biochemical composition of <i>Neomysis integer</i>	ICES Journal of Marine Science 28: 354-363
Raymont JEG, Srinivasagam RT, Raymont JKB, 1969	Biochemical studies on marine zooplankton VII. Observations on certain deep sea zooplankton	Internationale Revue der Gesamten Hydrobiologie 54: 357-365
Raymont JEG, Srinivasagam RT, Raymont JKB, 1971	Biochemical studies on marine zooplankton. IX. The biochemical composition of <i>Euphausia superba</i> .	Journal of the Marine Biological Association of the U.K. 51: 581-588
Razouls S, 1977	Analysis of the weight, elements and calorimetry of the juvenile stages of some pelagic copepods during one year	Journal of Experimental Marine Biology and Ecology 26: 265-273
Reeve MR, Baker LD, 1974	Production of two planktonic carnivores (Chaetognath and Ctenophore) in south Florida inshore waters	Fishery Bulletin U.S. 73: 238-248
Reeve MR, 1980	Comparative experimental studies on the feeding of chaetognaths and ctenophores	Journal of Plankton Research 2: 381-393
Reeve MR, Raymont JEG, Raymont JKB, 1970	Seasonal biochemical composition and energy sources of <i>Sagitta hispida</i>	Marine Biology 6: 357-364
Reinhardt SB, Van Vleet E, 1986	Lipid composition of twenty-two species of Antarctic midwater zooplankton and fish	Marine Biology 91: 149-159
Reinke M, 1987	On the feeding and locomotory physiology of <i>Salpa thompsoni</i> and <i>Salpa fusiformis</i> .	Berichte zur Polar- und Meeresforschung (AWI, Germany) 36: 1-89
Reiswig HM, 1973	Population dynamics of three Jamaican Demospongiae.	Bulletin of Marine Science 23: 191-226
Reiswig HM, 1981	Partial carbon and energy budgets of the bacteriosponge <i>Verongia fistularis</i> (Porifera: Demospongiae) in Barbados	Marine Ecology 2: 273-293
Ribes M, 1998	Feeding activity and diet of benthic suspension feeders related to metabolic requirements and seston composition	Ph.D. Thesis University Barcelona, Spain

Authors	Title	Journal
Rijnsdorp AD, Ibelings B, 1989	Sexual dimorphism in the energetics of reproduction and growth of North Sea plaice, <i>Pleuronectes platessa</i> L.	Journal of Fish Biology 35: 401-415
Robards MD, Anthony JA, Rose GA, Piatt JF, 1999	Changes in proximate composition and somatic energy content for Pacific sand lance (<i>Ammodytes hexapterus</i>) from Kachemak Bay	Journal of Experimental Marine Biology and Ecology 242: 245-258
Robert R, Trut G, Laborde JL, 1993	Growth, reproduction and gross biochemical composition of the Manila clam <i>Ruditapes philippinarum</i> in the Bay of Arcachon, France	Marine Biology 116: 291-299
Robledo D, Freile-Pelegrin Y, 2005	Seasonal variation in photosynthesis and biochemical composition of <i>Caulerpa</i> spp. (Bryopsidales, Chlorophyta) from the Gulf of Mexico	Phycologia 44: 312-319
Robledo D, Pelegrin Y, 1997	Chemical and mineral composition of six potentially edible seaweed species of Yucatan	Botanica Marina 40: 301-306
Rodgers DW, Quadri SU, 1977	Seasonal variations in calorific values of some littoral benthic invertebrates of the Ottawa River, Ontario	Canadian Journal of Zoology 55: 881-884
Romero MC, Lovrich GA, Tapella F, Thatje S, 2004	Feeding ecology of the crab, <i>Munida subrugosa</i> (Decapoda: Anomura: Galatheididae) in the Beagle Channel, Argentina	Journal of the Marine Biological Association of the United Kingdom 84: 359-365
Rosa R, Costa PR, Bandara N, Nunes ML, 2005	Changes in Tissue Biochemical Composition and Energy Reserves Associated With Sexual Maturation in the Ommastrephid Squids <i>Illex</i>	Biological Bulletin 208: 100-113
Rosell KG, Srivastava LM, 1985	Seasonal variations in total nitrogen, carbon and amino acids in <i>Macrocystis Integrifolia</i> and <i>Nereocystis Luetkeana</i> (Phaeophyta)	Journal of Phycology 21: 304-309
Roslin AS, 2003	Seasonal variations in the protein content of marine algae in relation to environmental parameters in <i>Arockiapurum</i> coast	Seaweed Research and Utilisation 25: 77-86
Ross RM, 1982	Energetics of <i>Euphausia pacifica</i> . 1. Effects of body carbon and nitrogen and temperature on measured and predicted production.	Marine Biology 68: 1-13
Rothhaupt KO, 1995	Algal nutrient limitation affects rotifer growth rate but not ingestion rate	Limnology and Oceanography 40: 1201-1208
Rottiers DV, Tucker RM, 1982	Proximate Composition and Caloric Content of Eight Lake Michigan Fishes	U.S. Fish and Wildlife Service Technical Paper 108
Rubenstein DR, Wikelski M, 2003	Seasonal changes in food quality: A proximate cue for reproductive timing in marine iguanas	Ecology 84: 3013-3023
Ruiz C, Martinez D, Mosquera G, Abad M, Sanchez JL, 1992	Seasonal variations in condition, reproductive activity and biochemical composition of the flat oyster, <i>Ostrea edulis</i> . from San Cibra	Marine Biology 116: 67-74
Rumohr H, Brey T, Ankar S, 1987	A compilation of biometric conversion factors for benthic invertebrates of the Baltic Sea	Baltic Marine Biologists Publication (ISSN 0282-8839) 9: 1-56
Ryabushko VI, Propp LN, 1985	Respiration and nitrogen and phosphorus excretion by echinoderms from the South China Sea.	Soviet Journal of Marine Biology 11: 331-335
Ryan PA, 1982	Energy contents of some New Zealand freshwater animals.	New Zealand Journal of Marine and Freshwater Research 16:283-287
Sabates A, Rossi S, Reyes E, 2003	Lipid content in the early life stages of three mesopelagic fishes	Journal of Fish Biology 63: 881-891
Sagar PM, 1980	Life cycle and growth of the Antarctic gammarid amphipod <i>Paramoera walkerii</i> (Stebbing, 1906)	Journal of the Royal Society of New Zealand 10: 259-270
Salonen K, Sarvala J, Hakala I, Viljanen ML, 1976	The relation of energy and organic carbon in aquatic invertebrates	Limnology and Oceanography 21:724-730
Sanchez A, Rosas C, Escobar E, Soto LA, 1991	Skeleton weight-free oxygen consumption related to adaptations to environment and habits of six crustacean species	Compendium of Biochemistry and Physiology 100A: 69-73
Saotome K, Ikeda T, 1990	Body composition and metabolism of the larvae of the pink shrimp (<i>Pandalus borealis</i> Kroeyer) raised in the laboratory.	Bulletin of the Japan Sea National Fishery Research Institute 40: 67-77
Sarvala J, Kairesalo T, Koskimies I, Lehtovaara A, Ruuhijarvi J, Vähä-Piikkiö I, 1982	Carbon, phosphorus and nitrogen budgets of the littoral <i>Equisetum</i> belt in an oligotrophic lake	Hydrobiologia 86: 41-53
Schnidler DW, Clark AS, Gray JR, 1971	Seasonal calorific values of freshwater zooplankton as determined with a Phillipson bomb calorimeter modified for small samples.	Canadian Journal of Fisheries and Aquatic Sciences 28: 559-564
Schnack SB, Smetacek V, Bodungen B von, Stegmann P, 1985	Utilization of phytoplankton for copepods in Antarctic waters during spring	in Gray & Christiansen (eds): Marine Biology of Polar Regions and Effects of Stress on Marine Or
Schneider G, 1988	Chemical composition and biomass parameters of the common jellyfish <i>Aurelia aurita</i>	Helgoländer Wissenschaftliche Meeresuntersuchungen 42: 319-327
Schneider G, 1989	On the chemical composition of the ctenophore <i>Pleurobrachia pileus</i> in Kiel Bight	Helgoländer Wissenschaftliche Meeresuntersuchungen 43: 67-76
Schreckenbach K, Knösche R, Ebert K, 2001	Nutrient and energy content of freshwater fishes	Journal of Applied Ichthyology 17: 142-144
Seager JR, 1978	The ecology of an Antarctic ophiostobranch mollusc: <i>Philine gibba</i>	Ph.D. Thesis University College Cardiff, UK
Segawa S, Kato M, Murano M, 1982	Respiration and ammonia excretion rates of the Antarctic krill, <i>Euphausia superba</i> .	Transactions of the Tokyo University of Fisheries 5: 177-187
Sharma BM, Edem ES, 1991	Ecophysiological studies on waterhyacinth in the Nigerian water	Polish Archives of Hydrobiologia 38: 381-395
Sharma PC, Pant MC, 1984	An energy budget for <i>Simocephalus vetulus</i> (O.F. Muller) (Crustacea: Cladocera).	Hydrobiologia 111: 37-42
Shenker JM, 1985	Carbon content of the neritic scyphomedusa <i>Chrysaora fuscescens</i> .	Journal of Plankton Research 7: 169-173
Short FT, 1987	Effects of sediment nutrients on seagrasses: Literature review and mesocosm experiment.	Aquatic Botany 27: 41-57
Shuskina EA, Kuz'micheva VI, Ostapenko LA, 1971	Energy equivalent of body mass, respiration, and calorific value of mysids from the Sea of Japan	Oceanology 11: 880-889
Sibuet M, Lawrence JM, 1981	Organic Content and Biomass of Abyssal Holothuroids (Echinodermata) from the Bay of Biscay	Marine Biology 65: 143-147
Sikora JP, Sikora WB, Erkenbrecher CW, Coull BC, 1977	Significance of ATP, carbon, and calorific content of meiobenthic nematodes in partitioning benthic biomass	Marine Biology 44: 7-14
Simon J, 2007	Age, growth, and condition of European eel (<i>Anguilla anguilla</i>) from six lakes in the River Havel system (Germany)	ICES Journal of Marine Science 64: 1414-1422
Sipaúba-Tavares LH, Bacion MA, de Souza Braga FM, 2001	Effects of food quality on growth and biochemical composition of a calanoid copepod, <i>Argyrodiaptomus furcatus</i> , and its importance	Hydrobiologia 453/454: 393-401
Sitaramaiah P, 1967	Water, Nitrogen and Calorific Values of Freshwater Organisms	ICES Journal of Marine Science 31: 27-30
Sjoetun K, 1993	Seasonal lamina growth in two age groups of <i>Laminaria saccharina</i> (L.) Lamour. in western Norway	Botanica Marina 36: 433-441
Sjoetun K, Fredriksen S, Ruess J, 1996	Seasonal growth and carbon and nitrogen content in canopy and first-year plants of <i>Laminaria hyperborea</i> (Laminariales, Phaeophyta)	Phycologia 35: 1-8
Slattery M, McClintock JB, 1995	Population structure and feeding deterrence in three shallow-water antarctic soft corals	Marine Biology 122: 461-470
Slobodkin LB, Richman S, 1961	Calories gm. in species of animals	Nature 191: 299
Smith KL, Baldwin RJ, 1982	Scavenging deep-sea amphipods: Effects of food odor on oxygen consumption and a proposed metabolic strategy.	Marine Biology 68: 287-298
Smith KL, Laver MB, 1981	Respiration of the bathypelagic fish <i>Cyathocheilus accliniidens</i>	Marine Biology 61: 261-266
Smith KL, 1983	Metabolism of two dominant epibenthic echinoderms measured at bathyal depths in the Santa Catalina Basin	Marine Biology 72: 249-256
Smith KL Jr, 1985	Deep-sea hydrothermal vent mussels: Nutritional state and distribution at the Galapagos Rift.	Ecology 66: 1067-1080
Smith KL, Harbison GR, Rowe GT, Clifford CH, 1975	Respiration and Chemical Composition of <i>Pleuroncodes planipes</i> (Decapoda: Galatheididae): Energetic Significance in an Upwelling System	Canadian Journal of Fisheries and Aquatic Sciences 32: 1607-1612
Smith RL, Paul AJ, Paul JM, 1988	Aspects of energetics of adult walleye pollock, <i>Theragra chalcogramma</i> (Pallas), from Alaska.	Journal of Fish Biology 33: 445-454
Smith RL, Paul AJ, Paul JM, 1990	Seasonal changes in energy and the energy cost of spawning in Gulf of Alaska Pacific cod.	Journal of Fish Biology 36: 307-316
Smith RL, Paul JM, Gillispie J, 1997	Energy content of Arctic cod and saffron cod in the northeastern Chukchi Sea	American Fisheries Society Symposium 19: 319-325
Snow NB, 1972	The effect of season and animal size on the calorific content of <i>Daphnia pulex</i> Forbes.	Limnology and Oceanography 17: 909-912
Sogard SM, Spencer ML, 2004	Energy allocation in juvenile sablefish: effects of temperature, ration and body size	Journal of Fish Biology 64: 726-738
Spinelli J, Lehman L, Wieg D, 1974	Composition, processing, and utilization of red crab (<i>Pleuroncodes planipes</i>) as an aquacultural feed ingredient	Canadian Journal of Fisheries and Aquatic Sciences 31: 1025-1029
Sprung M, 1984	Physiological energetics of mussel larvae (<i>Mytilus edulis</i>). I. Shell growth and biomass	Marine Ecology Progress Series 17: 283-293
Squires ER, Good RE, 1974	Seasonal changes in the productivity, caloric content, and chemical composition of a population of salt-marsh cord-grass (<i>Spartina</i>)	Chesapeake Science 15: 66-71
Stansby ME, 1976	Chemical characteristics of fish caught in the northeast Pacific Ocean	Marine Fisheries Review 38: 1-11
Steele DH, Whittick A, 1991	Seasonal variation in <i>Pilayella littoralis</i> (Phaeophyceae) and its consequences as a food source for the amphipod, <i>Gammarus lawrenci</i>	Journal of the Marine Biological Association of the U.K. 71: 883-889
Steimle FW Jr, Terranova RJ, 1985	Energy equivalents of marine organisms from the continental shelf of the temperate Northwest Atlantic.	Journal of Northwest Atlantic Fishery Science 6: 117-124
Steimle FW Jr, Terranova RJ, 1988	Energy contents of Northwest Atlantic continental slope organisms	Deep Sea Research 35: 415-423
Steinberg PD, 1985	Feeding preferences of <i>Tegula funebralis</i> and chemical defenses of marine brown algae.	Ecological Monographs 55: 333-349

Authors	Title	Journal
Staubing L, Ramirez C, Alberdi M, 1980	Energy content of water- and bog-plant associations in the region of Valdivia (Chile)	Vegetatio 43: 153-161
Stewart HL, Fram JP, Reed DC, Williams SL, Brzezinski MA, MacIntyre S, Gaylord B,	Differences in growth, morphology and tissue carbon and nitrogen of <i>Macrocystis pyrifera</i> within and at the outer edge of a giant kelp forest	Marine Ecology Progress Series 375: 101-112
Stickney DG, Torres JJ, 1989	Proximate composition and energy content of mesopelagic fishes from the eastern Gulf of Mexico.	Marine Biology 103: 13-24
Stimson JS, 1987	Location, quantity and rate of change in quantity of lipids in tissue of Hawaiian hermatypic corals	Bulletin of Marine Science 41: 889-904
Stone AR, 1970	Seasonal variation in the gross biochemical composition of <i>Hymeniacidon perleve</i> (Montagu).	Journal of Experimental Marine Biology and Ecology 5: 265-271
Stotz W, 1986	Das Makrozoobenthos der Schlei-Produktion und Bedeutung als Fischnahrung	Ph.D. Thesis University Kiel, Germany
Strange RJ, Pelton JC, 1987	Nutrient content of clupeid forage fishes.	Transactions of the American Fisheries Society 116: 60-66
Sukhotin AA, 1992	Respiration and energetics in mussels (<i>Mytilus edulis</i> L.) cultured in the White Sea.	Aquaculture 101: 41-57
Sutton TM, Ney JJ, 2001	Size-Dependent Mechanisms Influencing First-Year Growth and Winter Survival of Stocked Striped Bass in a Virginia Mainstream Reservoir	Transactions of the American Fisheries Society 130: 1-17
Szaniawska A, Wolowicz M, 1986	Changes in the energy content of common species from Hornsund, Southwest Spitsbergen	Polar Research 4: 85-90
Szaniawska A, 1983	Seasonal changes in energy content of Crangon crangon L. (Crustacea, Decapoda)	Polish Archive of Hydrobiology 30: 45-56
Taguchi S, Ishii H, 1972	Shipboard experiments on respiration, excretion, and grazing of <i>Calanus cristatus</i> and <i>C. plumchrus</i> (Copepoda) in the northern North Pacific	in Motoda & Takenouti: Biological Oceanography of the Northern North Pacific Ocean: 419-431
Takeuchi I, 1998	Dry weight, carbon and nitrogen components of caprellid amphipods (Crustacea) inhabiting the Sargassum- <i>myrtilus</i> community of the northern North Pacific	Marine Biology 130: 417-423
Tan D, Wang J, Dan S, 2004	The ratio of flesh to body and analysis on nutritive composition of muscle in <i>Ancherythroculter nigrocauda</i>	Acta Hydrobiologica Sinica/Shuisheng Shengwu Xuebao 28: 17-22
Tanasichuk RW, Mackay WC, 1989	Quantitative and qualitative characteristics of somatic and gonadal growth of yellow perch (<i>Perca flavescens</i>) from Lac Ste. Anne, Alberta	Canadian Journal of Fisheries and Aquatic Science 46:989-994
Tande KS, Henderson RJ, 1988	Lipid composition of copepodite stages and adult females of <i>Calanus glacialis</i> in Arctic waters of the Barents Sea.	Polar Biology 8: 333-339
Tande KS, 1982	Ecological investigations on the zooplankton community of Balsfjorden, northern Norway: Generation cycles, and variations in body composition	Journal of Experimental Marine Biology and Ecology 62: 129-142
Tanner DK, Brazner JC, Brady VJ, 2000	Factors influencing carbon, nitrogen, and phosphorus content of fish from a Lake Superior coastal wetland	Canadian Journal of Fisheries and Aquatic Sciences 57: 1243-1251
Tarazona unpublished	<i>Argopecten purpuratus</i>	unpublished
Targett TE, Targett NM, 1990	Energetics of food selection by the herbivorous parrotfish <i>Sparisoma radians</i> : Roles of assimilation efficiency, gut evacuation rate, and energy density	Marine Ecology Progress Series 66: 13-21
Tarr RJQ, Hill BJ, 1978	Oxygen consumption, food assimilation and energy content of southern African eelgrass (<i>Anguilla</i> sp.)	Aquaculture 15: 141-150
Thayer GW, Schaaf WE, Angelovic JW, LaCroix MW, 1973	Caloric measurements of some estuarine organisms	Fishery Bulletin U.S. 71:289-296
Thayer GW, Engle DW, LaCroix MW, 1977	Seasonal distribution and changes in the nutritive quality of living, dead, and detrital fractions of <i>Zostera marina</i> L.	Journal of Experimental Marine Biology and Ecology 30: 109-127
Thiyagarajan V, Harder T, Qiu J-W, Qian P-Y, 2004	Energy content at metamorphosis and growth rate of the early juvenile barnacle <i>Balanus amphitrite</i>	Marine Biology 143: 543-554
Thuesen EV, Childress JJ, 1993	Metabolic rates, enzyme activities and chemical compositions of some deep-sea pelagic worms, particularly <i>Nectonemertes mirabilis</i>	Deep Sea Research 40: 937-951
Tierney M, Hindell MA, Goldsworthy S, 2002	Energy content of mesopelagic fish from Macquarie Island	Antarctic Science 14: 225-230
Tirelli V, Borne D, Tulli F, Cigar M, Fonda Umani S, Brandt SB, 2006	Energy density of anchovy <i>Engraulis encrasicolus</i> L. in the Adriatic Sea	Journal of Fish Biology 68: 982-989
Torres JJ, Donnelly J, Hopkins TL, Lancaft TM, Aarset AV, Ainley DG, 1994	Proximate composition and overwintering strategies of Antarctic micronektonic Crustacea	Marine Ecology Progress Series 113: 221-232
Trama FB, 1972	Transformation of energy by an aquatic herbivore (<i>Stenonema pulchellum</i>) Ephemeroptera.	Polskie Archiwum Hydrobiologii 19: 113-121
van Tussenbroek BI, 1989	Seasonal growth and composition of fronds of <i>Macrocystis pyrifera</i> in the Falkland Islands.	Marine Biology 100, 3: 419-430
Tyler AV, 1973	Caloric values of some North Atlantic invertebrates	Marine Biology 19: 258-261
Umebayashi O, Sasaki K, 1985	Distribution pattern of phosphorus, nitrogen and carbon in a leaf blade of eelgrass, <i>Zostera marina</i> L.	Bulletin of the Tokai Reg. Fisheries Research Laboratory 118: 21-32
Umebayashi O, 1989	Eelgrass productivity on an intertidal flat of central Japan.	Bulletin of the Tokai Reg. Fisheries Research Laboratory 127: 17-30
Uye S, Shimauchi H, 2005	Population biomass, feeding, respiration and growth rates, and carbon budget of the scyphomedusa <i>Aurelia aurita</i> in the Inland Sea of Japan	Journal of Plankton Research 27: 237-248
Uye S-I, 1982	Length-Weight Relationships of Important Zooplankton from the Inland Sea of Japan.	Journal of the Oceanographical Society of Japan 38: 149-158
Van Pelt TI, Piatt JF, Lance BK, Roby DD, 1997	Proximate composition and energy density of some north pacific forage fishes	Comparative Biochemistry and Physiology Part A 118: 1393-1398
Vanella FA, Calvo J, Morriconi ER, Aureliano DR, 2005	Somatic energy content and histological analysis of the gonads in Antarctic fish from the Scotia Arc	Scientia Marina 69: 305-316
Vassilenko SV, 1991	Eco-physiological characteristic of some common caprellid species in the Possjet Bay (the Japan Sea)	Hydrobiologia 223: 181-187
Velu CS, Munuswamy N, 2007	Composition and nutritional efficacy of adult fairy shrimp <i>Streptocephalus dichotomus</i> as live feed	Food Chemistry 100: 1435-1442
Ventura M, Catalan J, 2005	Reproduction as one of the main causes of temporal variability in the elemental composition of zooplankton	Limnology and Oceanography 50: 2043-2056
Vijverberg J, Frank ThH, 1976	The chemical composition and energy contents of copepods and cladocerans in relation to their size	Freshwater Biology 6: 333-345
Villar-Argaiz M, Medina-Sanchez JM, Carrillo P, 2002	Linking life history strategies and ontogeny in crustacean zooplankton: Implications for homeostasis	Ecology 83: 1899-1914
Villares R, Carballeira A, 2003	Seasonal variation in the concentrations of nutrients in two green macroalgae and nutrient levels in sediments in the Rias Baixas (NW Spain)	Estuarine Coastal and Shelf Science 58: 887-900
Vlieg P, 1984	Proximate composition of New Zealand squid species	New Zealand Journal of Science 27: 145-150
Vlieg P, 1988	Proximate composition of New Zealand Marine Finfish and Shellfish	Biotechnology Division, DSIR, Palmerston North, New Zealand
Vondracek B, Giese BD, Henry MG, 1996	Energy density of three fishes from Lake Superior	Journal of Great Lakes Research 22:757-764
Vostokov SV, Arashkevich EG, Dritz AV, Lukashev YuF, 2001	Ecological and Physiological Characteristics of the Ctenophore <i>Beroe ovata</i> in the Coastal Waters of the Black Sea: Abundance, Bioenergetics, and Food Quality	Oceanology 41: 105-110
Wacasey JW, Atkinson EG, 1987	Energy values of marine benthic invertebrates from the Canadian Arctic	Marine Ecology Progress Series 39: 243-250
Wahbeh MI, 1988	Seasonal distribution and variation in the nutritional quality of different fractions of two seagrass species from Aqaba (Red Sea), Jordan	Aquatic Botany 32: 383-392
Walker DI, McComb AJ, 1988	Seasonal variation in the production, biomass and nutrient status of <i>Amphibolis antarctica</i> (Labill.) Sonder ex Aschers. and <i>Posidonia oceanica</i> (L.) Delile	Aquatic Botany 31: 259-275
Walker M, Tyler PA, Billet DSM, 1987	Organic and caloric content of the body tissues of deep-sea elapsidid holothurians in the northeast Atlantic Ocean.	Marine Biology 96: 277-282
Walve J, Larsson U, 1999	Carbon, nitrogen and phosphorus stoichiometry of crustacean zooplankton in the Baltic Sea: implications for nutrient recycling	Journal of Plankton Research 21: 2309-2321
Wang X, Kang J, Li S, 1988	Seasonal variation in body length and weight, and carbon, nitrogen and hydrogen content of <i>Calanus sinicus</i> in the Xiamen Harbour	Journal of Oceanography in Taiwan Strait/Taiwan Haixia 7: 173-179
Wassenberg TJ, 1990	Seasonal feeding on <i>Zostera capricorni</i> seeds by juvenile <i>Penaeus esculentus</i> (Crustacea: Decapoda) in Moreton Bay, Queensland	Australian Journal of Marine and Freshwater Research 41: 301-310
Wavle J, Larsson U, 1999	Carbon, nitrogen and phosphorus stoichiometry of crustacean zooplankton in the Baltic Sea: implications for nutrient recycling	Journal of Plankton Research 21: 2309-2321
Wendt DE, 2000	Energetics of larval swimming and metamorphosis in four species of <i>Bugula</i> (Bryozoa)	Biological Bulletin 198: 346-356
Wernberg T, Thomsen MS, Staehr PA, Pedersen MF, 2001	Comparative Phenology of <i>Sargassum muticum</i> and <i>Halidrys siliquosa</i> (Phaeophyceae: Fucales) in Limfjorden, Denmark	Botanica Marina 44: 31-39
Werner I, Auel H, Kiko R, 2004	Occurrence of <i>Anonyx sarsi</i> (Amphipoda: Lysianassoidea) below Arctic pack ice: an example for cryo-benthic coupling?	Polar Biology 27: 474-481
Westermeyer R, Gómez I, 1996	Biomass, energy contents and major organic compounds in the brown alga <i>Lessonia nirescens</i> (Laminariales, Phaeophyceae) from the Antarctic Peninsula	Botanica Marina 39: 553-559
Wetzel MA, Leuchs H, Koop JHE, 2005	Preservation effects on wet weight, dry weight, and ash-free dry weight biomass estimates of four common estuarine macroinvertebrates	Helgolander Marine Research 59: 206-213
Weykam G, 1996	Photosynthetic characteristics and life-strategies of Antarctic macroalgae	Reports on Polar Research (Berichte zur Polarforschung) 192: 1-123
Wheeler PA, Bjoernsaeter BR, 1992	Seasonal fluctuations in tissue nitrogen, phosphorus, and N:P for five macroalgal species common to the Pacific northwest coast	Journal of Phycology 28: 1-6
Wheeler PA, North WJ 1981	Nitrogen Supply, Tissue Composition and Frond Growth Rates for <i>Macrocystis pyrifera</i> off the Coast of Southern California	Marine Biology 64: 59-69

Authors	Title	Journal
Whitaker TM, Richardson MG 1980	Morphology and chemical composition of a natural population of an ice-associated Antarctic diatom <i>Navicula glaciei</i>	Journal of Phycology 16: 250-257
Whyte JNC 1987	Biochemical composition and energy content of six species of phytoplankton used in mariculture of bivalves	Whyte JNC 1987 Aquaculture 60: 231-241
Whyte JNC, Bourne N, Hodgson CA 1987	Assessment of biochemical composition and energy reserves in larvae of the scallop <i>Patinopecten yessoensis</i>	Journal of Experimental Marine Biology and Ecology 113: 113-124
Whyte JNC, Bourne N, Ginther NG 1990	Biochemical and energy changes during embryogenesis in the rock scallop <i>Crassadoma gigantea</i>	Marine Biology 106: 239-244
Wiktor K, Szaniawska A, 1988	Energy content in relation to the population dynamics of <i>Mysis mixta</i> (Lilljeborg) from the Southern Baltic	Kieler Meeresforschungen Sonderheft 1988
Wiley MJ, Wike LD 1986	Energy balances of diploid, triploid, and hybrid grass carp	Transactions of the American Fisheries Society 115: 853-863
Williams R, Robins D, 1979	Calorific, ash, carbon and nitrogen content in relation to length and dry weight of <i>Parathemisto gaudichaudi</i> (Amphipoda: Hyperidae)	Marine Biology 52: 247-252
Williamson SW, Favuzzi J, Cox JL, 1986	Patchiness and nutritional condition of zooplankton in the California Current	Fishery Bulletin U.S. 84: 157-175
Wilson JG, 1993	Age specific energetics of reproduction in <i>Nucula turgida</i> (Leckenby and Marshall)	Invertebrate Reproduction and Development 22: 275-280
Wissing TE, Hasler AD, 1968	Calorific values of some invertebrates in Lake Mendota, Wisconsin	Canadian Journal of Fisheries and Aquatic Sciences 25: 2515-2518
Wissing TE, Hasler AD, 1971	Intraseasonal change in caloric content of some freshwater invertebrates	Ecology 52: 371-373
Wissing TE, 1974	Energy Transformations by Young-of-the-Year White Bass <i>Morone chrysops</i> (Rafinesque) in Lake Mendota, Wisconsin	Transactions of the American Fisheries Society 103: 32-37
Wissing TE, Darnell RM, Ibrahim MA, Berner L, 1973	Caloric values of marine animals from the Gulf of Mexico	Contributions in Marine Science 17: 1-7
Wissing TE, Hornbach DJ, Smith MS, Way CM, Alexander JP, 1982	Caloric contents of corbiculacean clams (<i>Bivalvia</i> : <i>Heterodonta</i>) from freshwater habitats in the United States and Canada	Journal of Molluscan Studies 48: 80-83
Wong CL, Phang SM, 2004	Biomass production of two <i>Sargassum</i> species at Cape Rachado, Malaysia	Hydrobiologia 512: 79-88
Woods CMC, 2009	Caprellid amphipods: An overlooked marine finfish aquaculture resource?	Aquaculture 289: 199-211
Wootton RJ, Mills LA, 1979	Annual cycle in female minnows <i>Phoxinus phoxinus</i> (L.) from an upland Welsh lake	Journal of Fish Biology 14: 607-618
Wootton RJ, Evans GW, Mills LA, 1978	Annual cycle in female Three-spined sticklebacks (<i>Gasterosteus aculeatus</i> L.) from an upland and lowland population	Journal of Fish Biology 12: 331-343
Wotowicz M, Szaniawska A, 1986	Calorific value, lipid content and radioactivity of common species from Hornsund, Southwest Spitsbergen	Polar Research 4: 79-84
Wu RSS, Levings CD, 1978	An energy budget for individual barnacles (<i>Balanus glandula</i>)	Marine Biology 45: 225-235
Wu H, Chai X, Li Y, 2004	Analysis and evaluation of nutritive composition of clam, <i>Tegillarca granosa</i> (Linnaeus) in Yueqing Bay	Marine Sciences/Haiyang Kexue 28: 19-22
Yamaguchi T, 2003	Seasonal Changes in the Energy Content of Females of the Fiddler Crab, <i>Uca Lactea</i> , Especially During the Reproductive Period	Crustaceana 76: 1371-1397
Yamashiro H, Hirotsuke O, Hideki H, Isao C, Kazuhiko S, 1999	Composition of lipids, fatty acids and sterols in Okinawan corals	Comparative Biochemistry and Physiology B 122: 397-407
Youngbluth MJ, Kremer P, Bailey TG, Jacoby CA, 1988	Chemical composition, metabolic rates and feeding behavior of the midwater ctenophore <i>Bathocyroe fosteri</i>	Marine Biology 98: 87-94
Yousefan M, Kideys AE, 2003	Biochemical composition of <i>Mnemiopsis leidyi</i> in the southern Caspian Sea	Fish Physiology and Biochemistry 29: 127-131
Yúfera M, Parra G, Pascual E, 1997	Energy content of rotifers (<i>Brachionus plicatilis</i> and <i>Brachionus rotundiformis</i>) in relation to temperature	Hydrobiologia 358: 83-87
Yukihira H, Klumpp DW, Lucas JS, 1998	Effects of body size on suspension feeding and energy budgets of the pearl oysters <i>Pinctada margaritifera</i> and <i>P. maxima</i>	Marine Ecology Progress Series 170: 119-130
Yurukova LD, Kochev KK, 1993	Energy content and storage in the biomass of hydrophytes in Bulgaria	Archiv fuer Hydrobiologie 127: 485-495
Zavodnik N, 1973	Seasonal variations in rate of photosynthetic activity and chemical composition of the littoral seaweeds common to [the] North Adriatic	Botanica Marina 16: 155-165
Zavodnik N, 1973	Seasonal variations in rate of photosynthetic activity and chemical composition of the littoral seaweeds common to the North Adriatic	Botanica Marina 16: 166-170
Zavodnik N, 1987	Seasonal variations in the rate of photosynthetic activity and chemical composition of the littoral seaweeds <i>Ulva rigida</i> and <i>Porphyr</i>	Botanica Marina 30: 71-82
Zhang Q, Uhlig G, 1993	Dry weight and chemical composition (CHN) in relation to population density of cultivated <i>Tisbe holothuria</i> (Copepoda, Harpacticoida)	Helgolander Marine Research 47: 221-227
Zimmermann RC, Kremer JN, 1986	In situ growth and chemical composition of the giant kelp, <i>Macrocystis pyrifera</i> : Response to temporal changes in ambient nutrient	Marine Ecology Progress Series 27: 277-285
Laakman S, Auel H, 2009	Large-scale regional trends in stable isotope signatures ($\delta^{13}C$ and $\delta^{15}N$) of omnivorous and carnivorous copepods across the South Atlantic	MarBiol XX: xxx-xxx