

**Sea Ice conditions in the Transpolar Drift in  
August/September 2001.  
Observations during POLARSTERN cruise  
ARKTIS XVII/2**

---

**Compiled by  
Christian Haas and Jan L. Lieser**

**Ber. Polarforsch. Meeresforsch. 441 (2003)  
ISSN 1618 - 3193**



# Sea ice conditions in the Transpolar Drift in August/September 2001

Observations during POLARSTERN cruise ARKTIS 17/2



**Compiled by:**

Christian Haas and Jan L. Lieser

**Observer team:**

Jörg Bareiss, Christian Haas, Guido Kubas, Jan L. Lieser, Bernhard Mackowiak,  
Anette Scheltz, Henrike Schünemann, Sandra Schuster, Vladimir Shevchenko

**Programming:**

Martin Holzke

February 2002



Alfred Wegener Institute for Polar and Marine Research  
Bremerhaven, Germany



## Contents

Foreward and summary .....	5
Introduction .....	5
General ice conditions .....	7
Melt ponds .....	8
Dirty ice and icebergs .....	8
Data and images .....	10

A detailed description of the sea ice measurements and sampling during the expedition ARKTIS 17-2 can be found in Thiede (2002).

Data and color images are available via  
<http://www.awi-bremerhaven.de/Modelling/SEAICE/icereport/index.html>




## Foreword and summary

This report summarises visual shipboard ice observations carried out during leg ARKTIS 17/2 (ARK 17/2) of RV POLARSTERN in August and September 2001, operating along the Gakkel Ridge and at the North Pole. Data on general ice conditions, navigational information as well as photographs taken from the ships bridge are presented. Although most data are subject to large uncertainties due to the different experience of observers, they provide a general and quite representative overview of recent summer conditions in the Transpolar Drift, as seen from a ship. The data and photographs might be of interest as background information for discussions of recent changes of Arctic sea ice, and for comparisons with observations performed in other years. For those who have not seen a sea ice landscape so far, this report might yield first impressions of what the Arctic sea ice cover looks like. For scientists working on remote sensing, modelling, or other aspects of sea ice, the report provides some ground-truth and boundary conditions for their work in the summer of 2001.


Ice conditions were characterised by very easily penetrable ice in the first half of the cruise, west of 30°E. There were many large leads with ice concentrations ranging between only 60% and 90%. Only from late August onwards, and east of 30°E, narrower leads and ice concentrations above 90% were observed. At that time, also new ice started to form on the leads. In the late period, sometimes the ship became beset in convergent ice conditions. Initially, melt ponds were observed to cover 10% to 30% of the ice surface. The ponds were ice covered already when we entered the ice in early August. However, the pond ice cover was thick enough to step on (>0.05 m) only after about August 20. Melt ponds became snow covered for some period, before they were visible again. Only after mid-September air temperatures permanently dropped below 0°C, and no snow or surface melting was observed any more.

## Introduction

ARK 17/2 commenced on July 31, 2001, in Tromsø, Norway, and ended October 7, 2001, in Bremerhaven. The ice was entered on August 4, and left only on September 28, i.e. after 56 days of ice breaking. The mean ice concentration in August and September as retrieved from satellite passive-microwave data (SSM/I) and the cruise track are shown in Figure 1. The main focus of the cruise was to investigate petrological and geological features and conditions of the Gakkel Ridge (Thiede et al., 2002). In fact, ARK 17/2 was part of the AMORE 2001 expedition (Arctic Mid Ocean Ridge Expedition), and was performed jointly with the US Coast Guard Cutter HEALY. She is visible on some images, too. Thus, the ships mostly operated along the ridge between 6°W and 74°E. Only a short seismic transect lead to the North Pole before returning to the Gakkel Ridge. Ice observations are performed as part of a larger sea ice research program including physical, biological, and geological ice core work as well as extensive thickness and morphology measurements. Visual observations were performed on an hourly basis. However, due to other commitments of the team there were many gaps in the record, and on average observations were performed only performed every 2.6 hours. Variables like ice concentration, ice thickness, floe and lead size, melt-pond coverage, ridge frequency, as well as the occurrence of dirty ice and icebergs were recorded, representing ice conditions in an area of 500 to 1000 m around the ship. In total, 511 observations were carried out. Note that these observations could be highly biased by the partially poor visibility. Figure 2 shows more details of the cruise track and the daily midnight positions.



**Figure 1:** Cruise track of ARK 17/2 and mean ice concentration during the cruise, in August and September 2001. Data were retrieved from satellite passive-microwave measurements (SSM/I) provided through EOSDIS NSIDC Distributed Active Archive Center, University of Colorado, Boulder. Note the strong retreat of the ice in the Greenland Sea.




**Figure 2:** Map of the study regions with the cruise track and daily midnight ship-positions (circles). Colours indicate mean September ice concentration (c.f. Figure 1).



### General ice conditions


Figure 3a) shows the ice concentration versus longitude, roughly representing a profile along the Transpolar Drift. It can be seen that the cruise track could be subdivided into two distinctly different sections. West of about 45°E, ice concentration was only between 60% and 90%. There, leads or polynjas with dimensions from 0 m up to 1000 m occurred between floes with typical diameters between 100 m to 2000 m (Figure 3b). These large polynjas are generated by divergent ice motion and are typical for summer conditions in the Central Arctic. Only east of 45°E ice concentration increased to 90% and more. At the North Pole, ice concentration was 95%, with 2m thick floes of 300 m to 1000 m in diameter and narrow leads less than 50 m wide, covered with new ice. After September 13, when air temperatures decreased significantly below -5°C for most of the expedition period, ice concentration was mostly close to 100%, because all leads were covered by nilas or grey ice. In the eastern region, most leads were 50 m to 100 m wide (Figure 3b). However, at many locations the leads were covered with small thick floes, such that ice breaking became more difficult.



**Figure 3:** Observations of ice concentration and lead width along the Transpolar Drift. The solid line in a) is a 21 point running average.

## Melt ponds

In Figure 4 a time series of melt pond coverage is shown. Melt ponds were well developed at the time when we entered the study region. The water surface of most ponds was at sea level, indicating that ponds were drained and in hydrostatic equilibrium with the underlying sea water. Typical pond depths ranged between 0.2 m and 0.4 m. It should be noted however, that most ponds were already covered by a thin ice rind when we entered the ice on August 4. Upon leaving the ice on September 28, the pond ice cover had a thickness of 0.3 m to 0.4 m. The decreases in pond coverage around observations 50, 160, and 290 are due to recently fallen snow making the identification of frozen ponds impossible. Later on, the bigger frozen ponds became visible again because the floes were partially blown snow-free by strong winds.




**Figure 4:** Time series of melt pond coverage from the first until the last day in the ice. The solid line is a 9 point running average. Data are from visual observations of ice conditions.

## Dirty ice and icebergs


Interestingly, dirty ice was almost only observed in the western and southern study areas. Figure 6 shows the spatial distribution of icebergs. There were mainly two regions where icebergs were observed, partially in quite high numbers. Many icebergs had diameters of more than 100 m, and were sediment covered. Some big rocks were found on some of them, too. Some icebergs had a very rough pinnacled surface with melt ponds located in the troughs.

## Reference

**Thiede, J.** and the Shipboard Scientific Party, **2002:** *POLARSTERN ARKTIS XVII/2 Cruise Report: AMORE 2001* (Arctic Mid Ocean Ridge Expedition), Rep. on Polar and Marine Res. 421/2002, Alfred Wegener Institute for Polar and Marine Research, Bremerhaven, Germany.



**Figure 5:** Photographs of typical Icebergs in the Transpolar Drift




**Figure 6:** Spatial distribution of numbers of icebergs per observation.


# 4.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
09	81.87	29.22	8.2	192	-0.7	4	3	3	75		1	5	20	50	10	5	10	0								
11	82.02	28.88	7.4	186	-0.7	5.1	3	0	80		1	10	40	80	30	8	10	0			0.5	1	200	1	0	0
12	82.10	28.68	5.7	179	-0.8	4.8	3	0	90		0.8	5	200	300	30	5	8	0			0.8	1	400	1	0	0
14	82.35	28.12	4.5	137	-0.5	6.6	3	0	80		1	5	300	400	30	5	10	0			1	2	500	1	0	0
15	82.42	27.95	5	150	-0.7	5.2	3	0	50	20	0.8	5	300	400	20	8	10	0			0.5	1.5	600	1	0	0
19	82.77	27.37	4.6	90	-0.8	6.7	3	0	20		1	5	40	120	20	5	10	0			1.5	3	300	2	0	0
20	82.88	27.17	5.8	88	-1	5.9	3	1				10	300		30	5	20	0	200		0.5	1.5	150	1	0	0
21	82.98	26.88	5.7	74	-1.1	5.3	3	0	100	20	1.5	10			30	7	0			0.3	0.5	800	1	0	0	
22	83.05	26.55	7.4	72	-1.1	6.2	3	1	80	10	1	10	200	500	25	10	1	1	50		0.3	1.5	400	1	0	0
23	83.13	26.52	5.8	47	-0.6	6.7	3	1	90		1	10	200	400	20	8	1	1	60		0.5	1.5	400	1	0	0

20:00 going through big lead, up to 200m width, poor visibility because of fog, no ice thickness estimates  
 21:00 poor visibility  
 22:00 some fog, following HEALY  
 23:00 photos taken after observation in more ice free area



4.8.2001



# 5.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Boat=2	Rubble fields, coverage [%]	Icebergs, Number of
0	83.22	26.13	6.8	37	-0.9	6.4	3	1	90		1	10	300	500	30	8	0	200	0.6	1.2	300	1	0	0	0	
2	83.42	25.67	6.6	2	-2.7	6.4	3	3	90		1.3	10	400	600	30	10	0	100		0.5	1	300	1	0	0	0
4	83.53	25.13	5.2	350	-3.9	7.6	3	1	80		1.2	10	500	700	30	10	0	150		1	1.5	400	1	0	0	0
7	83.78	24.78	4	354	-2.7	6	3	1	80		1.2	10	150	600	30	10	0	150		1	1.5	400	1	0	0	0
8	83.87	24.90	4.5	338	-2.5	6.5	3	1	80			10	500	1000	50	5	0	100		1	1.5	60	1	0	0	0
10	84.10	25.17	5	314	-3.3	6.6	3	1	80		1.4	10	500	1000	50	10	0	150		1	2	60	1	0	0	0
13	84.23	23.13	6	261	-3	5.2	3	1	70		1.5	10	400	800	30	5	0	250		1	2.5	60	1	0	0	0
14	84.28	22.72	6.1	246	-2.7	5.9	3	1	80		1.5	10	150	250	20	5	0	100		3	5	50	1	0	0	0
15	84.37	22.32	7	257	-2	6.8	3	1	80		1.5	3	200	2000	20	10	5	5	150	20	1	2	50	1	0	1
16	84.45	21.85	7.6	275	-1.6	7.6	3	1	80		2.5	10	500	800	15	10	5	5	200	3	0.5	1	30	1	0	0
17	84.55	21.78	6.5	245	-1.4	7.6	3	1	75		2.5	10	1200	2000	5	3	5	10	200	3	3	5	1000	1	0	0
18	84.60	22.32	7.9	236	-1.4	3.4	3	1	70		1.5	15	400	800	25	3	5		250	10	1.5	3	300	1	0	0
19	84.65	22.10	8.2	238	-1.3	5.5	3	1	70				400		10	3	5		150	10	2	3	500	1	0	0
20	84.72	21.97	8.3	226	-1.9	5	3	1	60		1.5	10	500	1000	50	5	10		200		0.5	2	100	1	0	0
21	84.77	21.98	5.7	216	-1.7	5.7	3	1	75		2.5	10	200	500	10	2	5	10	150	3	2	4	500	1	0	0
22	84.83	21.35	7.9	208	-1.5	5.9	3	1	70		1.5	15	100	200	10	2	3		100	2	1	1.5	150	0		
23	84.92	21.75	10.3	208	-1.3	5.5	3	1	80		2	5	400	1000	10	7	15		100	10	1.5	2.5	300	1		

0:00 steaming in lead  
 15:00 dirty ice difficult to see because of snow cover, melt ponds frozen over, dark and light blue  
 20:00 transiting from going in lead to ice

Hour                      Port                                      Ahead                                      Starboard



8:00



13:00



15:00



5.8.2001


Hour

Port


Ahead

Starboard



16:00



22:00




23:00



6.8.2001


Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
0	84.97	21.47	10.3	206	-1.4	6.4	3	1	90	2.1	10	500	1000	20	4	7	50	5	1.5	3	300	1				
2	85.13	21.00	10	216	-0.8	6.3	3	1	90	2.2	10	500	1000	20	5	15	100	10	1.5	2.5	300	1				
4	85.25	20.45	7.9	239	-0.6	6.3	3	1	90	1.8	10	500	1000	10	5	20	100	5	1.5	2	300	1				
7	85.35	18.70	8.7	234	-0.7	6.4	3	1	90	1.8	10	5000	8000	20	20	30	100	10	2	2.5	1000	1				
8	85.42	18.13	10.3	238	-0.4	5.7	3	1	90	15	300	800	30	5	15	100	30	1	2	300	1					
10	85.50	16.43			5.5		1	80		18	400	800	20	5	20	100	30	2	2	300	1					
12	85.60	16.75	7.7	223	-0.8	6.5	3	1	80	2	12	500	1000	20	5	20	500	100	2	5	500	2				
13	85.72	15.80	8	209	-0.6	6.7	3	1	80	2	10	800	2000	15	5	40	200		1.5	2	1000	2				
14	85.73	15.18	8.2	214	-0.3	5	3	1	80	1.5	10	120	200	20	3	5	200	10	1	2	300	1				
16	85.63	16.18	7.5	263	0	1.7	3	1	90	1.5	10	400	1000	20	5	10	5	50	10	2	5	400	1			
17	85.57	16.23	8.1	284	-0.1	0	2		95	2	10	500	1000	50	5	10	5	50	5	2.5	5	100	1			
20	85.55	16.20	5.9	305	0.2	0			90	2	15	250	600	30	5	15	0	20		1.5	2	60	1			
21	86.55	16.20	6.1	284	0	0																				
23	85.53	16.12	6.4	271	-0.4	1.8	3	3	90	2	15	300	800	20	3	10	10	10		2	4	50	1			

12:00 low Stratus, poor visibility  
 16:00 fog  
 17:00 on station, poor visibility  
 21:00 clear visibility, fog ahead





6.8.2001



7.8.2001

2	85:52	16:50	4.5	255	-0.8	6.6	3	3	80	80	1.7	15	100	500	20	3	10	0	0	20	1.5	2	50	1			
4	85:48	17:07	5.7	240	0	1	3	1	80	1.8	20	200	500	15	3	10	0	50	1.5	2	50	1					
7	85:47	17:10	7.3	214	-0.3	2.2	3	3	80	1.8	20	200	1000	20	3	10	0	20	1.5	2	50	1					
8	85:48	16:43	8.7	213	-0.2	4	4	4	90	1.5	20	200	1000	30	2	10	0	50	1.5	2.5	50	1					
10	85:48	15:32	11.7	235	-0.3	5.4	3	3	90	1.5	20	200	500	30	3	10	0	50	1.5	2.5	50	1					
11	85:43	14:77	9	226	-0.4	4.7	3	3	90	1.5	20	300	1000	30	3	10	0	50	1.5	2.5	50	1					
13	85:33	14:02	9.5	219	-0.3	5.2	3	1	80	2	0	300	2000	15	5	20	0	300	1.5	3	50	1					
14	85:33	13:30	7.5	241	-0.3	5.7	3	1	80	2	2	300	800	25	2	10	0	50	1.5	3	50	2					
15	85:22	12:98	7.5	233	-0.1	5.9	3	0	90	1.8	5	400	2000	15	10	20	0	500	1.5	3	50	1					
16	85:10	11:27	6.2	224	-0.4	5.4	3	1	80	2.5	10	300	800	40	3	30	0	500	2	3	5	10	1				
17	85:10	10:8	6.1	223	-1.2	5.4	3	1	80	2.5	5	300	1000	20	3	25	0	500	1.5	3	150	1					
19	85:08	10:68	6.9	225	-1.3	7.2	3	4	85	2.5	5	250		20	3	10	0		5	1.5	3	400	1				
20	85:00	10:38	7.8	229	-1.3	5.6	4	3	85	2	15	250		60	3	15	0		40	30	1.5	3.5	50	1			
22	84:95	9:42	6.4	222	-1.4	1.7	3	3	80	1.8	10	500	2000	10	10	15	0		80	20	1.5	2	80	1			
23	84:97	9:42	5.7	235	-1.5				65					10	5	10	0										

15:00 groups of icebergs scattered all around the ship, up to 10-20 miles away; max diameter:100-200 m









17:00 fog, poor visibility

19:00 fog, Number of Engines 3 + Hilfsdiesel














20:00 fog, hard to estimate % ice coverage, % melt ponds, % floe size etc.

22:00 foggy











23:00 on station

Hour	Port	Ahead	Starboard
4:00			
7:00			
8:00			

7.8.2001

Hour	Port	Ahead	Starboard
12:00			
13:00			
15:00			
16:00			
17:00			
18:00			

7.8.2001


Hour	Port	Ahead	Starboard
19:00			
20:00			
21:00			
22:00			

Data and color images are available via  
<http://www.awi-bremerhaven.de/Modelling/SEAIce/icereport/index.html>


8.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
1	84.97	9.57	6.4	228	-1.5	9.6	3		70		1.7	10	200	500	10	5	10	0	120	20	1.5	2	100	1		
3	85.02	9.77	4.1	254	-1.4	0.8	2		80		1.7	10	300	500	10	5	10	0	100	20	1.5	2	80	1		
7	84.83	9.35	2.9	222	-2	2.2	3		85		1.2	10	300	700	10	5	10	0	30	10	1.5	2	80			
10	84.97	8.93	3.2	187	-2.4	4.3	3		85		1.5	10	300	700	10	5	10	0	30	30	1.5	2	80	1		
11	84.95	8.30	3.5	173	-2.7																					
13	84.87	6.68	5	149	-2.4																					
14	84.83	6.30	5	253	-1.5	2.3	3		90	20	1.5	5	150	300	10	5	8	0	60	10	2	4	100	1		
15	84.82	5.28	6.5	164	-1.7	5.9	3		85		2	5	500	2000	10	5	15	0	100	50	1.5	3	150	1		
16	84.77	5.00	4.7	164	-1.7	7	3		75		1.5	5	300	500	5	5	10	0	100	10	1.5	2	200	1		
19	84.63	5.37	5.7	173	-1.3	3.8	4		90	5	1.5	5	150	200	10	5	10	0				2	4	2	20	

10:00 very poor visibility <300m  
 11:00 poor visibility, no ice observations  
 14:00 following HEALY while streamerimg  
 15:00 poor visibility









8.8.2001



9.8.2001


3	84.65	5.22	6.9	170	-1.8	0	2	4	80	1.8	10	200	400	10	5	10	0	2	20	10	4	5	80	1	10		
7	84.65	5.75	7.3	159	-1.7	8.5	3	1	80	1.8	10	200	1000	1	3	5	0	0	30	3	1.5	2.5	50	1	1	10	
8	84.60	5.33	6.6	150	-1.6	8.3	3	1	75	1.8	10	200	500	1	5	10	0	0	30	3	1.5	2.5	50	1	1	10	
10	84.48	3.92	6.7	148	-0.8	6.7	3	3	75	2	20	200	400	5	5	10	0	0	30	10	2	2.5	50	1	0	0	
15	84.40	2.13	7.7	159	0	6.2	3	1	60	2	15	500	2000	2	3	30	0	0	1000	100	1	2	3	100	1	5	0
17	84.32	1.40	7.5	164	0.3	5.3	3	1	90	1.5	15	100	100	2	3	5	0	0	500	10	2	3.5	20	1	1	5	
20	84.13	0.32	7.6	166	0.5	7.2	3	1	90	1.5	15	100	100	10	2	5	0	0	300	5	2	3.5	20	1	1	5	
21	84.07	0.03	6.7	167	0.8	1.1	3	3	95	1.8	20	300	800	10	2	5	0	0	300	5	2	5	100	1	1	10	
22	84.12	0.03	7.3	175	0.8	2.1	3	3	90	2.5	20	100	200	0	2	5	0	0	20	10	4	5	80	1	1	10	

15:00 most meltponds are snowcovered now, floes are quite level with few, linear ridges  
 17:00 pictures taken after a big lead while POLARSTERN was following HEALY  
 21:00 heading N for TV-grab station, meltponds with snow cover not detectible

Hour	Port	Ahead	Starboard
3:00			
7:00			
8:00			




9.8.2001




10.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes: diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs: Number of
1	84.12	0.30	8.1	185	1.5	0	2	2	95		1.8	20	200	500	5	5	10	0	20	10	1	2	200	1	10	
3	84.13	0.33	7.3	183	1.3	0	2	2	95		1.8	20	200	500	5	5	10	0	20	10	1	2	200	1	10	
15	84.02	0.48	6.3	119	1.4	5.3	3	3	95		1.5	15	100	200	2	2	0	20	5		2	100	1	15		
17	83.97	0.68	6.3	125	0.9				90		2	10	500	100	5	5	20	5	50		2	4	100	1	10	
19	82.97	0.68	5	134	0.4	1.7	3		80		20	300	600	10	8	20	0	20	5	2	6	50	0	0	0	
21	83.90	-1.27	5	155	-0.3	5	3	0	80		2	10	200	300	10	5	10	2	20	5					0	
22	83.87	-1.50	5.1	159	-0.3	4.7	3	0	95		2	10	500	1000	10	4	15	5	20	3					0	

1:00 on station  
 3:00 on station, fog  
 17:00 ship is not moving  
 19:00 on station  
 21:00 poor visibility <300m  
 22:00 following HEALY in channel, meltponds snow covered, fog => bad visibility




10.8.2001

















11.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, leads=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0/Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
1	83.72	-2.47	6.2	158	0	6.5	3	0	80		2	10	300	500	10	5	10	1	20	3	1	2	100	1	0	0
3	83.62	-3.30	6.7	171	0.2	5.2	3	1	80		2	10			10	5	10	2							0	0
11	83.55	-3.57	7	299	-1.2	3.1	3	1	60		2	15	500	1000	15	5	8	10	150	5	2	5	50	1	0	0
12	83.52	-3.82	7.3	305	-1.3	6.8	3	1	70		1.8	5	500	2000	10	5	10	40	500	2	1	2	300	1	0	0
13	83.43	-4.28	5	320	-0.9	5.8	3	1	70			5	300	500	10	5	10	100	2	1	2	200	1	10	0	
15	83.30	-5.53	5.9	295	-0.3	6.1	3	1	60		1.5	5	200	300	5	5	10	0	100	2	1	2	100	1	15	0
18	83.20	-4.72	5.3	263	0.3	2.5	3		65		1.2	5	120	200	10	8	15	10	50	10	1	2	50	1	10	0
19	83.17	-4.88	5.9	269	-1.1	7.3	3	1+4	70		1.5	10	70	500	10	3	10	0	60	5	2	2.5	15	1	0	0
20	83.10	-4.98	5.7	280	-0.7	4.5	3	3+4	80		2	5	150	500	5	5	15	50	50	2	4	50	1	10	0	
21	83.07	-5.30	4.7	255	-0.8	2.3	3	3+4	80		1.5	8	200	250	10	5	10	5	10	2	1.5	2	20	1	25	0
22	82.93	-5.45	4.3	276	-0.7	6.1	3		75		2	10	200	300	5	5	10	30	50	20	2	4	50	1	0	0

1:00 meltponds snow covered, fog => bad visibility  
 3:00 meltponds snow covered, fog => bad visibility  
 12:00 wide lead  
 20:00 system of leads, partially ramming, some spectacular and high ridges  
 22:00 following leads in various directions  
 24:00 heading south in old ice regime, ramming from time to time



11.8.2001

Hour	Port	Ahead	Starboard
13:00			
15:00			
18:00			
19:00			
20:00			
21:00			

11.8.2001


Hour

Port

Ahead

Starboard

22:00




Data and color images are available via  
<http://www.awi-bremerhaven.de/Modelling/SEAICE/icereport/index.html>

12.8.2001

0	82.80	-5.47	2.5	261	-1.4	8.1	3	0+4	80	2.5	15	300	500	25	3	10	5	20	15	2	4	40	1	0	
1	82.72	-5.48	3.5	270	-1.1	7.4	3	1+3	80	2.2	15	200	300	15	3	10	5	20	10	5	2	3	50	1	0
3	82.67	-6.00	2.2	266	-0.9		3		85	2.2	15	200	300	15	4	10	25	50	5	2	4	50	1	0	
7	82.85	-5.78	3.4	305	-0.2	6.8	3	3	85	2	15	300	500	15	3	10	10	50	5	2	5	50	1	0	
8	82.90	-5.67	2.5	301	-0.6	1.5	3	3	85	2	15	300	500	15	3	10	10	30	5	2	5	50	1	0	
10	83.03	-5.82	1.2	27	-0.7	7.7	3	1																	
12	83.08	-6.05	0.7																						
17	83.10	-5.30						1																	
18	84.00	-5.67						3																	
19	83.12	-4.78						3																	
22	83.13	-4.85	1.7	28	-1.4	0	2	4	80	2.5	5	500	1000	20	5	10	70	20	5	4	6	50	1	0	

10:00 fog, poor visibility, no ice obs  
 17:00 poor visibility <300m, no PODAS data, new ice formation  
 19:00 no PODAS data  
 22:00 snow, new ice formation, melt ponds with sediment & algae





12.8.2001


Hour

Port



Ahead

Starboard

8:00




22:00




13.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed {m/s}	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0,Old=1,Both=2	Rubble fields, coverage [%]	Icebergs, Number of
1	83.08	-5.77	2.9	46	-1.8	0	2	1	50	5	2.5	5	100	300	20	5	10				3	5	50	1		
3	83.07	-5.70	3	49	-1.5	0	2	1	50	5	2.5	5	100	300	15	5	10				3	5	40	1		
6	83.02	-5.12	3.4	46	-1.6	4.4	3	3	70	5	2.5	10	70	200	5	3	10			30	3	5	50	1		
7	82.98	-5.23	4	57	-1.6	3.8	3	4	80	1.5	10	300	500	20	3	5					1.5	3	100	1		
8	82.98	-5.00	3.4	65	-1.5	4.7	3	1+3	90	2	2	15	300	500	5	5	20			30	30	1.5	3	50	1	5
10	82.93	-4.77	3.3	45	-1.5	5.8	3	1+3	90	2	2.2	10	600	1000	10	5	20			30	30	1.5	3	50	1	5
17	82.90	-6.27	3.5	64	-1.2	0.4	3	4	85	10	3	15	300	500	10	5	10			30	5	2	4	100	1	
18	82.88	-6.30	2.6	69	-1.2	0.4	3	4	90	5	2.5	20	750	2500	10	3	10			30	5	2	4	50	1	
21	82.90	-6.32	2.7	34	-1.5	0	2														3	5	500	1		

1:00 it is snowing, fresh snow cover on ice and it is difficult to estimate dirty ice %, grease ice %  
 3:00 snowing, bad visibility, grease ice ~5%  
 6:00 snow  
 7:00 still snowing  
 8:00 heavy snowfall accumulating on the ice and as slush on the water  
 17:00 fresh snow -> sediment not visible  
 21:00 situation after snowfall, meltponds & dirty ice not detectible completely, on station since 18:00 UTC












13.8.2001



14.8.2001

1	82,85	-6,12	3,3	17	-1,4	8,7	3	1	90	5	2	20	200	500	10	5	10		Lead width [m]	100	1	2	4	100	1				
3	83,00	-5,75	2,7	36	-1,5	5,6	3	1	80	5	2,5	20	500	1000	10	5	10		Lead floes, diameter [m]	50	5	2	3	200	1				
6	83,15	-5,20	3,8	53	-1,4	10,3	3	1	60	5	2,5	15	500	1000	5	5	10		Typical ridge height [m]	200	2	2	2,5	1					
7	83,20	-5,43	3,7	55	-1,4	5,1	3	1	70	5	3	30	1000	1000	20	7	10		Max. ridge height [m]	200	3	2	4	200	1				
9	83,20	-5,50	4,1	60	-1,4	0,4	2	1	90	5	3	30	1000	1000	20	7	10		Typical ridge spacing [m]	200	2	2	4	100	1				
13	83,27	-5,38	3,6	18	-1,7	0	2	4	70	2	3	30	300	600	20	5	20		Ridges: New=0,Old=1,Both=2	200	3	2	2	2,5	1				
16	83,27	-5,63	4,1	17	-1,6	1,1	2	4	70	2	3	25	300	1000	10	5	8		Rubble fields, coverage [%]	200	20	2	2	5	300	1			
17	83,28	-5,67	4,6	18	-1,9				70	2	2,5	12	300	2000	5	5	20		Icebergs, Number of	200	20	2	2	5	300	1			
18	83,27	-5,68	4,1	23	-2	0,6	2	1	60	2	3	20	200	1000	5	2	10			100	1	2	4	100	1				
22	83,27	-4,93	4,6	30	-2,1	6,3	3	1	60	5	2	15	150	300	5	5	10												
1:00	situation after snowfall, 5% grease ice																												
3:00	it is snowing, 5% grease ice																												
6:00	snow, some new ice formation																												
7:00	still snowing, on station in lead, no ice thickness estimation, melt ponds hardly detectible																												
13:00	on station, snow																												
16:00	on Dredge station, meltponds & dirty ice with snow cover hardly visible																												
18:00	going with Dredge, snow, poor visibility, meltpond and dirty ice hardly visible																												
22:00	snowfall, new ice formation, ponds & dirty ice snow covered																												

Hour	Port	Ahead	Starboard
1:00			
17:00			
19:00			

14.8.2001



Hour

Port

Ahead

Starboard










22:00




15.8.2001

1	83.30	-4.40	4.2	9	-1.9	0.4	2	1	50	2	20	200	500	5	5	10	0	200	5	1.5	3	100	1		
3	83.28	-4.30	4.4	2	-1.9	0.3	2	1+4	60	5	2	20	150	300	1	5	10	100	5	1.5	3	100	1		
6	83.37	-3.88	4.2	228	-1.6	4.1	3	3	80	5	2	15	200	1000	1	5	10	50	3	2	4	20	1		
7	83.37	-3.60	5.3	2	-1.3	2	3	1+4	80	5	1.8	20	500	1000	5	10	30	100	1.5	2	4	150	1		
9	83.37	-3.63	5.3	341	-1.5	0.8	2	1+4	80	5	2	20	500	1000	5	10	30	200	4	2	4	150	1		
17	83.57	-2.48	6.7	10	-1.2	3.2	3	4	90	2	1.5	25	300	1000	10	10	40	100	4	1.5	3	150	1		
18	83.57	-2.70	6.2	15	-1.1	1.3	3	4	85	5	1.5	20	300	400	10	10	40	100	5	2	3	100	1		
19	83.55	-2.55	5.7	15	-1	0.9	3	4	90	2	1.5	25	300	500	10	10	2	100	3	3	3	100	1		
20	83.55	-2.58	6.4	7	-0.9	0	2	4	90	2	1.5	25	300	500	10	10	2	100	3	3	3	100	1		
23	83.58	-2.50	7	4	-1.1	5.9	4	4	90	1.5	15	15	2000	3000	5	5	10	3	2	5	1000	1			

1:00 snowfall, new ice formation, ponds & dirty ice snow covered  
 3:00 snowfall, new ice formation, ponds & dirty ice snow covered  
 6:00 light snowfall  
 7:00 still snowing, ponds snow covered, ridges hardly visible, on station  
 17:00 maneuvering in ice floe field, after snowfall meltponds & dirty ice hardly detectible, ramming shows dirty ice  
 18:00 new snow  
 19:00 turning in ice field for dredge  
 20:00 on station  
 23:00 ramming through a crack between two very big ice floes, speed reduced to 1,5 kn

Hour	Port	Ahead	Starboard
1:00			
3:00			
6:00			










15.8.2001



16.8.2001












1	83.70	-2.18	7.5	354	-1	8.8	3	1+4	80	1.5	20	200	500	1	2	10	5	20	10	1.5	2	2	2	200	1			
3	83.68	-2.15	6.3	343	-1	2.2	2	1	80	1.5	20	200	500	1	2	10	5	30	10	1.5	2	2	2	2.5	50	1		
6	83.72	-1.73	8	330	-1.5	1.3	3	3	90	2	20	200	1000	1	2	10	5	30	10	1.5	2	2	4	150	1			
7	83.75	-1.83	8.2	333	-1.5	1.3	4	4	13	2	10	400	1000	5	3	10	5	20	10	1.5	2	2	2	200	1			
18	83.78	-1.83	10	302	-1.5	3.5	3	1+4	80	2	10	400	1000	5	3	10	5	20	10	1.5	2	2	2	200	1			
19	83.77	-1.60	10.5	302	-1.4	3.7	3	4	70	1.8	15	150	500	5	1.5	2	5	30	10	2	2	2	2.5	50	1			
21	83.85	-0.73	9.4	297	-1.4	7	3	1	70	2	15	200	500	10	3	8	5	50	30	2	2	2	4	150	1			
22	83.90	-1.03	10	312	-1.3	5.1	3	3	75	1.5	20	100	500	10	10	30	30	30	10	2	2	3	3	100	1			

1:00 ponds and dirty ice are covered by fresh snow  
3:00 ponds and dirty ice are covered by fresh snow, fog, poor visibility  
7:00 white out, some dirty ice  
18:00 fresh snow, ice crust, dirty ice and melt ponds covered by snow  
19:00 rain, transit to TV-Grab Station. ice flows snow covered, dirty ice and ponds hardly detectible  
22:00 end of TV-Grab station, ice floes are snow covered

Hour	Port	Ahead	Starboard
1:00			
6:00			
7:00			




16.8.2001

Hour	Port	Ahead	Starboard
19:00			
20:00			
21:00			
22:00			










17.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
1	83.88	-1.03	9.8	304	-1.3	0	3		85		1.5	20	100	400	10	5	20		50	5	2	3	50	1		
3	83.93	0.07	10.4	299	-1.6	9.1	3	1	75		1.6	20	200	500					100	5	1.5	3	100	1		
6	83.95	0.38	9.7	288	-1.7	1.7	3	3	90		2	20	500	150	1				50	5	1.5	3	100	1		
9	83.93	0.23	9.2	281	-0.7	0	2	3	80		2	20	500	500	10				100	5	1.5	3	100	1		
17	83.97	0.42	10	292	-1.8	0			80		1.8	15	300	700					50	5	1.5	3	500	1		
20	83.95	0.18	8.3	275	-2	4.8	3	1+3	85		1.8	10	200	2000				1	50	50	1.5	3	200	1		
22	83.00	1.02	7.7	282	-1.8	7.9	3	1+3	85		2	20	100	300				5	80	5	1.5	3	150	1		
23	84.07	1.25	8.2	278	-1.9	11.1	3	1	60		1.8	12	200	1500				1000	100	1	2	300	1			

1:00 ice floes are snow covered  
 9:00 ponds snow covered, snow covered with ice crust, ridges badly visible at low contrast  
 20:00 large lead, ponds snow covered  
 22:00 ponds and dirty ice are snow covered  
 23:00 ponds and dirty ice are snow covered




17.8.2001

Hour	Port	Ahead	Starboard
18:00			
21:00			
23:00			
24:00			

18.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0 lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes: diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields: coverage [%]	Icebergs: Number of
1	84.18	0.87	8.8	285	-1.8	0.2	2	1	85		1.8	20	100	300					100	5	1	2	50	1		
3	84.17	1.12	7.6	293	-1.8	0.7	2	1	85		1.7	20	150	300					50	5	1.5	3	100	1		
6	84.22	1.47	7.7	268	-2.9	3.7	3	3	85		1.7	20	150	500					50	5	2	3	50	1		
9	84.25	1.38	6.2	268	-4.2	0	3	3	85		1.7	20	150	500					50	5	2	3	100	1		
19	84.42	3.93	6.9	254	-2.8	7.7	3	4	80		1.8	20	700	1000	30	5	10		50		1.5	2.5	80	1		
20	84.48	4.63	5.3	266	-2.5	6	3	1	75		2	10	300	2000	5	5	50	1	100	50	1.5	3	200	1		
21	84.53	4.90	4.7	241	-3.4	4.1	1	1	70	10	2	15	150	200	10	5	10	2	70	20	1.5	2	150	1		
22	84.50	4.62	6.5	255	-3.5	3.5	3	1	80	2	2	10	120	300	15	3	10	5	80	10	2	4	200	1		

20:00 many ponds not snowed but ice covered  
 21:00 new thin ice forming in wind sheltered areas




Data and color images are available via  
<http://www.awi-bremerhaven.de/Modelling/SEAICE/icereport/index.html>

19.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0/Old=1,Both=2	Rubble fields, coverage [%]	Icebergs, Number of
1	84.57	3.20	5.1	244	-3.5	1.4	2		60	0									1000							
3	84.57	3.38	2.9	249	-2.8	0.4	2		60	0	2	20	300	1000	15	5	10		400	20	2	4	200			1
6	84.63	4.20	1.6	216	-2.2	6.3	3		75	2	20	200	500	5	5	10		50	5	2	3	100			1	
7	84.65	4.20																								
8	84.63	4.23	4.1	219	-2				70	1.8	10	300	500	10	5	10	5	100	30	1.5	3	200			1	
9	84.62	4.22	3.8	203	-2.3				70	2	1.8	8	150	300	10	8	15	0	100	20	1.5	2	150			1
15	84.73	4.53	4.3	205	-3.1				70	2	10	300	500	10	10	30		50	20	2	2	200			1	
17	84.73	4.60	4.2	213	-3.8				80	5	2	10	400	700	5	5	20		50	5	1.5	1.5	200			2

1:00 lead is very large, it's not possible to estimate ice characteristics  
 3:00 dirty ice is snow covered  
 9:00 fog  
 17:00 new ice in leads, huge area of open water




Data and color images are available via  
<http://www.awi-bremerhaven.de/Modelling/SEAICE/icereport/index.html>

20.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=5, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Booh=2	Rubble fields, coverage [%]	Icebergs, Number of
1	84.80	5.62	3.3	207	-3.8	0	2	1	60																	
3	84.78	5.77	2.9	211	-3.8	1.3	2	1+3	75	1.8	20	150	500	10	5	15			50	5	1.5	3	100	1		
7	84.83	6.70	5	197	-4.8	5.7	3		80	1.5	20	500	1000	50	10	20			25	15	1.5	3	200	1		
12	84.88	6.48	6.4	160	-4.5				80	5	1.8	10	200	1200	10	5	10		50	5	2	4	100	2		
14	84.88	6.68	6.1	157	-3.8				85	2	10	300	2000	10	10	30		1	50	20	1	3	200	1	0	
18	84.83	7.52	7.9	181	-3.7	3.5	3	3	85	5	1.5	10	100	200	10	10	15		50	40	1	3	100	1		
23	84.87	8.42	6.3	185	-0.5	6.7	3	1	85	2																

1:00 on station in large (500m x 500 m) lead, difficult to describe the ice  
 3:00 it is snowing, ice floes are covered by fresh snow, it's difficult to estimate dirty ice  
 7:00 ridges hard to estimate (height, distance)  
 14:00 melt ponds are ice covered with very thin new snow on top, some sediments during ice station  
 23:00 dense fog, just started steaming from dredge station





20.8.2001


Hour

Port

Ahead

Starboard

14:00






Data and color images are available via  
<http://www.awi-bremerhaven.de/Modelling/SEAICE/icereport/index.html>

22.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, leads=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
1	85.08	10.73	2.9	235	-2.4	1.6	2	1																		
3	85.13	10.92	2.4	220	-3.2	0	2	1																		
6	85.07	12.07	2.3	186	-3.3	2.1	3	2+3	60	2	10	20	100	10	5	10	200	5	2	4	20	1				
7	85.08	12.45	3	206	-3.1	5.7	3	1	55		5	5000	5000	70	15	50	5	150	10	2	3	50	1			
14	85.18	13.97	5.2	95	-1.5	4.8	3	1	50	1.8	5	100	2000	20	10	50	50	200	50	1.5	4	200	1	1	2	
20	85.23	13.70	6.5	177	-3.1	5.8	3	1	70	1.5	5	200	1000	20	10	30	10	50	40	1.5	5	200	1	1		
21	85.25	14.40	6.5	175	-2.9	4.7	3	1																	6	
22	85.27	14.78	7.7	170	-2.9	7.9	3	1																	1	
23	85.30	15.87	6.4	183	-2.5	6	3	1	70	1.4		150	800	30	5	40	5	200	10	1.5	3	300	2		4	

1:00 on Dredge station, we work in large lead, strong fog, very poor visibility  
 3:00 on Dredge station, we work in large lead, strong fog, very poor visibility  
 6:00 much open water  
 7:00 new ice formation, fog, as far as visible: just water, no ice  
 14:00 very foggy; 2 icebergs very closely passed, probably more in the vicinity; green and blue ponds, some melted through, many algae and some floes are sedimented  
 20:00 very foggy; green and blue ponds, some good icebreaking  
 21:00 huge ice free area and very poor visibility, 2 large icebergs > 50m  
 22:00 very poor visibility, fog, operating in big lead  
 23:00 fog, poor visibility



22.8.2001



Hour

Port




Ahead

Starboard

20:00



23:00



23.8.2001


1:00 beginning of station, very poor visibility - fog

1	Time UTC	85:40
3	Latitude [°N]	85.38
7	Longitude [°E]	14.73
	True Wind speed [m/s]	15.83
	True Wind direction [°]	11.1
	Air Temperature [°C]	174
	Ship speed [kn]	-2.8
	Number of Engines	6.6
	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	3
	Total ice concentration [%]	2
	C thin ice <30cm [%]	1
	Typical sea ice thickness [m]	1+3
	Snow thickness [cm]	80
	Typical floe diameter [m]	0
	Max. floe diameter [m]	1.5
	Melt pond coverage [%]	10
	Typical pond diameter [m]	300
	Maximum pond diameter [m]	1000
	Dirty ice concentration [%]	70
	Lead width [m]	30
	Lead floes, diameter [m]	10
	Typical ridge height [m]	5
	Max. ridge height [m]	30
	Typical ridge spacing [m]	100
	Ridges: New=0,Old=1,Both=2	1
	Rubble fields, coverage [%]	
	Icebergs, Number of	


Hour

Port


1:00



Ahead



Starboard




Data and color images are available via  
<http://www.awi-bremerhaven.de/Modelling/SEAICE/icereport/index.html>

24.8.2001


Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0 lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
1	85.42	16.33	8.7	185	-2.7	5.8	3	1+3	80	0	1.5	10	300	1000	50	5	30	0		2	3	300	1			
3	85.42	17.73	7.4	201	-2.6	3.7	3	1	70	0	1.5	10	300	1000	40	5	30	0	500	1.5	3	200	1			
6	85.48	19.18	5.8	189	-2.4	6	3	1+3	85	2	10	500	1000	10	5	20	0	100	5	2	3	300	1			
7	85.55	19.45	5.6	194	-1.9	2.7	3	1+3	85	2	10	500	1000	10	5	20	0	100	5	2	3	300	1			
8	85.58	19.87	5.7	193	-2.2	2	3	3	90	1.5	10	500	2000	20	10	30	0	20	20	1.5	3	400	1			
13	85.55	22.33	7	202	-2.2				80	1.5	5	1000	2000	40	10	30	5	200	20	2	3	400	1			
14	85.50	23.30	5.1	224	-2.4	6.3	3	3	90	1.5	5	500	2000	20	10	30	0	20	20	1.5	3	300	1			
16	85.37	23.52	5.6	204	-2.3	5.7	3	1	40	1	5	100	300	10	5	10		5	1.5	3	50	1				
19	85.42	22.62			-2.8	6.5	3	1				1500						500		2	3		1			
20	85.47	21.78			-3	7.5	3	1	10																	
21	85.50	21.00			-2.4	5.8	3	1	85	1.5	10	150	200	20	10	20		20	5	1.5	3.5	100	1	10		
22	85.53	20.32	4.9	218	-2.8	1.7	3	4	95	2	1.2	5	150	300	40	2	10									
23	85.53	20.93			-2.8				90	5	1.4	10	300	1000	40	2	10									

13:00 spaces between older floes are filled with thin and undeformed FYI, very evenly ponded with most ponds melted through  
 16:00 operating in big lead, dirty ice not detectible  
 19:00 in open water, fog, hard to estimate ice situation, no wind data  
 20:00 fog and giant lead - 1.5 x 7 km large  
 21:00 sunny!






24.8.2001




25.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
1	85.55	20.77			-3.5	1.4	2	3	95		1.2	10	300	500	40	3	10	0	50	1.5	3	100	1			
3	85.55	20.70			-3.4	0.4	2	3+1	95		1.2	10	300	1000	40	3	10	0	20	1.5	3	200	1			
6	85.65	20.18			-2.8	4.7	2	3+1	75		2	10	200	1000	30	3	10	0	100	2	3	200	1			
7	85.68	20.22	6.2	189	-2.1	5.8	3	1	80		1.5	10	100	1000	60	5	15			1	2.5	50	1			
12	85.67	20.20	5.1	200	-0.1				80		2	8	200	2000	20	5	10		50	1	2	200	1			
15	85.60	19.03			-0.1				90		2	5	300	2000	25	5	50		50	1	3	300	1	0	3	
16	85.58	18.72			-0.1				50		2	5	300	1000	40	4	10		20	1	2	200	1			
17	85.62	18.18	6.1	188	-0.1				70	5	2	5	1000	3000	30	5	10		200	1.5	2	200	1			
21	85.65	17.60			-0.2	5.5	3	3	60		1	10	50	100	15	10	15		80	20	1.5	2.5	100	1	15	

6:00 some new ice formation  
 12:00 Petrology station, clear sky!  
 15:00 good visibility, very homogeneous floes with few ridges, green and blue ponds.  
 17:00 on station




25.8.2001



26.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0,Old=1,Both=2	Rubble fields, coverage [%]	Icebergs, Number of	
1	85.72	18.32	6.8	200	-0.1	0	2	1	60						20	5	15		50	5	1.5	3	100	1			
3	85.73	19.47	7	200	-0.2	0	2	1+3	70		2	10	100	200	20	5	15		30	15	1.5	3	100	1			
6	85.75	20.23	6.2	208	-0.3	3.5	3	1+3	70																		
9	85.77	20.25	9.8	194	-0.1	0.2																					
12	85.82	21.48			-0.2	3.8	3	0	70	1.8	8	300	500	20	5	10			50	5	1	2	100	1			
15	85.92	23.30	9.8	220	-0.3	3.9	3	0	95	2	10	150	200	20	8	10			50	15	1	1.5	100	1			
19	85.98	23.65	10.3	220	-1.3	4.3	3	3+4	80	2	10	100	300	30	15	30			30	10	1.5	2	100	1			
1:00	on station																										
3:00	on station																										
6:00	fog																										
9:00	on station																										
15:00	fog																										



26.8.2001



Hour

Port


Ahead

Starboard

9:00




15:00




27.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe.ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0,Old=1,Both=2	Rubble fields, coverage [%]	Icebergs, Number of
0	85.95	24.10	11.1	228	-1.6	0.7	3	3+1	80																	
3	85.93	23.27			-1.5	0	3	1	80																	
11	85.98	24.35	9.7	270	-1		3		85	2	5	100	200	30	5	10	10				1	1.5	100	2		
14	85.98	27.00	11.3	230	-1.1	3.6	3	0	80	1.5	5	400	800	25	5	10	15	20			1	1.5	100	2	10	
17	85.95	28.10	8.8	226	-1.2	4	3	0	80	1.8	5	500	2000	40	5	200	20				1	1.5	500	1		
18	85.98	28.83	8.3	219	-0.9	5.5	3	0+1	70	1.5	15	200	500	30	20	50	15	150			1	1.5	100	1		
20	86.02	29.97	8.4	218	-0.9	0.2	3	0	85	1.3	5	300	2000	20	15	30	0	100	70		1	1.5	100	1	1	
21	86.00	30.18	10.7	216	-0.8	5.9	3	4	90	1.2	5	250	1000	40	5	20				1	4	200	1			
22	86.02	29.97	8.8	217	-0.9	3.7	3	1+4	85	1.8	10	200	1000	30	5	50		60	30	1.5	3.5	100	1			

0:00 on station, fog, bad visibility  
 3:00 on station, fog, bad visibility  
 17:00 fog, sediments  
 20:00 mixture of very level, greyish and very ridged floes; many ponds melted through, it seems that many ridges are formed by blocks of very thin ice, no sediments  
 22:00 many pressure ridges, ship is ramming












27.8.2001



28.8.2001


0	86.00	29.27	7.5	234	-0.9	3.2	3	4	95	1.7	10	400	1000	40	10	25	0	30	5	1.5	3	100	1			
2	85.97	29.12	7.3	233	-0.6	0	2	1	85												1.5	3	100	1		
5	85.95	29.78	7.3	231	-1.5	4.5	3	1+3	85																	
6	85.97	30.50	6	231	-2.2	0.1																				
11	85.97	29.95	6	222	-2.1																					
15	86.03	30.53	5.5	232	-2.3	0.6	3	1	75	1.8	10	500	800	40	5	15	100	1	1	3	80	2				
18	86.05	30.63	6	223	-1.5	0.3	2		70	1.8	10	200	500	25	2	10	500	1.5	3	200	1					
21	86.05	31.63	5.3	238	-1.2	4.4	3	1	80	1.2	10	300	500	40	5	10	5	50	1	2	200	1				
23	86.10	33.20	4.8	245	-0.7	3.1	3	1	85	1.4	10	200	500	25	5	15	0	50	1	2	100	1				

0:00 ship is ramming, fog  
 2:00 on station, fog, poor visibility  
 5:00 fog, thin ice  
 11:00 on station  
 15:00 leaving station  
 18:00 on station, fog, poor visibility  
 21:00 seismic transit, some fog, big leads at the end of observation, some very fine new ice  
 23:00 seismic transit, fog, poor visibility

Hour	Port	Ahead	Starboard
5:00			
11:00			
15:00			



28.8.2001



29.8.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0,Old=1,Both=2	Rubble fields, coverage [%]	Icebergs, Number of
2	86.17	34.70	5	253	-0.5	3.8	3		80		1.2	10	200	400	20	5	15	1	20		1	2	50	1	10	
4	86.27	35.80	5.2	275	-1.4	5.5	3	0+3	80		1.8	10	200	1000	10	10	40	1	10	200	2	3	50	1	10	
5	86.28	36.43	6.3	279	-1.4	5.2	3	1+0	80		2	10	200	1000	30	10	40	1	200	2.5	3.5	100	1	1	1	
7	86.32	36.22	3.1	308	-2.9	3.5	3	1	85		2	10	200	1000	30	10	40	1	200	2.5	3	100	1	1		
10	86.33	37.77	3	331	-3.6	0	3	1	85		2	10	300	1000	25	10	40	1	200	2	3	100	1	1	20	
17	86.32	38.58	3.1	335	-3.1																					
21	86.33	38.18	1.3	37	-2.6	2.2	3	4	90	5	1.8	10	100	500	30	5	30	5	50		2	4	100	2		7
23	86.40	38.58	0.9	1	-2.5	7.4	3	0	85						25	5	25	0	50		1	3	150	2		18

2:00 seismic transit, following HEALY  
 4:00 seismic transit, following HEALY  
 5:00 seismic transit, following HEALY  
 10:00 many icebergs around the ship (11 of them 100-200m dist, >20 15-100m dist)  
 17:00 on station  
 21:00 several icebergs


Hour

Port

Ahead

Starboard

2:00



4:00



5:00



29.8.2001




Hour

Port

Ahead

Starboard










21:00




30.8.2001

1	86:49	40:80	2:8	47	-3:3	4:2	3	0	85	5	1:9	10	150	500	20	5	20	5	20	0	10	10	10	1	3	50	2	13		
4	86:52	41:58	1:2	17	-3:8	3	3	0	83	5	2	10	100	500	10	5	20	0	0	0	20	0	0	1	1.5	3	20	1	5	
5	86:52	41:97	2:4	3:3	-4:1	4:4	3	0	99	15	1.5	5	300	500	15	5	30	0	0	0	0	0	1	1.5	500	1	5	5		
7	86:50	43:83	2:8	3:18	-4:5	1:6	3	0	100	15	2	10	300	5000	30	5	30	0	0	0	0	0	1	1.5	500	1	1	1		
16	86:58	42:05	2:9	3:30	-2:9	1:5	4	4	10	10	1.5	10	3000	5000	30	5	30	0	0	0	0	0	2	3	500	2	1	1		
17	86:60	41:45	3:2	2:06	-2:7	3:1	4	4	85	1.5	5	5	3000	5000	30	20	40	0	0	0	0	10	10	1	2	500	2	1	1	
18	86:57	41:57	3:9	2:22	-2:5	2:2	4	4	98	1.5	5	5	300	5000	20	10	10	0	0	0	0	10	30	5	1	1	2	500	2	1
19	86:52	42:15	5:3	2:19	-2:7	4:2	4	0	95	2	1.2	2	400	2000	10	10	10	0	0	0	0	30	5	1	1	2	300	2	1	
20	86:50	42:73	3:8	2:20	-2:7	7:4	4	0	95	2	1.2	2	400	2000	10	10	10	0	0	0	0	30	5	1	1	2	300	2	1	
23	86:53	43:35	2:9	2:28	-2:5	1	4	0+4	100	2	1.3	5	500	2000	15	10	20	0	0	0	0	0	0	1	1	2	200	2	1	

5:00 all covered with new or thin old ice; ponds new covered (thin snow); clean HEALY channel  
 16:00 new ridge forming at floe contacts; new ice (greases) in leads  
 17:00 ponds covered with snow, new ice partly  
 18:00 ice under pressure, new ridges at contact points, melt ponds snow covered, foggy; some new ice  
 19:00 seismic transit, following HEALY, snowfall, new ice formation  
 20:00 seismic transit, following HEALY, more snowfall, new ice formation  
 23:00 following HEALY


Hour	Port	Ahead	Starboard
1:00			
4:00			
5:00			

30.8.2001











Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
1	86.60	44.98	1.9	310	-2.4	6.1	4	0+1	98	2	1.3		1.3	5	15	5	10	10	10	10	2	1	2	100		
3	86.62	46.87	3	274	-2.5	3.7	4	0	95	1.5	10		1.5	5	10	5	10	10	10	10	2	1	2	100		
4	86.68	48.65	1.8	355	-2.7	3.4	4	0	95	1.5	10		1.5	5	10	5	10	10	10	10	2	1	2	100		
5	86.70	48.37	1.3	359	-3.1	4.2	4	0	95	1.5	10		1.5	5	10	5	10	10	10	10	2	1	2	100		
6	86.70	48.82	1	346	-1.6	0	0	0	95	1.5	10		1.5	5	10	5	10	10	10	10	2	1	2	100		
16	86.77	49.58	1.6	322	-3.2	1.5	4	0	95	5	2		1.5	5	10	5	10	10	10	10	2	1	2	100		
17	86.80	48.57	2.4	67	-3.2	1.5	4	0+4	95	5	2		1.5	5	10	5	10	10	10	10	2	1	2	100		
18	86.82	47.95	2	62	-3.4	1.4	4	4	95	5	2		1.5	5	10	5	10	10	10	10	2	1	2	100		
22	86.78	49.27	2.7	103	-3.7	1.7	3	1	80	1.5	10		1.5	5	10	5	10	10	10	10	2	1	2	100		

1:00 dense fog, poor visibility  
 4:00 very foggy  
 5:00 ponds covered with a thin layer of new snow, very foggy  
 16:00 melt ponds snow covered  
 17:00 melt ponds snow covered  
 18:00 melt ponds snow covered  
 22:00 fog, it is difficult to estimate ice characteristics, new ice formation












31.8.2001

Hour	Port	Ahead	Starboard
8:00			
14:00			
15:00			
16:00			

1.9.2001


000	many icebergs around us, two of them as high as 20 m, new ice formation																											
11:00	ponds snow covered, hardly distinguishable, most water covered with slush due to recent snowfalls																											
12:00	ponds and sediments not visible due to fresh snow																											
16:00	ponds mostly snow covered, some visible, new ice formation, snow																											
22:00	on station, it's snowing, bad visibility																											
0	86.78	49.82	1.8	155	-3.1	6.2	4	0+1	98	5	1.4	10	500	5000	20	5	25	0	20	20	1	1.5	3	200	2	0	0	14
3	86.85	51.97	2.4	187	-3.2	3.8	4	0+1	98	5	1.8	10	500	5000	10	5	20	0	30	10	1.5	3	200	2	0	0		
11	86.95	58.42	6	199	-1	6.7	4	3	95	10	1.7	5	100	5000	0	5	20	0	20	10	1.5	3	200	2	0	0		
12	86.92	59.90	7	217	-0.2	6	4	4	90	10	1.5	10	100	500	0	5	20	0	20	10	1.5	3	200	2	0	0		
13	86.90	62.22	7.6	259	0.2	2.4	4	4	90	10	1.6	10	100	1000	0	5	20	0	20	10	1.5	3	200	2	0	0		
16	86.88	63.83	7.7	276	0.3	4.7	4	4	90	10	1.5	10	100	500	30	5	15	15	15	10	1.5	2.5	100	2	0	0		
22	86.90	63.85	2	300	-0.3	0	2	1+4	90	10	1.5	10	200	500	30	5	15	15	15	10	1.5	2.5	100	2	0	0		

0900 many icebergs around us, two of them as high as 20 m, new ice formation  
 11:00 ponds snow covered, hardly distinguishable, most water covered with slush due to recent snowfalls  
 12:00 ponds and sediments not visible due to fresh snow  
 16:00 ponds mostly snow covered, some visible, new ice formation, snow  
 22:00 on station, it's snowing, bad visibility

Hour	Port	Ahead	Starboard
3:00			
11:00			
12:00			




1.9.2001




## 2.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0,Old=1,Both=2	Rubble fields, coverage [%]	Icebergs, Number of
0	86.90	63.37	3	316	-0.4	0.5	1																			
3	86.83	64.50	3.8	60	-2.4	3.7	3	1	90	1.8	10	200	1000	10	5	10		15	5	1.5	2	60	2		2	
4	86.80	65.35	2.7	58	-3.5	4.9	3	0	90	5	2	10	1000	5000	30	10	40		30	5	1	2	50	2		1
5	86.73	65.98	5.3	86	-3.3	4.9	3	0	95	5	1.7	5	200	2000	5	10	30		50	30	1	3	200	1	1	3
6	86.73	66.63	2.2	83	-3.4	3.4	3	1	95	5	2	10	300	1000	5	10	30		50	30	1	3	200	1	1	3
21	86.72	66.72	2.6	92	-4.1	2.4	3	4	90	5	2.3	8	300	2000							1	2.5	300	2		
15	86.68	67.85	2.9	105	-5.5	1.3	4	1+4	90	5	2	15	400	2000	5	10	15	5	20	15	1	1.5	200	2	5	
16	86.65	68.80	1.9	100	-4.9	4.9	4	1	90	10	2	15	250	1000					300		2.5	4	200	2		
22	86.57	70.00	2.9	136	-5.4	5.4	4	1+4	95	5	1.3	15	300	2000	20	5	25	0	150	10	1	3	200	2		
23	86.62	70.48	2.5	156	-5.3	1.5	4	4	95	3	1.3	15	300	1000					50		1	3	50	2		

0:00 waiting for HEALY, it is snowing, very poor visibility  
 4:00 ponds snow covered  
 5:00 frozen ponds appear greyish due to last days snow and rain  
 16:00 new ice  
 22:00 melt ponds are fresh snow covered, new ice formation  
 23:00 melt ponds are fresh snow covered, new ice formation




2.9.2001



### 3.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Number of Icebergs	
16	86.27	72.55	4.7	193	-3.4	4	4	0	90	2	10	500	1500	30	5	10											
17	86.37	73.02	5.3	214	-3.2	4.5	4	0	90	5	1.7	15	150	1000	10	10	30	0	50	20	1	3	200	1		1	
21	86.62	74.02	5.5	233	-2.5	4.2	4	0	90	5	1.6	15	200	1000	10	10	25	0	50	10	1	3	150	1			
23	86.77	75.28	5.8	241	-2.4	4.5	4	0	90	5	1.6	20	200	1000				50	10	1	3	100	2				

17:00 ponds partially snow covered. HEALY sometimes needs to ram  
 21:00 ice floes are fresh snow covered, new ice formation  
 23:00 ice floes are fresh snow covered, new ice formation




Data and color images are available via  
<http://www.awi-bremerhaven.de/Modelling/SEAICE/icereport/index.html>


# 4.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes. diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields. coverage [%]	Icebergs. Number of
3	87.02	76.52	4.7	247	-2.7	6.6	4	0	90	5	1.6	20	2000	1000					20	5	1	3	100	2	1	
4	87.10	77.02	3.7	239	-2.7	5.7	4	0	90	5	1.8	20	300	5000					20	10	2	3	250	2		
5	87.18	77.95	2.5	205	-2.8	7.1	4	0	90	5	1.8	20	300	1000					20	10	2	3	250	2		
9	87.47	80.12	2	213	-4.4	5	4	0	90	1.5	20	300	2000					40	10	2	3	250	2			
10	87.55	79.98	3.9	205	-4.3	5.2	4	0	100	10	2	15	300	2000				100	50	1	2	200	1			
12	87.60	82.10	2.9	180	-6	4.6	4	0	90	15	1.8	15	500	800				30	5	1.5	2	150	2			
15	87.80	82.15	3.8	190	-6.5	4.6	4	0	90	10	1.8	20	1500	2000				20		2.5	4.5	20	2			
16	87.87	84.80	3.6	179	-6.2	5.5	4	0	100	20	2	15	500	2000				100	20	1	4	200	2			
18	87.93	84.82	4.5	164	-7.1	6.9	4	0	100	20	2.2	15	400	5000				50	5	1	2.5	300	2			
21	88.12	88.73	3.5	181	-5.3	6.2	4	0	98	40	1.8	15	200	800				100	10	1	2	100	2			
23	88.23	92.43	4.2	189	-4.5	9	4	0	100	20	1.7	20	300	2000				50	10	1	2	200	2			

9:00 a day for a daydream :-)  
 10:00 all ice covered with 5cm powder snow, all water covered with nilas  
 12:00 fog  
 15:00 following HEALY  
 16:00 all open water covered with nilas, long system of leads  
 21:00 ice floes are snow covered (fresh snow), new ice formation  
 23:00 ice floes are snow covered (fresh snow), new ice formation












4.9.2001




# 5.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0,Old=1,Both=2	Rubble fields, coverage [%]	Icebergs, Number of		
2	88.43	96.67	3.9	190	-4.2	5.1	4	0	100	40	2	20	100	300					40	10	1.5	2	50	2				
3	88.47	99.37	4.5	189	-4.4	4.6	4	0	100	10	1.8	2	200	400					40	10	1	2	100	2		1		
4	88.53	99.47	3.6	174	-4.2	5.1	4	0	100	15	2	15	700	2000					40	10	1	2	200	2				
9	88.73	103.85	3.7	191	-3.7	3.2	4	0	100	15	2	20	1000	3000					20	20	1	3	400	2				
10	88.82	110.35	4.7	187	-3.9	4.1	4	0	100	10	2	15	200	500					20	20	1	3	200	2				
12	88.88	113.95	4.1	199	-4.1	2.7	4	0	100	15	2	10	500	1000	5				20	20	1	2	300	2				
13	88.92	117.82	5.5	196	-6.3	4.7	4	0	100	10	2.1	10	1000	3000					10	10	1.5	2	50	2		2		
15	88.95	123.58	5.3	206	-6.4	6.2	4	0	95	10	2	15	200	500					10	10	1	1.5	2	2				
16	88.98	128.37	5.4	214	-7	4.6	4	0	100	10	2	10	300	2000					40	30	1	3	200	2				
21	89.08	126.70	5.6	211	-4.6	5.1	4	0	100	15	1.7	15	200	1000					40	5	1	2	100	2				
23	89.22	129.43	5.8	220	-4.3	7.4	4	0	100	10	1.5	10	300	1500					40	5	1	2	200	2		2		
2:00	new ice																											
3:00	new ice following HEALY; ice thickness probably underestimated																											
4:00	ahead photo shows where HEALY had to ram 3-4 times; sb photo shows 1.5m high pinnacle iceberg at horizon																											
21:00	new ice formation																											
23:00	new ice formation																											

Hour	Port	Ahead	Starboard
2:00			
3:00			
4:00			



5.9.2001






Data and color images are available via  
<http://www.awi-bremerhaven.de/Modelling/SEAICE/icereport/index.html>

7.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
2	89.90	93.75	5.2	221	-2.5	4.5	4	1	98	15	2	3	500	100					50	5	1	2	300	2		
5	89.80	100.92	5.1	217	-2.5	6	3	3	99	10	1.8	10	300	2000					100	30	1	2	200	1		
15	89.33	93.72	2.4	279	-1.6	1	3	3	98	10	2	10	100						50		1	3	50	1		
18	89.22	95.55	3.5	317	-1.9	2.5		4	99	10	2	25	150	500				30	50	5	1	2	100	2		
19	89.15	93.93	3.3	316	-1.9	3.2	4	4	95	10	2	20	2000	5000							1	2	1000	2		
21	89.05	92.53	4.4	318	-1.7	8.5	4	1+4	95	10	1.8	20	500	2000							1	2	200	2		
23	88.95	91.30	4.8	328	-1.7	5.3	3	1+4	98	10	1.8	20	500	2000							1	2	300	2		

5:00 ponds not visible, staeming without HEALY  
 15:00 very foggy, poor visibility, max. floe size and % ice coverage hard to estimate  
 18:00 fresh snow cover, no melt ponds visible, transit to station



7.9.2001


Hour

Port


Ahead

Starboard

19:00




23:00






8.9.2001



9.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Booth=2	Rubble fields, coverage [%]	Icebergs, Number of
3	87.63	81.97	6.8	314	-1.2	4.5	4		97	10	2	15	500	1000	0				60	50						
9	87.50	80.40	4.5	320	-2.3	4	3		100	20	1.5	10	500	1000				40		2	4					
11	87.35	80.00	5.4	314	-2.3	6.2	1+3		100	15	1.5	10						60	40							
13	87.20	78.77	4.6	312	-3.2	5.3	4	4	100	20	1.6	10	500	1000						1	2.5	300	2			
14	87.18	78.70	5.2	318	-3.3	3.1	4	4	90	10	1.5	10	200	500						1	2	200	2			
15	87.13	78.52	5	318	-3.5	4.3	4	4	90	10	2	10						20								
16	87.10	77.62	3.7	335	-3.8	7.1	4	3	99	5	2	15	100	5000	0			30	20	1	2	300	1			
17	87.08	77.52	3.7	310	-3.9	2.6	4	4	98	10	1.5	15	800	1000	5			10	15	1.5	2	50	0			
21	87.08	77.53	3.3	269	-7.5	0	2		98	3	2.2	15	500	1000				20	5	1.5	4	200	2			
23	87.08	77.60	2.6	215	-6.3	0	2		100	3	2.2	15	500	1000				20	5	1.5	4	200	2			

3:00 conditions difficult to judge  
 9:00 conditions difficult to judge  
 11:00 poor visibility < 300m  
 13:00 fog  
 14:00 fog  
 15:00 fog  
 16:00 ponds frozen and snow covered, but visible  
 17:00 pressure ridge formation, ship stuck, lots of algae on ice underside (red)  
 21:00 pressure ridge formation, ship stuck, lots of algae on ice underside (red)





9.9.2001

Hour

Port

Ahead

Starboard

21:00




10.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
10	87.05	76.65	5.7	16	-4.1	4.2	4	3	99	5	2	15	600	5000	0				50	30						
11	87.00	76.08	2.8	254	-3.2	0.5	4	4	99	10	2	10			5	10	10	0								
13	86.93	76.10	3.2	272	-2.2	3.3	4	4	99	10	1.8	10														
14	86.90	75.33	3.3	241	-2.9	5	4	4	90		1.7	10	1000	3000					40		2	4	100	2		
15	86.87	74.57	3.9	237	-2.4	7.5	4	4	90	10	1.5	15	400	1500				20	10	1.5	2.5	150	2	1		
16	86.82	74.42	5	235	-2.3	6.9	4	4	99	5	2	15	300	2000	0			0		1.5	3	150	2	0	0	
17	86.78	74.38	4.8	249	-2		4	4	95	10	1.8	10	300	1000	0			0		1	2.5	100	2			
18	86.77	74.45	5.8	238	-3.3	6.3	4	4	98	10	1.8	15	400	1000	5			10		1	2	150	2			
19	86.75	74.40	5.8	216	-2.9	4.5	4	4	99	10	1.8	15	500	2000	5					1	2	200	2			
22	86.72	74.53	5.6	223	-2.7	0	1	98	10	1.7	15	400	1000					30	10	1	3	200	2			


10:00 fog, only very few green ponds visible from helicopter, new ridges at floe contacts  
 11:00 fog and poor visibility  
 13:00 fog, white out, difficult to estimate  
 14:00 fog  
 16:00 only some few green ponds are snow free visible; still much ramming; new ridges at floe contact  
 17:00 POLARSTERN got stuck  
 18:00 ramming in ice, fog, algae in broken ice  
 19:00 still ramming, some melt ponds without snow cover  
 22:00 on station

Hour Port Ahead Starboard



10:00




14:00



16:00




10.9.2001



11.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0/Old=1,Both=2	Rubble fields, coverage [%]	Icebergs, Number of
2	86.68	74.37	7.1	223	-3.3	5.7	4		98	10	1.6	15	600	1000	2			20		5	1	2	200			
9	86.62	74.20	7.3	214	1.4	0.3	4		100	10	1.7	10	500	1000	5						1.5	2	200			
10	86.57	74.18	8.5	223	-1	1.2	4		99	5	1.8	10	300	2000	0			0	30	30			150	0	0	
11	86.55	74.20	9.4	227	-0.9	0.4	4		98	10	1.5	15	300	1000	0			0	30	20	1	1.5	200	2	0	
13	86.55	74.30	10.7	222	-0.8		4		95	10	1.6	15	800	2000	0						1	2	400	2		
15	86.52	73.53	12.8	233	-0.8	3.2	4		98	10	1.7	15	300	1500							1	2	300	2		
16	86.50	73.73	12.7	239	-0.7	2.2	4		95	5	1.7	15	150	2000	0			0	30	30	1	2	300	2	0	
17	86.50	73.80	12.6	242	-0.6	2.9	4																			
21	86.48	74.23	11.1	245	-0.2	0	2																			
23	86.48	74.43	10.8	247	-0.4	1	1																			

2:00 only few meltponds visible, many ridges formed by ramming  
 9:00 POLARSTERN got stuck again, snowfall  
 10:00 snowfall and fog; very few snow-free green ponds, others partially visible; ice under pressure, new ridges at floe contact  
 11:00 strong snowfall, mainly horizontal, big snowflakes, on station  
 13:00 ship on station, fresh snow fall  
 15:00 snow, poor visibility  
 16:00 20% melt pond cover, snow and ice covered, greyish; ice under pressure  
 17:00 still ramming at same position  
 21:00 on station, fog, poor visibility  
 23:00 on station, it's snowing, poor visibility



Data and color images are available via  
<http://www.awi-bremerhaven.de/Modelling/SEAICE/icereport/index.html>

12.9.2001

2	86:43	74.35	9.5	252	-0.7	6.4	4	4	0+4	90	5	2	15	500	1000	10	3	15	0	50	5	1	2	300	2	0		
3	86:42	74.35	9.5	249	-1.1	2.7	4	4	0+4	90	5	2	15	500	1000	10	3	15	0	50	5	1	2	300	2	0		
12	86:37	73.62	7.9	168	-2.5	0.7	4	4	0+4	99	5	2	20	1000	1000	10	7	20	1	10	1	1	1.5	200	1	2		
15	86:42	73.20	12.8	170	-0.6	2.3	4	4	0+4	99	5	1.7	10	1000	2000	10	5	20	1	10	1	1	1.5	200	2	2		
16	86:43	73.20	12.5	174	-0.3	0	4	4	0+4	99	5	1.7	10	1000	2000	10	5	20	1	10	1	1	1.5	200	2	2		
17	86:45	72.83	8.6	177	-0.2	4	4	4	0+4	98	3	1.5	10	500	700	15	8	15	0	10	1	1	1.5	200	2	10		
18	86:47	71.97	9.2	210	-0.1	5	4	4	0+4	99	5	1.8	10	10	2000	10	10	20	20	30	20	1	4	200	2	2		
19	86:50	71.47	5.3	206	-0.2	6.4	4	4	0+4	90	2	1.6	10	1000	2000	20	10	20	10	30	10	1	2	200	2	2		
21	86:48	70.10	9.8	245	-0.2	5.5	4	4	1+4	98	3	1.7	10	1000	2000	20	10	25	5	20	5	1	3	100	2	2		
23	86:48	69.72	9.5	250	-0.2	1	1	1	1+4	98	3	1.8	10	1000	2000	15	5	25	5	60	10	1	3	100	2	2		
2:00	fog																											
3:00	still running at same position																											
12:00	POLARSTERN got stuck, dirty ice visible in floes (algaee?), meltpond snow covered																											
16:00	rain, still ramming at the same floe since 15:30, new ridges at floe contacts; ponds well visible and almost snow free																											
17:00	rain																											
18:00	some heavily-rubbed floes, dirty, heavy sediments inside the ice, many ponds snow free but frozen, rain, sediments around formerly broken ice																											
21:00	poor visibility, it is not possible to estimate ice floe sizes, rain																											
23:00	on station, poor visibility, it is difficult to estimate floe size																											

Hour

Port

Ahead

Starboard

17:00




Data and color images are available via  
<http://www.awi-bremerhaven.de/Modelling/SEAICE/icereport/index.html>

13.9.2001


Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0,Old=1,Both=2	Rubble fields, coverage [%]	Icebergs, Number of
8	86.53	69.27	5.7	332	-4.3								1000	3000	20	10	30	5	100	10	1	3	500	2		
9	86.52	69.20	6.9	328	-4.5	8.2	4	80	80	1.8	10	500	1000	1000	15	5	10	2	40	10	1	3	300	2		
11	86.57	67.58	7.1	317	-5.2	7.6	4	95	3	1.5	10	300	800	800	5	5	10	5			1	1.5	300	2		
12	86.58	66.88	5.9	330	-5.6	5.5	4	98	2	1.2	15	100	500	500	5	5	10	5			1	1.5	150	2		
14	86.60	66.20	5.2	320	-6.5	1.3	4	90	1.5	1.0	1000	500	500	5	5	10	5			40	2	3	150	2		
15	86.62	65.83	5.3	310	-7.4	1.8	4	95	1.5	1.0	1000	200	500	10	10	30	5	0	30	20	1.5	2	100	2	1	
16	86.68	65.27	5.4	318	-9.6	5.9	4	98	1	1.7	10	500	2000	2000	5	2	5	0	50	20	1	3	150	2	1	
17	86.75	65.33	6.4	313	-9.3	5.4	4	95	2	1.5	10	400	1500	5	15	30	5	5	50	20	1	1.5	100	2		2
18	86.73	64.85	8.5	310	-9.4	0.8	4	95	3	1.5	10	200	1000	1000	5	10	25	2	50	10	1	1.5	100	2		
21	86.73	64.97	7.5	315	-9.9	0.3	3	96	3	1.5	10	200	1000	1000	5	10	25	2	30	5	1	2	100	2		
23	86.72	65.28	11.6	318	-10.1		1	96	3	1.5	10	150	1000	1000	5	10	20	2	30	5	1	2	100	2		

8:00 on station  
 11:00 POLARSTERN got stuck several times  
 16:00 despite high ice concentration, we make good progress  
 18:00 just reached next Dredge station, preparing a broken ice field for Dredge transit  
 21:00 on station, new ice formation  
 23:00 on station





13.9.2001



13.9.2001


Hour

Port

Ahead

Starboard

23:00



Data and color images are available via  
<http://www.awi-bremerhaven.de/Modelling/SEAICE/icereport/index.html>

14.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
2	86.73	65.38	5.9	289	-11.2	6.9	4		96	5	2	10	200	1000					30	5	1	2	100			
3	86.78	65.47	9.6	309	-10.9																					
5	86.78	65.47	9.6	299	-10.3																					
14	86.78	64.93	3.1	323	-9.5	2.1	4	4	100	1.2	10	500	700	5	5	20		40		1	2	300	2			
15	86.78	64.78	2.6	307	-9.5	8	4	4	98	1	2	15	1000	1500	10	5	15									
16	86.82	64.78	3.5	298	-9.8	1.3	4		99	10	1.7	15	1000	2000	5	10	30	0	150	100	1	2	150	2		1
17	86.85	64.75	6.3	261	-9.8	7	4	3	97	10	2	15	800	1200	5	10	20									
19	86.75	62.42	6.3	284	-8.6	6.3	4	0	95	15	1.8	10	400	1000	5						1	2	200	2		
21	86.72	60.85	6.3	290	-8.4	6.2	4	0+3	98	10	1.8	10	300	1000	5	5	20		30	5	1	2	100	2		1
23	86.72	58.97	1.7	22	-7.8	5.5	4	3+4	99	5	1.8	10	200	1000	5	5	20		20		1	3	100	2		

3:00 on station  
 14:00 fog  
 16:00 on station  
 21:00 new ice formation  
 23:00 fog



Hour

Port




Ahead

Starboard

2:00



3:00



6:00

14.9.2001


Hour

Port


Ahead

Starboard



14:00



15:00



16:00




15.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
2	86.77	58.02	4	117	-9.5	3.2	4	3+4	99	5	2	10	200	1000	5	5	20	20								
3	86.78	58.07	4.7	129	-8.4	3.5	4	1+4	98	10	1.7	10	500	1000	5	5	15	50	10	1.5	3.5	50	2	2		
8	86.92	58.70	4.7	102	-8.4	4.2	4	4	100	10	1.8	10	1000	3000	5	10	15	100	5	1	2	200	2	2	8	
11	86.90	58.48	3.5	282	-7.9																					
12	86.88	58.48	3.7	80	-7.8	0																				
13	86.87	58.22	5.8	85	-7.8	7.5	4	4	100	5	1.8	10	1000	5000	2						1.5	3	500	2	7	
14	86.88	58.10	5	87	-8	2.6	4	4	100		1.7	10	1000	5000	5						1.5	3	300	2		
15	86.88	57.47	7.5	102	-7.4	0.7	4	4	100	2	1.9	10	1000	5000	5						1	2	500	2	3	
16	86.90	57.40	5.8	98	-7.1	1	4	4	100	1																
17	86.90	57.20	7.5	104	-6.5	3	4	4	100	3	2	10	1000	5000	2	5	10	15			1	2.5	500	2		
21	86.90	56.25	8	86	-6.4	1.1	4	1+3	98	3	1.8	10	150	1000	5	5	15	60	10	1	3	100	2	2		
23	86.88	56.05	11.3	102	-6.1	0.2	4	3	98	5	1.8	10														


12:00 on station  
 15:00 got stuck, ice thickness estimated from broken ice around the ship  
 16:00 still ramming through two big floes > 2km diam. with big fresh ridge inbetween  
 17:00 stuck again, ramming  
 21:00 on station  
 23:00 on station, fog, poor visibility, new ice formation

Hour Port Ahead Starboard



4:00



8:00



13:00



15.9.2001


Hour

Port


Ahead

Starboard


14:00



15:00



17:00



16.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0,Old=1,Both=2	Rubble fields, coverage [%]	Icebergs, Number of	
2	86.87	54.62	9.2	254	-5.3	5.8	4		3	95	2	10	100	500	5	5	10	2	30		1	2.5	50	2		1	
3	86.88	54.3	9.9	109	-5.1	4.7	4		4	98	2	10	1000	5000	5	2	10	2			1	2.5	50	2			
5	86.83	53.38	7.5	106	-5.7	1.2	4		4	98	2	1.8	10	1000	5000	5	2	10	2		1	2	50	2			
8	86.78	52.37	6.6	88	-2.7	4	4		4	98	5	1.7	10	300	1000	10	5	40			1	2.5	100	2		7	
11	86.80	52.30	0.2	68	-2	0.2	2		4	97	8	1.5	10	500	1000	15	8	15			1	2	150	2			
13	86.80	51.85	3.6	30	-1.7	5.4	4		4	98	10	1.7	10	500	2000	20	5	10			1	3	200	2			
15	86.77	51.13	4.2	33	-2	5.4	4		4	98	5	1.5	10	300	1000	10	10	20		50	1	2	100	2			
16	86.85	50.22	6.1	352	-2.9	6.3	4		4	98	5	1.5	15	100	1000	10	10	30		50	1	2	200	2		1	
17	86.85	50.05	6.6	350	-3.7	4.5	4		4	99	5	1.7	10	500	800	10	10	20		50	1	2	200	2			
18	86.80	49.65	8.2	344	-4.3	6.9	4		4	95	5	1.7	15	300	800	5	5	10		50	1	2	300	2			
19	86.83	49.62	9.5	344	-4.9	5	4		4	97	10	2	15	100	2000	5	10	30	0	70	60	1	2	250	2		9
23	86.80	49.22	9.6	346	-6.1	3.2	4		3	98	5	1.8	15	150	2000	5	5	30	40	15	1	2	100	2			


3:00 foggy  
11:00 on station

13:00 foggy  
16:00 due to today's rain surface appears grey, and more ponds are visible than before

19:00 good visibility; ahead photo shows brush broken for dredging

Hour

Port



Ahead




Starboard



2:00


3:00



5:00












16.9.2001




17.9.2001

3	86.68	47.12	8.7	346	-7.2	6.1	4	3+4	98	5	2	15	200	500	5	5	20	0	20	1	2	100	2	8	
4	86.68	47.13	4.3	299	-8.3	1.2	4	3+4	98	2	1.7	10	200	1000	5	10	20	40	30	1	2	200	2	18	
10	86.68	47.60	4.4	327	-11.5	7	4	3+4	90	10	1.7	5	200	500	5	5	10	20	20	1.5	3	100	2	7	
16	86.75	46.50	2.3	320	-10.9	0.2	4	4	95	5	1.7	10	300	1000	5	5	10	0	40	1	3	200	2	19	
17	86.75	46.85	1.6	288	-11.2	2.2	4	4	99	5	1.7	10	150	2000	5	10	50	0	40	1	3	200	2	19	
18	86.77	46.42	2.8	337	-11.3	6.5	4	4	100	5	1.8	15	100	1500	2	10	20	0	30	20	1	2	150	2	13
19	86.73	46.32	1	335	-11.1	3.5	4	4	98	5	1.8	10	100	800	2	5	10	10	10	1	2	100	2	3	
20	86.73	46.28	1.1	326	-11.2	7.1	4	4	98	5	1.8	10	300	800	2	5	10	0	30	20	1	1.5	100	2	4
23	86.75	46.32	1.5	97	-12	0	3	4	98	2	1.8	10	300	1000	2	5	20	0	20	1	2	150	2	6	

1600 melt ponds snow covered, good visibility  
 1700 some big icebergs > 100m diam., some impressive linear new and old ridges  
 1900 just reached Dredge position, making a path  
 2000 still looking for Dredge position  
 2300 on station

Hour	Port	Ahead	Starboard
10:00			
17:00			
18:00			


17.9.2001



18.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
1	86.82	45.73	3.1	142	-11.4	8.7	4	1+4	100	10	1.8	15	300	1000	2	5	15	0	30							
11	86.68	42.97	9.4	138	-6	5.4	4	4	100	15	1.8	5	500	1000	10	5	10	40			1	2	100	2		
15	86.63	41.30	10.7	116	-5.4				90	5	1.9	8			10	15	30	100			1	1.5	200	2		1
17	86.63	40.85	13	132	-5.2	7.5	4	4	98	10	1.5	5	200		5	15										
18	86.65	40.58	12.2	112	-5	1.3	4	4	100	2	1.9	10	1000	1000	15	10	30	0	15	15	1	3	200	2	0	0
21	86.67	40.42	14.3	104	-4.7	4.8	4	4	99	10	1.9	10	500	2000	10	10	25	0			1	2.5	200	2	0	0
23	86.62	40.28	13	105	-4.2	0.6	4	4	100	10	1.8	10														

1:00 new ice formation in leads  
 15:00 poor visibility, snowfall, new ice forming in lead, on station  
 17:00 poor visibility, snowfall, new ice forming in lead, on station  
 18:00 very foggy, ramming between two big floes, ponds well visible by their white snow cover in contrast to greyish bare ice surface, bigger ponds are snow free  
 21:00 heavy snowfall, dark  
 23:00 heavy snowfall, bad visibility




Data and color images are available via  
<http://www.awi-bremerhaven.de/Modelling/SEAICE/icereport/index.html>

19.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
1	86.53	40.37	9.7	107	-3.5	0	2	4	100	15	1.8	10														
4	86.52	40.10	8.8	343	-3			4	100		2	10	1000	2000	5	10	20					2	4	200		
5	86.50	40.62	7.3	99	-2.7	3.1		4	100	1	1.5	10	1000	2000	5	7	15					1.5	2	100	2	
11	86.45	41.17	1.5	109	-2.1	7.9	4	4	100	10	1.5	10	1000	2000	5	7	20		40			2	4	200	2	
12	86.43	41.98	5.5	267	-3.3	4.5	4		98	5	2	15	500	2000	2	15	30	0								
13	86.43	40.98	6.5	266	-4.9	0.2	4		98	5	1.6	10														
15	86.42	40.97	6.9	270	-5.6				95	2	1.8	15	300	2000								1	2	200	2	
16	86.42	41.08	6	268	-5.7				100	10	1.5	10	300	500												
17	86.40	41.18	6.4	270	-6.3	0.9	4	4	98	5	1.8	10	300	500												
18	86.42	40.48	4.6	255	-5.9	6.4	4	3	98	10	1.8	15	200	1000	2			0	80	50	1	2	100	2	1	3
19	86.42	40.60	4.3	239	-6.2	2.2	4	4	98	5	1.5	10	100	800					10	8	1	2	100	2	2	
23	86.40	40.73	3.7	272	-5.6	0	2	4	98	10	1.7	15	200	1000				40	5	1	3	100	2			

1:00 heavy snowfall, bad visibility  
 4:00 poor visibility, snowfall  
 5:00 poor visibility, snowfall  
 12:00 preparing for Dredge station, most ponds covered with new snow, no more visible  
 13:00 on station  
 15:00 on station  
 16:00 on station  
 18:00 most ponds covered by new snow, thick, favourable ice condition for steaming  
 19:00 getting dark, melt ponds covered with snow, not possible to see them, snow drift  
 23:00 ponds are fresh snow covered



19.9.2001




Hour

Port


Ahead

Starboard

13:00



19:00







20.9.2001



Hour

Port

Ahead

Starboard










15:00



21.9.2001

2	86.03	34.20	7.3	17	-6.3	0.7	4	4	100	5	1.8	10	300	1000	5	5	5	10	10	20	20	5	1	2	100	2			
4	86.00	32.65	5.8	10	-5.9	4.3	4	4	95	5	2	10	200	1000	5	3	3	10	150	10	150	10	1	2	100	2			
10	85.98	31.98	6.8	30	-8.7	7.4	4	0	95	10	1.8	10	200	500	1	5	5	10	200	80	1	3	100	1	1	2			
12	85.98	31.20	4.9	24	-9.2				99	20	1.5	15	200	500	1	15	50	0	200	80	1	2	150	1	2				
13	85.95	31.18	4.6	8	-9.5	1.8	2	0	99	20	1.5	10	500	1000	1	10	20	0	80	30	1	1.5	300	2					
15	85.93	30.92	5.4	15	-10.5	2.5	4	4	95	10	1.6	15	800	2000	10	3	10	40	40	40	1	1.5	200	2					
16	85.92	30.43	5	108	-10.6	4.1	4	4	90	10	1.5	10	500	1000	10	3	10	30	30	30	1.5	2.5	150	2	1	2			
17	85.87	29.25	4.8	7	-10.5	3.8	3	1+4	98	5	1.4	5	300	500	5	2	10	0	50	30	1.5	3	150	1	2				
18	85.90	28.12	4.7	359	-11.8	4.6	4	3	99	5	1.5	10	200	2000	1	5	20	0	20	30	1.5	2.5	150	2	5				
19	85.92	27.82	5.2	346	-12.2				98	5	1.5	10	300	2000	3	5	10	0	20	30	1.5	2.5	150	2	5				
20	85.90	27.25	4.8	355	-12.5	3.2	3	3	95	2	1.7	5	100	800	3	3	3	10	40	5	1	2	100	2					

4:00 foggy  
 10:00 on station, quite heavily ridged floes around, although station floe was so flat  
 12:00 on station, lead frozen over with thin ice  
 18:00 mixture of flat and heavily deformed floes  
 20:00 preparing way for Dredge in a field of loose ice floes

Hour	Port	Ahead	Starboard
4:00			
12:00			
13:00			

21.9.2001


Hour

Port

Ahead

Starboard

14:00



	0:00	2:00	4:00	16:00	
on station	on station	on station	on station	on station	
Latitude [°N]	85.90	85.95	85.92	85.90	85.93
Longitude [°E]	27.23	27.23	27.23	25.70	25.08
True Wind speed [m/s]	4.1	4.8	4.3	3.6	1
True Wind direction [°]	351	359	343	327	314
Air Temperature [°C]	-10.3	-10.1	-9.3	-9.2	-7.9
Ship speed [kn]	0	5.9	0	1.5	
Number of Engines	4	2	3	3	
Operation mode: channel=0, lead=1, floe ice=3, ramming=4	3	4	3	3	
Total ice concentration [%]	98	99	98	90	
C thin ice <30cm [%]	5	5	5	5	
Typical sea ice thickness [m]	1.7	1.6	1.5	1.5	
Snow thickness [cm]	5	5	5	5	
Typical floe diameter [m]	100	200	200	200	
Max. floe diameter [m]	1000	1000	1000	1000	
Melt pond coverage [%]	3	3	3	3	
Typical pond diameter [m]	5	5	5	5	
Maximum pond diameter [m]	10	10	10	10	
Dirty ice concentration [%]					
Lead width [m]	30	20	40	40	
Lead floes, diameter [m]	5	5	5	5	
Typical ridge height [m]	1	1	1	1	
Max. ridge height [m]	2	2	2	2	
Typical ridge spacing [m]	70	100	200	200	
Ridges: New=0,Old=1,Both=2	2	2	2	2	
Rubble fields, coverage [%]					
Icebergs, Number of					

No images.

23.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
0	85.78	21.68	2.9	285	-8.8	4.7	3		99	15	1.5	5	200	1000	3	5	15		50	5	1	2	150	2		
2	85.82	20.47	3	284	-10.2	0	2		99	10	1.5	5	500	1500	3	5	10		40		1	2	200	2		
6	85.82	20.58	2.3	285	-9.6	3.4	3		99	15	1.8	5	300	1000	1	10	30		50	40	1	2	300	1	0	2
7	85.83	21.37	2.9	284	-9.4	1.8	3		99	15	1.8	5	300	1000	1	5	15		50	40	1	2	200	1	0	2
18	85.80	21.50	3.7	36	-9.2	5.6	3		99	10	2	15	300	2000	1	10	30	0	200	50	1	4	300	1	0	1
19	85.85	22.07	5.8	42	-8.9	5.6	3		99	10	1.8	15	500	1000					80		1	3	200	2	2	


2:00 TV-Grab station  
 19:00 lots of algae on ice underside

No images.

24.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0, Old=1, Both=2	Rubble fields, coverage [%]	Icebergs, Number of
0	85.85	22.28	3.1	115	-8.7	0	2	4	99	10																
2	85.87	22.32	4.5	104	-7.3	3.4	3	4	99	10	1.5	15	400	1000					50	5	1	2	200	2		
4	85.92	22.50	5.9	110	-7	3.9	4	4	99	10	1.5	10	200	1000					50		1	2	100	2		
5	85.95	22.77	5.8	105	-7.1	5.4		1+4	99	10	1.2	15	300	1000					30		1	2.5	100	2		
7	85.97	22.72	6.8	88	-7.2	5.1	4	4	99	10	1.2	15	400	1000					90	50	1	4	300	1	0	1
11	85.97	22.53	5.6	69	-7.9	3.1	4	4	100		1.5	30	400	1000					40		2	4	100	2		
12	85.93	22.73	6.5	62	-8.8		3	4	100	5	1.8	15	300	5000	1	10	30	0	10	10	0.8	2	200	2	0	
13	85.92	22.72	2.3	17	-8.6	3.5	3	4	100	5	1.5	10	200	2000							1	1.5	150	2		
16	85.88	22.85	10.7	67	-9	8.9	3	4	100		1.2	15	200	2000	0				10	10	1	1.5	100	2		
17	85.90	22.55	7.7	45	-10.3																					
19	85.90	22.63	10.8	41	-9.1																					
23	85.95	23.88	13.9	52	-8.4	1.8	3	4	100	15	1.3	10														

0:00 on station, it's snowing, poor visibility  
 4:00 poor visibility  
 5:00 poor visibility, snowfall  
 12:00 new ice hard to distinguish due to new snow  
 17:00 on station  
 19:00 on station  
 23:00 approaching station, poor visibility



Data and color images are available via  
<http://www.awi-bremerhaven.de/Modelling/SEAICE/icereport/index.html>

25.9.2001

Time UTC	1	4	5	7	12	18	23
Latitude [°N]	85.93	85.95	85.95	85.95	85.95	85.97	85.90
Longitude [°E]	23.63	23.18	23.03	22.72	21.80	20.73	20.98
True Wind speed [m/s]	16.4	19.7	19.4	20.7	21.9	16.7	16.5
True Wind direction [°]	54	52	53	48	62	24	80
Air Temperature [°C]	-8.7	-8.1	-7.9	-7.2	-6.2	-2.7	-2.8
Ship speed [kn]	0.8	1.5	3.5	1.4			
Number of Engines	2	4	4	4	4	4	4
Operation mode: channel=0, lead=1, floe ice=3, ramming=4							
Total ice concentration [%]	100	100	100	100	100	99	99
C thin ice <30cm [%]	15	5				5	3
Typical sea ice thickness [m]			2	10	500	2	1.7
Snow thickness [cm]					15		
Typical floe diameter [m]							
Max. floe diameter [m]							
Melt pond coverage [%]							
Typical pond diameter [m]							
Maximum pond diameter [m]							
Dirty ice concentration [%]							
Lead width [m]							50
Lead floes. diameter [m]							50
Typical ridge height [m]							
Max. ridge height [m]							
Typical ridge spacing [m]							
Ridges: New=0,Old=1,Both=2							
Rubble fields, coverage [%]							
Icebergs, Number of							

1:00 on station, poor visibility

4:00 poor visibility

5:00 stuck due to bad ice condition, poor visibility

7:00 stuck due to bad ice condition, poor visibility

12:00 stuck in the ice at same position; white out conditions; strong drift to W

18:00 ramming since 1h at same position; dark and foggy

23:00 it is dark, bad visibility, it is difficult to estimate ice floes parameters

No images.












This page was intentionally left blank.

26.9.2001

1	85.73	20.65	12.7	71	-3.3	7.3	4	4+0	90	5	1.5	10	400	10000	5	5	10	0	200	30	1	5	150	1	0	0	
4	85.45	20.43	11.9	73	-4.2	5.4	3	0+4	90	5	1.5	10	200	5000	5	5	10	50	20	0.8	1	2	100	2	0	0	
7	85.25	20.23	10.2	69	-4.1	5.5	3	0+4	90	5	1.5	10	200	10000	5	5	10	50	20	0.8	1	3	100	2	0	0	
15	84.93	20.20	10.2	58	-4.3	6.8	3	0+3	90	15	1.3	5	500	30000	30	10	30	3	2	10	30	1	5	150	1	0	0
17	84.80	20.28	10.2	58	-4.4	6.9	3	0+1	90	10	1.6	5	300		2	10	30	0	200	30	1	5	150	1	0	0	
18	84.78	21.43	7.4	56	-4.7	0.1	3	0+1	98	10	1.5	5	500		3	10	20										
19	84.68	22.42	7.4	56	-4.7	0.1	3	0+1	98	10	1.5	5	500		3	10	20										
23	84.62	24.67	7	38	-6	5.4	3	0+1	98	10	1.4	5	500		3	10	20										

1:00 new ice formation in leads  
 17:00 contrasts too low to detect ridges  
 18:00 leads have open water, most ponds covered with wind blown, packed snow; only few are still visible  
 19:00 stuck  
 23:00 it is dark to make estimation of floes size etc.

Hour	Port	Ahead	Starboard
4:00			
15:00			
17:00			

26.9.2001



Hour

Port

Ahead

Starboard


18:00



27.9.2001

Time UTC	Latitude [°N]	Longitude [°E]	True Wind speed [m/s]	True Wind direction [°]	Air Temperature [°C]	Ship speed [kn]	Number of Engines	Operation mode: channel=0, lead=1, floe ice=3, ramming=4	Total ice concentration [%]	C thin ice <30cm [%]	Typical sea ice thickness [m]	Snow thickness [cm]	Typical floe diameter [m]	Max. floe diameter [m]	Melt pond coverage [%]	Typical pond diameter [m]	Maximum pond diameter [m]	Dirty ice concentration [%]	Lead width [m]	Lead floes, diameter [m]	Typical ridge height [m]	Max. ridge height [m]	Typical ridge spacing [m]	Ridges: New=0,Old=1,Both=2	Rubble fields, coverage [%]	Icebergs, Number of
1	84.52	26.67	4.8	32	-5.6	5.3	3	0	99	50	0.2	2														
4	84.37	28.25	7.8	53	-5.9	6.4	3	0	99	50	0.2															
5	84.28	28.37	9.3	45	-5.9	6	0	95	30	1.2	5	200	700	5	3	10		50		1	2	300	1			
23	83.53	27.40	8	30	-6.3	5.8	3	3	80																	

1:00 we go mostly in new ice  
 4:00 no leads, no floes visible, water is covered by new ice  
 23:00 too dark





### „Berichte zur Polarforschung“

Eine Titelübersicht der Hefte 1 bis 376 (1981 - 2000) erschien zuletzt im Heft 413 der nachfolgenden Reihe „Berichte zur Polar- und Meeresforschung“. Ein Verzeichnis aller Hefte beider Reihen sowie eine Zusammenstellung der Abstracts in englischer Sprache finden Sie im Internet unter der Adresse:  
<http://www.awi-bremerhaven.de/Resources/publications.html>

Ab dem Heft-Nr. 377 erscheint die Reihe unter dem Namen:

### „Berichte zur Polar- und Meeresforschung“

- Heft-Nr. 377/2000** – „Rekrutierungsmuster ausgewählter Wattfauna nach unterschiedlich strengen Wintern“ von Matthias Strasser
- Heft-Nr. 378/2001** – „Der Transport von Wärme, Wasser und Salz in den Arktischen Ozean“, von Boris Cisewski
- Heft-Nr. 379/2001** – „Analyse hydrographischer Schnitte mit Satellitenaltimetrie“, von Martin Losch
- Heft-Nr. 380/2001** – „Die Expeditionen ANTARKTIS XI/1-2 des Forschungsschiffes POLARSTERN 1998/1999“, herausgegeben von Eberhard Fahrback und Saad El Nagggar.
- Heft-Nr. 381/2001** – „UV-Schutz- und Reparaturmechanismen bei antarktischen Diatomeen und *Phaeocystis antarctica*“, von Lieselotte Riegger.
- Heft-Nr. 382/2001** – „Age determination in polar Crustacea using the autofluorescent pigment lipofuscin“, by Bodil Bluhm.
- Heft-Nr. 383/2001** – „Zeitliche und räumliche Verteilung, Habitatspräferenzen und Populationsdynamik benthischer Copepoda Harpacticoida in der Potter Cove (King George Island, Antarktis)“, von Gritta Veit-Köhler.
- Heft-Nr. 384/2001** – „Beiträge aus geophysikalischen Messungen in Dronning Maud Land, Antarktis, zur Auffindung eines optimalen Bohrpunktes für eine Eiskerntiefbohrung“, von Daniel Steinhage.
- Heft-Nr. 385/2001** – „Actinium-227 als Tracer für Advektion und Mischung in der Tiefsee“, von Walter Geibert.
- Heft-Nr. 386/2001** – „Messung von optischen Eigenschaften troposphärischer Aerosole in der Arktis“ von Rolf Schumacher.
- Heft-Nr. 387/2001** – „Bestimmung des Ozonabbaus in der arktischen und subarktischen Stratosphäre“, von Astrid Schulz.
- Heft-Nr. 388/2001** – „Russian-German Cooperation SYSTEM LAPTEV SEA 2000: The Expedition LENA 2000“, edited by Volker Rachold and Mikhail N. Grigoriev.
- Heft-Nr. 389/2001** – „The Expeditions ARKTIS XVI/1 and ARKTIS XVI/2 of the Research Vessel 'Polarstern' in 2000“, edited by Gunther Krause and Ursula Schauer.
- Heft-Nr. 390/2001** – „Late Quaternary climate variations recorded in North Atlantic deep-sea ostracodes“, by Claudia Didié.
- Heft-Nr. 391/2001** – „The polar and subpolar North Atlantic during the last five glacial-interglacial cycles“, by Jan. P. Helmke.
- Heft-Nr. 392/2000** – „Geochemische Untersuchungen an hydrothermal beeinflussten Sedimenten der Bransfield Straße (Antarktis)“, von Anke Dählmann.
- Heft-Nr. 393/2001** – „The German-Russian Project on Siberian River Run-off (SIRRO): Scientific Cruise Report of the Kara-Sea Expedition 'SIRRO 2000' of RV 'Boris Petrov' and first results“, edited by Ruediger Stein and Oleg Stepanets.
- Heft-Nr. 394/2001** – „Untersuchung der Photooxidantien Wasserstoffperoxid, Methylhydroperoxid und Formaldehyd in der Troposphäre der Antarktis“, von Katja Riedel.
- Heft-Nr. 395/2001** – „Role of benthic cnidarians in the energy transfer processes in the Southern Ocean marine ecosystem (Antarctica)“, by Covadonga Orejas Saco del Valle.
- Heft-Nr. 396/2001** – „Biogeochemistry of Dissolved Carbohydrates in the Arctic“, by Ralph Engbrodt.
- Heft-Nr. 397/2001** – „Seasonality of marine algae and grazers of an Antarctic rocky intertidal, with emphasis on the role of the limpet *Nacilla concinna* Strebel (Gastropoda: Patellidae)“, by Dohong Kim.
- Heft-Nr. 398/2001** – „Polare Stratosphärenwolken und mesoskalige Dynamik am Polarwirbelrand“, von Marion Müller.
- Heft-Nr. 399/2001** – „North Atlantic Deep Water and Antarctic Bottom Water: Their Interaction and Influence on Modes of the Global Ocean Circulation“, by Holger Brix.
- Heft-Nr. 400/2001** – „The Expeditions ANTARKTIS XVIII/1-2 of the Research Vessel 'Polarstern' in 2000“ edited by Victor Smetacek, Ulrich Bathmann, Saad El Nagggar.
- Heft-Nr. 401/2001** – „Variabilität von CH<sub>2</sub>O (Formaldehyd) - untersucht mit Hilfe der solaren Absorptionsspektroskopie und Modellen“ von Torsten Albrecht.
- Heft-Nr. 402/2001** – „The Expedition ANTARKTIS XVII/3 (EASIZ III) of RV 'Polarstern' in 2000“, edited by Wolf E. Arntz and Thomas Brey.
- Heft-Nr. 403/2001** – „Mikrohabitatansprüche benthischer Foraminiferen in Sedimenten des Südatlantiks“, von Stefanie Schumacher.
- Heft-Nr. 404/2002** – „Die Expedition ANTARKTIS XVII/2 des Forschungsschiffes 'Polarstern' 2000“, herausgegeben von Jörn Thiede und Hans Oerter.
- Heft-Nr. 405/2002** – „Feeding Ecology of the Arctic Ice-Amphipod *Gammarus wilkitzkii*. Physiological, Morphological and Ecological Studies“, by Carolin E. Arndt.
- Heft-Nr. 406/2002** – „Radiolarienfauna im Ochotskischen Meer - eine aktuopaläontologische Charakterisierung der Biozönose und Taphozönose“, von Anja Nimmergut.
- Heft-Nr. 407/2002** – „The Expedition ANTARKTIS XVIII/5b of the Research Vessel 'Polarstern' in 2001“, edited by Ulrich Bathmann.
- Heft-Nr. 408/2002** – „Siedlungsmuster und Wechselbeziehungen von Seepocken (Cirripedia) auf Muschelbänken (*Mytilus edulis* L.) im Wattenmeer“, von Christian Buschbaum.