WHP Ref. No.: ISS1 Last updated: 12 July 1994 ANTARES 1: Cruise Report. Cruise narrative Α. A.1. Highlights a. WOCE designation: ISS1b. Expedition designation: 35MF75/1 ANTARES 1, Southern Ocean, France-JGOFS Jean-Francois Gaillard c. Chief scientist: Laboratoire de Geochimie des Eaux Universite Paris 7 and Institut de Physique du Globe de Paris 2, place Jussieu F-75251 Paris Cedex 05 Present address: Dept. of Civil Eng. and Geological Sciences University of Notre Dame, Notre Dame, IN 46556-0767 USA Tel: (219) 631-8602 Fax: (219) 631-8007 e-mail: jfg@galois.ce.nd.edu d. Ship: Navire Oceanographique MARION DUFRESNE e. Ports of call: St Denis to St Denis (Reunion Island, France) Moored: Port aux Francais, Kerguelen Island (April 6 1993) and Crozet Island (March) f. Cruise dates: March 29 to May 18, 1993

A.2. Cruise Summary Information

a. Geographic boundaries: The cruise occurred in an area bounded by 39 to 60S and 53E to 74E.

b. Stations occupied: During this cruise a total of 22 stations were occupied at which 142 casts encompassing 42 CTD/rosette, large-volume sampling, and sediment coring were done.

d. Moorings deployed or recovered: The objectives of the ANTARES 1 cruise encompassed also the mooring of sediment trap arrays. It was first envisioned to moore 4 lines but because of the weather conditions encountered, we were only able to moore one line in relatively difficult conditions.

A.3. List of Principal Investigators The principal investigators for the ANTARES 1 cruise are listed in Table 1.

TABLE 1: Principal Investigators related to the ANTARES 1 Cruise. Name Responsibility Affiliation P. Arrnaud Sediment Biology COM, Marseille, F A. Dinet Meiobenthos Lab. ARAGO, Banuyls, F M. Bianchi Enzymatic Activity D. Moriarty Microbiology Univ. Luminy, Marseille, F CSIRO, Australia J-C. Relexans Sediment Microbiology LOB, Bordeaux, F. /R. De Wit Y. Park CTD, S, O2 MNHN, Paris, F A. Saliot Organic Geochemistry LPCM, Paris, F J. Morvan Sediment Trap ENSCR, Rennes, F P. Tréguer Nutrients IEEM, Brest, F A. Van Bennekom Aluminium NIOZ, Texel, NL C. Rabouille Interstitial Waters CFR, Gif/Yvette, F J-L. Reyss Radionuclides CFR, Gif/Yvette, F

/S. Schmidt J-L. Turon Paleoceanography DOG, Bordeaux, F /J-J. Pichon Isotopes: 180, 13C LODYC, Paris, F C.Pierre /C. Vergnaux-Grazzini L. Labeyrie Isotopes & Paleoceanogr.CFR, Gif /Yvette, F P.Van Cappellen Biogenic Si Dissolution Georgia Tech, Atlanta, USA A.4. Scientific Programme and Methods This was the first cruise of the ANTARES Project headed by Pr. Paul Treguer, URA CNRS 1513 Institut Europeen d'Etudes Marines 6, Avenue Le Gorgeu Universite de Bretagne Occidentale,

This project is the French contribution to the Southern-JGOFS program. It is centered along the WOCE section by 58oS in the Southern Indian Ocean. This project addresses the biogeochemical cycles of the upper ocean as well as the circulation inventory along this transect in order to determine the fraction of the primary production that is preserved in the sedimentary record. This project promotes a multi-disciplinary approach to the study of Global Ocean Flux. For further information please write to Paul Treguer.

The present cruise focused primarily on the benthic environment. A total of 30 scientists were on board the Marion Dufresne for a period of 52 days. The biology, the chemistry and the sedimentology of surface sediments were investigated. This cruise also encompassed hydrographic stations related to the WOCE program.

During this cruise samples of both water and sediments were collected. The sea water physical and chemical properties were probed using a Neil-Brown type Mark III B CTDOXY and a General Oceanics rosette equipped with 12 x 12 liters GO bottles. Water samples were analyzed during the cruise for salinity, using a Guildline Autosal salinometer, for oxygen, CTDOXY cross calibration, and nutrients: nitrate+nitrite and silicate. On board, water column dissolved aluminium analyses were performed at selected locations. Water samples were also collected and preserved for isotopic measurements (13C and 18O). The activity of microbial populations present in the water column was also investigated in order to assess mineralization rates and turn over rates. Large volume sampler (200 liters bottle) were collected for the characterization of the organic composition of the particulate matter. Plankton nets were also utilized to collect planktonic species leaving in the surface waters.

Sediments were collected for biological investigations, geochemical studies of inorganic and organic constituents, and microbiological rates determinations. Sediments were collected using three (3) different coring devices: 1) a multicorer (Barnett et al., 1975);

2) Boxcorers: type NIOZ or USNEL; and

3) piston corer.

F-29287 Brest Cedex, France

The piston cores were devoted to paleoceanographic studies of the phytoplanktonic assemblages in relation with the isotopic measurements of 13C and 180 in selected communities of foraminifera.

The ship departed from le Port de St Denis (Reunion Island) on March 29, 1993 and made two test stations on its way to the Kerguelen Island. The first station consisted in the testing of the oceanographic winch utilized during all coring and the second station was consecrated to test the CTD/rosette operation and also sampling deep water for conditioning the sediment trap collection bottles. The CTD was calibrated at IFREMER, Brest prior to the previous cruise of the Marion Dufresne (CIVA-WOCE, Chief Scientist: Dr. A. Poisson, LPCM, Paris, F) and after ANTARES 1 (July, 1993).

The water samples collected with the PVC bottles proved to be relatively

free of contamination when proper care was taken for handling and cleaning the bottles. The determination of the enzymatic activity and dissolved aluminium are the most sensitive parameters that allowed to check contaminations. Numerous analysis were performed on board. Among the most relevant for the WOCE community were the determination of the salinity and the oxygen following the Winkler method with the end point determined using starch. The determination of salinity was carried out in a constant temperature container (+/- loC). The standard utilized was Batch P120 (April 6, 1992) with K15= 0.99985. The nutrient analyses (nitrate+nitrite, and dissolved silicate) were performed on board using segmented flow colorimetry (Auto Analyzer II Technicon).

## A.5. Major Problems and Goals Not Achieved

During this cruise most of the problems we have encountered were related to weather conditions. The original cruise plan requested for ship time during January, February, and March. Unfortunately the time period that was given to ANTARES 1 was too late in the season since it was centered on the Month of April and May. Just after departing from the Reunion Island we encountered some bad weather. After mooring at Kerguelen Island for a logistic rotation, we run into severe weather and had trouble mooring the sediment trap array in the vicinity of the Kerguelen Island on the ANTARFIX/KERFIX site. When we steamed southward we encountered after performing some piston coring very high seas. The bridge recorded waves as high as 20 meters. We had therefore to change the cruise plan since it was not anymore adapted to the weather conditions we were likely to encounter.

Although we had to modify our original plans, this cruise proved to be valuable in order to understand the benthic and hydrographic environment in the investigated region.