


This is the simple example template containing only headers for each report item and the bookmarks.

Modify it according to your own needs and standards.

Measurement Conditions: (Bookmark 1)



Main Graphics, Analyze View: (Bookmark 2)

Recognized Minerals: (Bookmark 3)

Quality	Score	SemiQuant [%]	Compound Name	Chemical Formula	Scale Factor	Ref. Code	Displacement [°2Th.]	RIR
"C"	81	75	Quartz	Si O ₂	0.813	01-078-2315	-0.016	3.100
"S";UE	43	9	Microcline, ordered	K Al Si ₃ O ₈	0.018	00-019-0926	0.010	0.600
"C"	33	6	Albite low	Na _{1.09} (Al _{1.09} Si _{2.91} O ₈)	0.014	01-076-0758	0.013	0.660

"B";D;U E	24	7	Tridymite	Si O2	0.030	00-016-0152	0.223	1.300
"I";UE	16	2	Phlogopite	K Mg3 (Si3 Al3 \ITT\RG O10) F2	0.005	00-016-0352	-0.007	0.650
"B";D;U E	14	2	Chlorite [NR]	Fe4 Al4 Si2 O10 (O H)8	0.004	00-003-0072	0.212	0.600

Candidate List: (Bookmark 4)

Score	RIR	Compound Name	Scale Factor	Chemical Formula	Total Lines	Matched Lines	New Matched Lines	Strong Unmatched Lines	Displacement [°2Th.]	Ref. Code
23	0.000	Nenadkevichite	0.001	Na (Nb , Ti) Si2 O7 !2 H2 O	60	24	3	0	-0.007	00-025-1189
17	1.300	Moganite	0.004	Si O2	79	32	4	0	-0.024	01-079-2403
16	0.000	Grimaldiite-3\ITR\RG	0.001	Cr O (O H)	15	9	2	0	-0.122	00-009-0331
15	1.650	Nenadkevichite	0.001	Na4.26 Nb3.94 Si8 O24.12 O2.8 (O H)1.2 (H2 O)8	158	62	11	1	-0.013	01-070-1348
14	1.470	Muscovite	0.001	(Na0.37 K0.60) (Al1.84 Ti0.02 Fe0.10 Mg0.06) (Si3.03 Al0.97	154	63	7	0	-0.039	01-085-2147

13	0.000	Tsareg orodtse vite	0.001)O10 (O H)2 C4 H12 Al N O12 Si5	36	15	2	0	-0.117	00- 047- 2499
12	8.320	Graton ite	0.000	Pb9 As4 S15	113	42	2	0	-0.181	01- 074- 1774
11	0.630	Sanidi ne, potassi an, disorde red, syn	0.003	(Na , K) (Si3 Al) O8	17	12	1	0	0.039	00- 010- 0357
11	0.400	Musco vite- 2\ITM #1\RG, vanadi an	0.003	K (Al , V)2 (Si , Al)4 O10 (O H)2	29	16	3	1	0.027	00- 019- 0814
11	0.360	Phengi te 2M1	0.001	K Al2 Si3 Al O10 (O H)2	154	64	9	1	-0.025	01- 076- 0928

Peak List: (Bookmark 3)

d- spacin g [Å]	Pos. [°2Th.]	Height [cts]	FWH M [°2Th.]	Rel. Int. [%]	Tip width [°2Th.]	Match ed by	Height [cps]	Area [cps*° 2Th.]	Area [cts*°2 Th.]	Match ed
9.9502 9	8.8873	29.77	0.2007	0.22	0.2040	00- 016- 0352	0.30	0.06	5.89	Yes
7.1204 8	12.431 2	20.11	0.3346	0.15	0.3400		0.20	0.07	6.64	No
6.5062 4	13.610 1	17.26	0.5353	0.13	0.5440	00- 019- 0926	0.17	0.09	9.11	Yes
5.8833 7	15.059 0	14.24	0.4015	0.10	0.4080	00- 019- 0926; 01- 076- 0758	0.14	0.06	5.64	Yes
4.4784 0	19.825 2	22.05	0.2676	0.16	0.2720		0.22	0.06	5.82	No
4.2571	20.866	2416.5	0.1004	17.77	0.1020	01-	24.24	2.40	239.26	Yes

3	9	2				078-2315; 00-016-0152				
4.02986	22.0580	73.98	0.1171	0.54	0.1190	01-076-0758; 00-016-0152	0.74	0.09	8.55	Yes
3.98280	22.3220	29.69	0.1004	0.22	0.1020	00-019-0926	0.30	0.03	2.94	Yes
3.85345	23.0814	39.25	0.0836	0.29	0.0850	00-019-0926; 01-076-0758	0.39	0.03	3.24	Yes
3.77333	23.5785	55.52	0.1338	0.41	0.1360	01-076-0758; 00-016-0152	0.56	0.07	7.33	Yes
3.66161	24.3087	38.58	0.1004	0.28	0.1020	00-019-0926; 01-076-0758; 00-016-0352	0.39	0.04	3.82	Yes
3.47597	25.6284	65.80	0.2676	0.48	0.2720	00-019-0926; 01-076-0758; 00-003-0072	0.66	0.17	17.37	Yes
3.34578	26.6437	13601.18	0.1004	100.00	0.1020	01-078-2315; 01-076-0758	136.43	13.51	1346.63	Yes

3.2907 2	27.097 9	159.22	0.1004	1.17	0.1020	00- 019- 0926	1.60	0.16	15.76	Yes
3.2402 2	27.528 5	353.54	0.0669	2.60	0.0680	00- 019- 0926; 00- 016- 0152	3.55	0.23	23.34	Yes
3.1957 7	27.919 1	168.70	0.0669	1.24	0.0680	01- 076- 0758; 00- 016- 0152	1.69	0.11	11.14	Yes
3.1536 2	28.299 9	112.08	0.0502	0.82	0.0510	01- 076- 0758; 00- 016- 0152	1.12	0.06	5.55	Yes
3.0316 1	29.464 2	31.54	0.1338	0.23	0.1360	00- 019- 0926; 00- 016- 0152	0.32	0.04	4.16	Yes
2.9568 2	30.227 0	98.12	0.1673	0.72	0.1700	00- 019- 0926; 01- 076- 0758; 00- 016- 0152	0.98	0.16	16.19	Yes
2.9035 8	30.794 9	61.56	0.1673	0.45	0.1700	00- 019- 0926; 00- 016- 0352	0.62	0.10	10.16	Yes
2.7642 6	32.388 5	15.34	0.6691	0.11	0.6800	00- 019- 0926; 00- 016- 0152	0.15	0.10	10.13	Yes
2.6054 7	34.422 0	21.28	0.3346	0.16	0.3400	00- 016-	0.21	0.07	7.02	Yes

2.5678	34.942	40.71	0.2007	0.30	0.2040	0352				
5	4					00-	0.41	0.08	8.06	Yes
						019-				
						0926;				
						01-				
						076-				
						0758				
2.5373	35.376	52.96	0.3346	0.39	0.3400	00-	0.53	0.18	17.48	Yes
4	4					019-				
						0926;				
						01-				
						076-				
						0758;				
						00-				
						016-				
						0152;				
						00-				
						003-				
						0072				
2.4570	36.540	926.82	0.1020	6.81	0.0850	01-	9.30	1.26	126.05	Yes
8	8					078-				
						2315;				
						01-				
						076-				
						0758;				
						00-				
						016-				
						0152				
2.4556	36.656	428.83	0.0612	3.15	0.0510		4.30	0.35	34.99	No
8	4									
2.4269	37.010	26.96	0.1632	0.20	0.1360	00-	0.27	0.06	5.87	Yes
4	9					019-				
						0926;				
						01-				
						076-				
						0758;				
						00-				
						016-				
						0152;				
						00-				
						016-				
						0352				
2.3332	38.554	29.17	0.1632	0.21	0.1360	00-	0.29	0.06	6.35	Yes
7	1					019-				
						0926;				
						01-				
						076-				
						0758;				
						00-				
						016-				

2.2814	39.466	836.69	0.0816	6.15	0.0680	0152	8.39	0.91	91.03	Yes
4	0					01- 078- 2315; 01- 076- 0758; 00- 016- 0152				
2.2807	39.581	389.67	0.0612	2.87	0.0510		3.91	0.32	31.80	No
1	4									
2.2367	40.287	396.11	0.0816	2.91	0.0680	01- 078- 2315; 01- 076- 0758	3.97	0.43	43.10	Yes
8	6									
2.2356	40.414	206.53	0.0612	1.52	0.0510		2.07	0.17	16.85	No
0	4									
2.1584	41.817	67.16	0.0612	0.49	0.0510	00- 019- 0926; 01- 076- 0758; 00- 016- 0352	0.67	0.05	5.48	Yes
3	4									
2.1282	42.438	488.79	0.0816	3.59	0.0680	01- 078- 2315; 01- 076- 0758; 00- 016- 0152	4.90	0.53	53.18	Yes
8	2									
2.1275	42.564	250.65	0.0612	1.84	0.0510		2.51	0.21	20.45	No
2	8									
1.9798	45.792	487.10	0.1020	3.58	0.0850	01- 078- 2315; 00- 019- 0926; 01- 076- 0758	4.89	0.66	66.25	Yes
9	2									
1.9794	45.924	243.61	0.0612	1.79	0.0510		2.44	0.20	19.88	No

0	4									
1.9255	47.162	47.52	0.2448	0.35	0.2040	00-019-0926;	0.48	0.16	15.51	Yes
1	6					01-076-0758;				
						00-016-0152				
1.8181	50.133	1324.9	0.1020	9.74	0.0850	01-078-2315;	13.29	1.81	180.20	Yes
4	5	8				00-019-0926;				
						01-076-0758				
1.8178	50.276	657.82	0.0612	4.84	0.0510		6.60	0.54	53.68	No
1	6									
1.8034	50.571	59.59	0.2040	0.44	0.1700	01-078-2315;	0.60	0.16	16.21	Yes
2	5					00-019-0926;				
						01-076-0758				
1.6717	54.873	459.30	0.0612	3.38	0.0510	01-078-2315;	4.61	0.38	37.48	Yes
7	6					01-076-0758				
1.6716	55.024	192.89	0.1020	1.42	0.0850		1.93	0.26	26.23	No
9	0									
1.6591	55.325	174.72	0.0816	1.28	0.0680	01-078-2315	1.75	0.19	19.01	Yes
9	1									
1.6590	55.479	89.46	0.0816	0.66	0.0680		0.90	0.10	9.73	No
4	9									
1.6095	57.185	29.43	0.1020	0.22	0.0850	01-078-2315;	0.30	0.04	4.00	Yes
5	4					01-076-0758				
1.5713	58.708	5.67	0.4896	0.04	0.4080	01-	0.06	0.04	3.70	Yes

7	5					076-0758				
1.5417 0	59.952 8	963.80	0.1020	7.09	0.0850	01-078-2315; 01-076-0758; 00-003-0072	9.67	1.31	131.08	Yes
1.5416 7	60.118 5	470.36	0.0816	3.46	0.0680		4.72	0.51	51.18	No
1.4950 3	62.027 0	16.67	0.2448	0.12	0.2040	01-076-0758	0.17	0.05	5.44	Yes
1.4528 0	64.040 2	171.36	0.1020	1.26	0.0850	01-078-2315; 01-076-0758	1.72	0.23	23.31	Yes
1.4524 8	64.234 1	81.25	0.0816	0.60	0.0680		0.81	0.09	8.84	No
1.4186 5	65.773 7	40.70	0.1224	0.30	0.1020	01-078-2315	0.41	0.07	6.64	Yes
1.4060 0	66.441 4	10.53	0.3264	0.08	0.2720	00-003-0072	0.11	0.05	4.58	Yes
1.3824 0	67.727 2	550.45	0.1020	4.05	0.0850	01-078-2315; 00-003-0072	5.52	0.75	74.86	Yes
1.3823 0	67.924 0	282.84	0.0816	2.08	0.0680		2.84	0.31	30.77	No
1.3751 5	68.133 3	649.39	0.0816	4.77	0.0680	01-078-2315	6.51	0.71	70.65	Yes
1.3717 3	68.326 8	626.65	0.0816	4.61	0.0680	01-078-2315	6.29	0.68	68.18	Yes
1.3721 4	68.496 6	180.50	0.1020	1.33	0.0850		1.81	0.25	24.55	No
1.2881 3	73.453 5	128.39	0.1224	0.94	0.1020	01-078-2315	1.29	0.21	20.95	Yes
1.2878	73.684	68.77	0.1224	0.51	0.1020		0.69	0.11	11.22	No

6	1									
1.2562	75.640	319.24	0.1020	2.35	0.0850	01-078-2315	3.20	0.44	43.42	Yes
3	3									
1.2560	75.874	167.60	0.1020	1.23	0.0850		1.68	0.23	22.79	No
5	0									
1.2284	77.665	167.31	0.1224	1.23	0.1020	01-078-2315	1.68	0.27	27.31	Yes
6	1									
1.2283	77.902	83.12	0.1020	0.61	0.0850		0.83	0.11	11.30	No
5	5									
1.2000	79.869	253.30	0.1224	1.86	0.1020	01-078-2315	2.54	0.41	41.34	Yes
0	7									
1.2002	80.086	144.35	0.1224	1.06	0.1020		1.45	0.24	23.56	No
7	6									
1.1841	81.158	258.05	0.0816	1.90	0.0680	01-078-2315	2.59	0.28	28.08	Yes
6	8									
1.1804	81.470	289.71	0.1836	2.13	0.1530	01-078-2315	2.91	0.71	70.92	Yes
2	4									
1.1803	81.718	115.30	0.1428	0.85	0.1190		1.16	0.22	21.95	No
8	8									
1.1531	83.823	136.55	0.1836	1.00	0.1530	01-078-2315	1.37	0.34	33.43	Yes
6	9									
1.1529	84.096	71.08	0.1428	0.52	0.1190		0.71	0.14	13.53	No
8	1									

More items... (Bookmark 6)

Visible	Scan Name	Start pos. [°2Th.]	End pos. [°2Th.]	Step [°2Th.]	Measured Date/Time
*	258__18mue	3.0080	84.9820	0.0170	14-feb-2007 10:19

Document History: (Bookmark 5)

More items... (Bookmark 7)

Insert Measurement:

- Scan name = "258__18mue.udf"
- Modification time = "17/03/2007 12:38:02"
- Modification editor = "Administrator"

Interpolate Step Size:

- Step Size = "Derived"
- Modification time = "17/03/2007 12:38:02"
- Modification editor = "Administrator"

Determine Background:

- Correction method = "Automatic"
- Bending factor = "0"
- Use smoothed input data = "Yes"
- Add to net scan = "Nothing"
- Modification time = "17/03/2007 12:38:07"
- Modification editor = "Administrator"

Search Peaks:

- Minimum significance = "1.00"
- Minimum tip width = "0.01"
- Maximum tip width = "1.00"
- Peak base width = "5.00"
- Method = "Minimum 2nd derivative"
- Modification time = "17/03/2007 12:38:11"
- Modification editor = "Administrator"

Search-Match:

- Data source = "Profile and peak list"
- Restriction = "Restriction set"
- Description = "Minerals subfile only"
- All of: elements = ""
- At least one of: elements = ""
- None of: elements = ""
- Maximum no. of elements = "105"
- Skip marked as deleted by ICDD = "No"
- Skip marked as deleted by a user = "No"
- Quality marks set = ""
- Subfiles = "M"
- Scoring schema = "Multi phase"
- Auto residue = "Yes"
- Match intensity = "Yes"
- Demote unmatched strong = "Yes"
- Allow pattern shift = "Yes"
- Two theta shift = "0"
- Identify = "No"
- Modification time = "17/03/2007 12:38:29"
- Modification editor = "Administrator"

More items... (Bookmark 8)

More items... (Bookmark 9)

More items... (Bookmark 10)

More items... (Bookmark 11)

More items... (Bookmark 12)

More items... (Bookmark 13)

More items... (Bookmark 14)

More items... (Bookmark 15)